

Glucuronic acid, TMS # 4

Inchi: InChI=1S/C21H50O7Si5/c1-29(2,3)24-17(16-22)18(25-30(4,5)6)19(26-31(7,8)9)20(27-32)
InchiKey: HDGFBGPNRURMOV-IYWMVGAKSA-N
Formula: C21H50O7Si5
SMILES: C[Si](C)(C)OC(=O)C(O[Si](C)(C)C)C(O[Si](C)(C)C)C(O[Si](C)(C)C)C(O[Si](C)(C)C)C(C=O)O[Si](C)(C)C
Mol. weight [g/mol]: 555.04

Physical Properties

Property code	Value	Unit	Source
log10ws	6.19		Crippen Method
logp	5.444		Crippen Method
rinpol	2085.00		NIST Webbook

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R400941&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/49-073-7/Glucuronic-acid-TMS-4.pdf>

Generated by Cheméo on 2024-04-30 11:05:16.795527136 +0000 UTC m=+16764365.716104458.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.