

# Titanocene dichloride

<b>Other names:</b>	Bis(cyclopentadienyl)dichlorotitanium Bis(cyclopentadienyl)titanium dichloride Bis(«pi»-cyclopentadienyl)dichlorotitanium Bis(«pi»-cyclopentadienyl)titanium dichloride Bis(Â«piÂ»-cyclopentadienyl)dichlorotitanium Bis(Â«piÂ»-cyclopentadienyl)titanium dichloride Dichlorobis(1,3-cyclopentadiene)titanium Dichlorobis(cyclopentadienyl)titanium Dichlorobis(«eta»5-2,4-cyclopentadien-1-yl)titanium Dichlorobis(«eta»5-cyclopentadienyl)titanium Dichlorobis(«pi»-cyclopentadienyl)titanium Dichlorobis(Â«etaÂ»5-2,4-cyclopentadien-1-yl)titanium Dichlorobis(Â«etaÂ»5-cyclopentadienyl)titanium Dichlorobis(Â«piÂ»-cyclopentadienyl)titanium Dichlorodi-«pi»-cyclopentadienyltitanium Dichlorodi-Â«piÂ»-cyclopentadienyltitanium Dichlorodicyclopentadienyltitanium Dichlorotitanocene Dicyclopentadienyldichlorotitanium Dicyclopentadienyltitanium dichloride NCI-C04502 NSC 78453 Titanium, bis(cyclopentadienyl)dichloride- Titanium, dichlorobis(«eta»5-2,4-cyclopentadien-1-yl)- Titanium, dichlorobis(Â«etaÂ»5-2,4-cyclopentadien-1-yl)- Titanium, dichlorodi-«pi»-cyclopentadienyl- Titanium, dichlorodi-Â«piÂ»-cyclopentadienyl- bis(«eta»5-Cyclopentadienyl)titanium dichloride bis(Â«etaÂ»5-Cyclopentadienyl)titanium dichloride dichlorobis(«eta»-cyclopentadienyl)titanium dichlorobis(Â«etaÂ»-cyclopentadienyl)titanium
<b>Inchi:</b>	InChI=1S/2C5H5.2ClH.Ti/c2*1-2-4-5-3-1;;;/h2*1-5H;2*1H;/q;;;+2/p-2
<b>InchiKey:</b>	XKLWATAZDMHTSH-UHFFFAOYSA-L
<b>Formula:</b>	C10H10Cl2Ti
<b>SMILES:</b>	Cl[Ti]12345678(Cl)(C9C1C2C3C94)C1C5C6C7C18
<b>Mol. weight [g/mol]:</b>	248.96
<b>CAS:</b>	1271-19-8

# Physical Properties

Property code	Value	Unit	Source
chs	-5715.00 ± 21.00	kJ/mol	NIST Webbook
chs	-5849.00 ± 21.00	kJ/mol	NIST Webbook
chs	-5971.40 ± 7.50	kJ/mol	NIST Webbook
hf	-264.80 ± 8.00	kJ/mol	NIST Webbook
hf	-542.00 ± 21.00	kJ/mol	NIST Webbook
hf	-564.00 ± 21.00	kJ/mol	NIST Webbook
hfs	-383.60 ± 7.70	kJ/mol	NIST Webbook
hfs	-639.00 ± 21.00	kJ/mol	NIST Webbook
hfs	-661.00 ± 21.00	kJ/mol	NIST Webbook
ie	8.98 ± 0.16	eV	NIST Webbook
ie	8.50	eV	NIST Webbook
ie	8.50 ± 0.10	eV	NIST Webbook
ie	8.46 ± 0.05	eV	NIST Webbook

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
hsubt	124.40	kJ/mol	475.50	NIST Webbook

# Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	2.84254e+01
Coeff. B	-1.49668e+04
Temperature range (K), min.	531.91
Temperature range (K), max.	647.52

# Sources

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C1271198&Units=SI>

**The Yaws Handbook of Vapor Pressure:**

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

## Legend

<b>chs:</b>	Standard solid enthalpy of combustion
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfs:</b>	Solid phase enthalpy of formation at standard conditions
<b>hsubt:</b>	Enthalpy of sublimation at a given temperature
<b>ie:</b>	Ionization energy
<b>pvap:</b>	Vapor pressure

Latest version available from:

<https://www.cheméo.com/cid/49-597-6/Titanocene-dichloride.pdf>

Generated by Cheméo on 2024-04-19 02:05:41.349420045 +0000 UTC m=+15781590.269997356.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.