

1,1'-Biphenyl, 2,4'-dimethyl-

| | |
|-----------------------------|--|
| Other names: | o,p'-Bitolyl 2,4'-Dimethyl-1,1'-biphenyl 2,4'-Dimethylbiphenyl 2,4'-Ditolyl |
| Inchi: | InChI=1S/C14H14/c1-11-7-9-13(10-8-11)14-6-4-3-5-12(14)2/h3-10H,1-2H3 |
| InchiKey: | SHMKKPZGLDISGT-UHFFFAOYSA-N |
| Formula: | C14H14 |
| SMILES: | <chem>Cc1ccc(-c2ccccc2C)cc1</chem> |
| Mol. weight [g/mol]: | 182.26 |
| CAS: | 611-61-0 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------------|----------------------|----------------|
| gf | 272.56 | kJ/mol | Joback Method |
| hf | 117.83 | kJ/mol | Joback Method |
| hfus | 19.32 | kJ/mol | Joback Method |
| hvap | 52.63 | kJ/mol | Joback Method |
| log10ws | -5.03 | | Crippen Method |
| logp | 3.970 | | Crippen Method |
| mcvol | 160.600 | ml/mol | McGowan Method |
| pc | 2684.64 | kPa | Joback Method |
| rinpol | 1536.00 | | NIST Webbook |
| rinpol | 1526.00 | | NIST Webbook |
| rinpol | 262.20 | | NIST Webbook |
| ripol | 2100.00 | | NIST Webbook |
| ripol | 2061.00 | | NIST Webbook |
| tb | 549.00 ± 6.00 | K | NIST Webbook |
| tb | 559.00 ± 5.00 | K | NIST Webbook |
| tb | 554.00 ± 18.00 | K | NIST Webbook |
| tb | 547.70 | K | NIST Webbook |
| tc | 824.77 | K | Joback Method |
| tf | 325.42 | K | Joback Method |
| vc | 0.604 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 371.85 | J/molxK | 583.04 | Joback Method |
| cpg | 388.95 | J/molxK | 623.33 | Joback Method |
| cpg | 404.83 | J/molxK | 663.62 | Joback Method |
| cpg | 419.57 | J/molxK | 703.90 | Joback Method |
| cpg | 433.22 | J/molxK | 744.19 | Joback Method |
| cpg | 445.84 | J/molxK | 784.48 | Joback Method |
| cpg | 457.50 | J/molxK | 824.77 | Joback Method |
| dvisc | 0.0014925 | Paxs | 325.42 | Joback Method |
| dvisc | 0.0008435 | Paxs | 368.36 | Joback Method |
| dvisc | 0.0005371 | Paxs | 411.29 | Joback Method |
| dvisc | 0.0003724 | Paxs | 454.23 | Joback Method |
| dvisc | 0.0002751 | Paxs | 497.17 | Joback Method |
| dvisc | 0.0002132 | Paxs | 540.10 | Joback Method |
| dvisc | 0.0001716 | Paxs | 583.04 | Joback Method |

Pressure Dependent Properties

| Property code | Value | Unit | Pressure [kPa] | Source |
|---------------|--------|------|----------------|--------------|
| tbrp | 410.20 | K | 1.70 | NIST Webbook |

Sources

| | |
|-----------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C611610&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tbrp: | Boiling point at reduced pressure |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/50-294-0/1-1-Biphenyl-2-4-dimethyl.pdf>

Generated by Cheméo on 2024-04-18 20:13:33.01893618 +0000 UTC m=+15760461.939513495.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.