

# Adamantane-1-carboxylic acid

<b>Other names:</b>	1-adamantanecarboxylic acid Tricyclo[3.3.1.1 tricyclo[3.3.1.1(3,7)]decane-1-carboxylic acid
<b>Inchi:</b>	InChI=1S/C11H16O2/c12-10(13)11-4-7-1-8(5-11)3-9(2-7)6-11/h7-9H,1-6H2,(H,12,13)
<b>InchiKey:</b>	JIMXXGFJRDUSRO-UHFFFAOYSA-N
<b>Formula:</b>	C11H16O2
<b>SMILES:</b>	O=C(O)C12CC3CC(CC(C3)C1)C2
<b>Mol. weight [g/mol]:</b>	180.24
<b>CAS:</b>	828-51-3

## Physical Properties

Property code	Value	Unit	Source
chs	-5972.20 ± 3.60	kJ/mol	NIST Webbook
gf	-67.05	kJ/mol	Joback Method
hf	-328.04	kJ/mol	Joback Method
hfs	-643.08	kJ/mol	NIST Webbook
hfus	16.20	kJ/mol	The Joining of Measurement and Prediction: The Enthalpy of Formation of 1,4-Cubanedicarboxylic Acid
hvap	61.96	kJ/mol	Joback Method
ie	9.34	eV	NIST Webbook
log10ws	-2.24		Crippen Method
logp	2.287		Crippen Method
mcvol	140.710	ml/mol	McGowan Method
pc	3493.01	kPa	Joback Method
ripol	1433.00		NIST Webbook
ripol	2118.00		NIST Webbook
ripol	2118.00		NIST Webbook
tb	617.19	K	Joback Method
tc	829.42	K	Joback Method
tf	394.44	K	Joback Method
vc	0.536	m <sup>3</sup> /kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	409.61	J/mol×K	617.19	Joback Method
cpg	424.80	J/mol×K	652.56	Joback Method
cpg	439.00	J/mol×K	687.93	Joback Method
cpg	452.41	J/mol×K	723.31	Joback Method
cpg	465.20	J/mol×K	758.68	Joback Method
cpg	477.54	J/mol×K	794.05	Joback Method
cpg	489.60	J/mol×K	829.42	Joback Method
hfust	2.25	kJ/mol	524.20	NIST Webbook
hfust	2.25	kJ/mol	524.20	NIST Webbook

## Sources

NIST Webbook:	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C828513&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C828513&amp;Units=SI</a>
Crippen Method:	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
Crippen Method:	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
The Joining of Measurement and Prediction: The Enthalpy of Formation of $\alpha$ -Cyanocarboxylic Acid:	<a href="https://www.doi.org/10.1021/je101124p">https://www.doi.org/10.1021/je101124p</a>
Joback Method:	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
McGowan Method:	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>

## Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>ripol:</b>	Polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/50-433-5/Adamantane-1-carboxylic-acid.pdf>

Generated by Cheméo on 2024-03-20 11:20:35.070866095 +0000 UTC m=+13222883.991443411.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.