# Sebacic acid, dodecyl 2-methylbutyl ester

**Inchi:** InChI=1S/C27H52O4/c1-4-6-7-8-9-10-11-14-17-20-23-30-26(28)21-18-15-12-13-16-19-2
**InchiKey:** PXXAKUDEXNNTRV-UHFFFAOYSA-N
**Formula:** C27H52O4
**SMILES:** CCCCCCCCCCCCOC(=O)CCCCCCCCC(=O)OCC(C)CC
**Mol. weight [g/mol]:** 440.70

## Physical Properties

| Property code | Value | Unit | Source |
|---|---|---|---|
| gf | -293.82 | kJ/mol | Joback Method |
| hf | -1095.49 | kJ/mol | Joback Method |
| hfus | 67.74 | kJ/mol | Joback Method |
| hvap | 93.62 | kJ/mol | Joback Method |
| log10ws | -8.61 | | Crippen Method |
| logp | 8.161 | | Crippen Method |
| mcvol | 406.170 | ml/mol | McGowan Method |
| pc | 726.53 | kPa | Joback Method |
| rinpol | 3093.00 | | NIST Webbook |
| rinpol | 3093.00 | | NIST Webbook |
| tb | 969.30 | K | Joback Method |
| tc | 1196.72 | K | Joback Method |
| tf | 523.37 | K | Joback Method |
| vc | 1.589 | m3/kmol | Joback Method |

## Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---|---|---|---|---|
| cpg | 1410.04 | J/mol×K | 969.30 | Joback Method |
| cpg | 1501.39 | J/mol×K | 1158.81 | Joback Method |
| cpg | 1486.55 | J/mol×K | 1120.91 | Joback Method |
| cpg | 1470.06 | J/mol×K | 1083.01 | Joback Method |
| cpg | 1451.85 | J/mol×K | 1045.11 | Joback Method |
| cpg | 1431.86 | J/mol×K | 1007.20 | Joback Method |
| cpg | 1514.63 | J/mol×K | 1196.72 | Joback Method |
| dvisc | 0.0000168 | Pa×s | 969.30 | Joback Method |

| | | | | |
|---|---|---|---|---|
| dvisc | 0.0000230 | Pa×s | 894.98 | Joback Method |
| dvisc | 0.0000331 | Pa×s | 820.66 | Joback Method |
| dvisc | 0.0000515 | Pa×s | 746.34 | Joback Method |
| dvisc | 0.0000881 | Pa×s | 672.01 | Joback Method |
| dvisc | 0.0001723 | Pa×s | 597.69 | Joback Method |
| dvisc | 0.0004080 | Pa×s | 523.37 | Joback Method |

# Sources

| | |
|---|---|
| **McGowan Method:** | http://link.springer.com/article/10.1007/BF02311772 |
| **NIST Webbook:** | http://webbook.nist.gov/cgi/cbook.cgi?ID=U354346&Units=SI |
| **Crippen Method:** | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| **Crippen Method:** | https://www.chemeo.com/doc/models/crippen_log10ws |
| **Joback Method:** | https://en.wikipedia.org/wiki/Joback_method |

# Legend

| | |
|---|---|
| **cpg:** | Ideal gas heat capacity |
| **dvisc:** | Dynamic viscosity |
| **gf:** | Standard Gibbs free energy of formation |
| **hf:** | Enthalpy of formation at standard conditions |
| **hfus:** | Enthalpy of fusion at standard conditions |
| **hvap:** | Enthalpy of vaporization at standard conditions |
| **log10ws:** | Log10 of Water solubility in mol/l |
| **logp:** | Octanol/Water partition coefficient |
| **mcvol:** | McGowan's characteristic volume |
| **pc:** | Critical Pressure |
| **rinpol:** | Non-polar retention indices |
| **tb:** | Normal Boiling Point Temperature |
| **tc:** | Critical Temperature |
| **tf:** | Normal melting (fusion) point |
| **vc:** | Critical Volume |

Latest version available from:
https://www.chemeo.com/cid/50-528-0/Sebacic-acid-dodecyl-2-methylbutyl-ester.pdf
Generated by Cheméo on 2024-10-12 06:31:42.044602475 +0000 UTC m=+3295564.681571724.
Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.