

2,6,10,14-Tetramethyl-9-(3-methyl-pent-4-enyliden)

| | |
|-----------------------------|---|
| Inchi: | InChI=1S/C25H42/c1-9-22(6)16-18-25(24(8)15-11-13-21(4)5)19-17-23(7)14-10-12-20(2) |
| InchiKey: | VDOFLWFFQCRKTK-VAHBTUPDSA-N |
| Formula: | C25H42 |
| SMILES: | C=CC(C)CC=C(CC=C(C)CCC=C(C)C)C(C)CCC=C(C)C |
| Mol. weight [g/mol]: | 342.60 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 529.26 | kJ/mol | Joback Method |
| hf | -14.74 | kJ/mol | Joback Method |
| hfus | 47.75 | kJ/mol | Joback Method |
| hvap | 69.95 | kJ/mol | Joback Method |
| log10ws | -9.07 | | Crippen Method |
| logp | 8.590 | | Crippen Method |
| mcvol | 341.610 | ml/mol | McGowan Method |
| pc | 900.72 | kPa | Joback Method |
| rinpol | 2172.00 | | NIST Webbook |
| rinpol | 2159.00 | | NIST Webbook |
| tb | 783.36 | K | Joback Method |
| tc | 974.84 | K | Joback Method |
| tf | 263.59 | K | Joback Method |
| vc | 1.329 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|---------|---------|-----------------|---------------|
| cpg | 1028.64 | J/molxK | 783.36 | Joback Method |
| cpg | 1050.17 | J/molxK | 815.27 | Joback Method |
| cpg | 1070.69 | J/molxK | 847.19 | Joback Method |
| cpg | 1090.32 | J/molxK | 879.10 | Joback Method |
| cpg | 1109.15 | J/molxK | 911.01 | Joback Method |
| cpg | 1127.28 | J/molxK | 942.92 | Joback Method |
| cpg | 1144.80 | J/molxK | 974.84 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R274549&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/50-842-1/2-6-10-14-Tetramethyl-9-3-methyl-pent-4-enylidene-pentadeca-2-6-trans-13-t>

Generated by Cheméo on 2024-04-29 16:04:38.734717875 +0000 UTC m=+16695927.655295190.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.