

2-Butenoic acid, 3-methyl-, ethyl ester

Other names:	3,3-Dimethylacrylic acid ethyl ester 3-Methyl-2-butenoic acid, ethyl ester Crotonic acid, 3-methyl-, ethyl ester Ethyl 3,3-dimethylacrylate Ethyl 3-methyl-2-butenoate Ethyl 3-methylbut-2-enoate Ethyl 3-methylcrotonate Ethyl dimethylacrylate Ethyl isobutenoate Ethyl isopropylideneacetate Ethyl senecioate Ethyl «beta», «beta»-dimethylacrylate Ethyl «beta»-methylcrotonate Ethyl «beta», «beta»-dimethylacrylate Ethyl «beta»-methylcrotonate NSC 61853 NSC 99208
Inchi:	InChI=1S/C7H12O2/c1-4-9-7(8)5-6(2)3/h5H,4H2,1-3H3
InchiKey:	UTXVCHVLDOLVPC-UHFFFAOYSA-N
Formula:	C7H12O2
SMILES:	CCOC(=O)C=C(C)C
Mol. weight [g/mol]:	128.17
CAS:	638-10-8

Physical Properties

Property code	Value	Unit	Source
gf	-154.19	kJ/mol	Joback Method
hf	-325.18	kJ/mol	Joback Method
hfus	15.56	kJ/mol	Joback Method
hvap	49.30 ± 0.20	kJ/mol	NIST Webbook
log10ws	-1.47		Crippen Method
logp	1.516		Crippen Method
mcvol	112.630	ml/mol	McGowan Method
pc	3131.49	kPa	Joback Method
rinpol	911.00		NIST Webbook
rinpol	924.00		NIST Webbook
rinpol	902.00		NIST Webbook

rinpol	911.00		NIST Webbook
rinpol	911.00		NIST Webbook
rinpol	924.00		NIST Webbook
ripol	1219.00		NIST Webbook
ripol	1217.00		NIST Webbook
tb	426.70	K	NIST Webbook
tc	628.49	K	Joback Method
tf	221.77	K	Joback Method
vc	0.432	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	222.62	J/mol×K	439.89	Joback Method
cpg	233.55	J/mol×K	471.32	Joback Method
cpg	244.02	J/mol×K	502.76	Joback Method
cpg	254.05	J/mol×K	534.19	Joback Method
cpg	263.64	J/mol×K	565.63	Joback Method
cpg	272.80	J/mol×K	597.06	Joback Method
cpg	281.54	J/mol×K	628.49	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.61219e+01
Coeff. B	-4.15272e+03
Coeff. C	-5.97590e+01
Temperature range (K), min.	322.02
Temperature range (K), max.	443.90

Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C638108&Units=SI>

The Yaws Handbook of Vapor

Pressure:

Crippen Method:

Crippen Method:

Joback Method:

McGowan Method:

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

https://www.chemeo.com/doc/models/crippen_log10ws

https://en.wikipedia.org/wiki/Joback_method

<http://link.springer.com/article/10.1007/BF02311772>

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
ripol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/51-245-3/2-Butenoic-acid-3-methyl-ethyl-ester.pdf>

Generated by Cheméo on 2024-09-07 15:17:53.403728139 +0000 UTC m=+303136.040697397.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.