

Hexanoic acid, 2-methyl-

Other names:	2-Hexanecarboxylic acid 2-Methylcaproic acid 2-Methylhexanoic acid «alpha»-Methylcaproic acid Â«alphaÂ»-Methylcaproic acid
Inchi:	InChI=1S/C7H14O2/c1-3-4-5-6(2)7(8)9/h6H,3-5H2,1-2H3,(H,8,9)
InchiKey:	CVKMFSAVYPAZTQ-UHFFFAOYSA-N
Formula:	C7H14O2
SMILES:	CCCCC(C)C(=O)O
Mol. weight [g/mol]:	130.18
CAS:	4536-23-6

Physical Properties

Property code	Value	Unit	Source
gf	-260.12	kJ/mol	Joback Method
hf	-457.90	kJ/mol	Joback Method
hfus	16.05	kJ/mol	Joback Method
hvap	54.21	kJ/mol	Joback Method
log10ws	-1.61		Crippen Method
logp	1.897		Crippen Method
mcvol	116.930	ml/mol	McGowan Method
pc	3352.86	kPa	Joback Method
ripol	1757.00		NIST Webbook
tb	482.70	K	NIST Webbook
tc	678.63	K	Joback Method
tf	264.40	K	Joback Method
vc	0.447	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	265.80	J/molxK	505.17	Joback Method
cpg	276.01	J/molxK	534.08	Joback Method
cpg	285.78	J/molxK	562.99	Joback Method

cpg	295.14	J/mol×K	591.90	Joback Method
cpg	304.09	J/mol×K	620.81	Joback Method
cpg	312.64	J/mol×K	649.72	Joback Method
cpg	320.81	J/mol×K	678.63	Joback Method
dvisc	0.0353274	Paxs	264.40	Joback Method
dvisc	0.0080276	Paxs	304.53	Joback Method
dvisc	0.0025758	Paxs	344.66	Joback Method
dvisc	0.0010476	Paxs	384.78	Joback Method
dvisc	0.0005050	Paxs	424.91	Joback Method
dvisc	0.0002761	Paxs	465.04	Joback Method
dvisc	0.0001662	Paxs	505.17	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.57964e+01
Coeff. B	-4.54116e+03
Coeff. C	-7.69950e+01
Temperature range (K), min.	369.81
Temperature range (K), max.	510.11

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C4536236&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity

gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/51-730-4/Hexanoic-acid-2-methyl.pdf>

Generated by Cheméo on 2024-04-25 19:21:58.76021206 +0000 UTC m=+16362167.680789394.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.