

Tranlycypromine

| | |
|-----------------------------|---|
| Other names: | Cyclopropanamine, 2-phenyl-, trans-(./-.)- |
| Inchi: | InChI=1S/C9H11N/c10-9-6-8(9)7-4-2-1-3-5-7/h1-5,8-9H,6,10H2/t8-,9+/m1/s1 |
| InchiKey: | AELCINSCMGFISI-BDAKNGLRSA-N |
| Formula: | C9H11N |
| SMILES: | NC1CC1c1ccccc1 |
| Mol. weight [g/mol]: | 133.19 |
| CAS: | 155-09-9 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|--------|----------------|
| gf | 256.80 | kJ/mol | Joback Method |
| hf | 93.69 | kJ/mol | Joback Method |
| hfus | 17.51 | kJ/mol | Joback Method |
| hvap | 48.15 | kJ/mol | Joback Method |
| log10ws | -2.10 | | Crippen Method |
| logp | 1.501 | | Crippen Method |
| mcvol | 113.030 | ml/mol | McGowan Method |
| pc | 3920.94 | kPa | Joback Method |
| rinpol | 1210.00 | | NIST Webbook |
| rinpol | 1271.00 | | NIST Webbook |
| rinpol | 1259.00 | | NIST Webbook |
| rinpol | 1259.00 | | NIST Webbook |
| rinpol | 1248.00 | | NIST Webbook |
| rinpol | 1223.00 | | NIST Webbook |
| rinpol | 1198.00 | | NIST Webbook |
| rinpol | 1235.00 | | NIST Webbook |
| rinpol | 1210.00 | | NIST Webbook |
| rinpol | 1206.00 | | NIST Webbook |
| rinpol | 1195.00 | | NIST Webbook |
| rinpol | 1225.00 | | NIST Webbook |
| rinpol | 1195.00 | | NIST Webbook |
| rinpol | 1210.00 | | NIST Webbook |
| rinpol | 1198.00 | | NIST Webbook |
| rinpol | 1198.00 | | NIST Webbook |
| rinpol | 1225.00 | | NIST Webbook |
| ripol | 1834.00 | | NIST Webbook |
| ripol | 1834.00 | | NIST Webbook |

| | | | |
|-------|---------|----------------------|---------------|
| ripol | 1904.00 | | NIST Webbook |
| ripol | 1860.00 | | NIST Webbook |
| ripol | 1852.00 | | NIST Webbook |
| ripol | 1850.00 | | NIST Webbook |
| ripol | 1834.00 | | NIST Webbook |
| tb | 506.60 | K | Joback Method |
| tc | 743.89 | K | Joback Method |
| tf | 314.57 | K | Joback Method |
| vc | 0.416 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 257.94 | J/mol×K | 506.60 | Joback Method |
| cpg | 273.48 | J/mol×K | 546.15 | Joback Method |
| cpg | 287.86 | J/mol×K | 585.70 | Joback Method |
| cpg | 301.16 | J/mol×K | 625.25 | Joback Method |
| cpg | 313.44 | J/mol×K | 664.79 | Joback Method |
| cpg | 324.78 | J/mol×K | 704.34 | Joback Method |
| cpg | 335.27 | J/mol×K | 743.89 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C155099&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |

Legend

| | |
|---------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| h vap: | Enthalpy of vaporization at standard conditions |

| | |
|-----------------|-------------------------------------|
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/51-957-3/Tranylcypromine.pdf>

Generated by Cheméo on 2024-04-24 02:15:29.506266995 +0000 UTC m=+16214178.426844316.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.