

# Oxiranemethanol, (R)-

<b>Other names:</b>	(+)-2,3-epoxy-1-propanol (+)-glycidol (R)-(+)-Glycidol (R)-glycidol (R)-oxiran-2-ylmethanol R-(+)-glycidol
<b>Inchi:</b>	InChI=1S/C3H6O2/c4-1-3-2-5-3/h3-4H,1-2H2/t3-/m1/s1
<b>InchiKey:</b>	CTKINSOISVBQLD-GSVOUGTGSA-N
<b>Formula:</b>	C3H6O2
<b>SMILES:</b>	OCC1CO1
<b>Mol. weight [g/mol]:</b>	74.08
<b>CAS:</b>	57044-25-4

## Physical Properties

Property code	Value	Unit	Source
gf	-187.81	kJ/mol	Joback Method
hf	-316.68	kJ/mol	Joback Method
hfus	13.73	kJ/mol	Joback Method
hvap	43.37	kJ/mol	Joback Method
log10ws	0.56		Crippen Method
logp	-0.623		Crippen Method
mcvol	54.010	ml/mol	McGowan Method
pc	5981.40	kPa	Joback Method
tb	393.91	K	Joback Method
tc	571.71	K	Joback Method
tf	228.90	K	Joback Method
vc	0.201	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	107.22	J/mol×K	393.91	Joback Method
cpg	137.07	J/mol×K	542.08	Joback Method
cpg	131.78	J/mol×K	512.45	Joback Method

cpg	126.18	J/molxK	482.81	Joback Method
cpg	120.23	J/molxK	453.18	Joback Method
cpg	113.91	J/molxK	423.54	Joback Method
cpg	142.05	J/molxK	571.71	Joback Method
dvisc	0.0005444	Paxs	393.91	Joback Method
dvisc	0.0008005	Paxs	366.41	Joback Method
dvisc	0.0012532	Paxs	338.91	Joback Method
dvisc	0.0021233	Paxs	311.40	Joback Method
dvisc	0.0039847	Paxs	283.90	Joback Method
dvisc	0.0085588	Paxs	256.40	Joback Method
dvisc	0.0220909	Paxs	228.90	Joback Method

## Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	329.70	K	1.50	NIST Webbook

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C57044254&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C57044254&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Energetics of pairwise interaction between glycidol enantiomers in (dimethylformamide + water) mixtures rich in water at T = 298.15 K:</b>	<a href="https://www.doi.org/10.1016/j.jct.2015.03.012">https://www.doi.org/10.1016/j.jct.2015.03.012</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l

<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>tb:</b>	Normal Boiling Point Temperature
<b>tbrp:</b>	Boiling point at reduced pressure
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/51-988-9/Oxiranemethanol-R.pdf>

Generated by Cheméo on 2024-06-20 19:13:24.438821255 +0000 UTC m=+21200053.359398570.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.