

Silhiperfolan-7«beta»-ol

| | |
|-----------------------------|---|
| Inchi: | InChI=1S/C15H26O/c1-10-5-8-15-12(10)6-7-13(15,3)9-11(2)14(15,4)16/h10-12,16H,5-9H |
| InchiKey: | PEXFPFKJCPWRDJ-KWUPGMTHSA-N |
| Formula: | C15H26O |
| SMILES: | CC1CCC23C1CCC2(C)CC(C)C3(C)O |
| Mol. weight [g/mol]: | 222.37 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 57.05 | kJ/mol | Joback Method |
| hf | -314.38 | kJ/mol | Joback Method |
| hfus | 13.22 | kJ/mol | Joback Method |
| hvap | 61.37 | kJ/mol | Joback Method |
| log10ws | -3.95 | | Crippen Method |
| logp | 3.610 | | Crippen Method |
| mcvol | 195.500 | ml/mol | McGowan Method |
| pc | 2289.32 | kPa | Joback Method |
| rinpol | 1527.00 | | NIST Webbook |
| ripol | 1893.00 | | NIST Webbook |
| tb | 650.25 | K | Joback Method |
| tc | 863.66 | K | Joback Method |
| tf | 425.39 | K | Joback Method |
| vc | 0.741 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 595.75 | J/mol×K | 650.25 | Joback Method |
| cpg | 615.74 | J/mol×K | 685.82 | Joback Method |
| cpg | 634.97 | J/mol×K | 721.39 | Joback Method |
| cpg | 653.76 | J/mol×K | 756.96 | Joback Method |
| cpg | 672.45 | J/mol×K | 792.52 | Joback Method |
| cpg | 691.37 | J/mol×K | 828.09 | Joback Method |
| cpg | 710.84 | J/mol×K | 863.66 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R226347&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|------------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpolar: | Non-polar retention indices |
| ripolar: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/52-026-5/Silphiperfolan-7-beta-ol.pdf>

Generated by Cheméo on 2024-04-30 13:17:11.581852805 +0000 UTC m=+16772280.502430127.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.