

1-Nonadecene

| | |
|-----------------------------|--|
| Other names: | Nonadec-1-ene |
| Inchi: | InChI=1S/C19H38/c1-3-5-7-9-11-13-15-17-19-18-16-14-12-10-8-6-4-2/h3H,1,4-19H2,2H |
| InchiKey: | NHLUYCJZUXOUBX-UHFFFAOYSA-N |
| Formula: | C19H38 |
| SMILES: | C=CCCCCCCCCCCCCCCCCC |
| Mol. weight [g/mol]: | 266.50 |
| CAS: | 18435-45-5 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|--------|----------------|
| af | 0.7470 | | KDB |
| gf | 196.94 | kJ/mol | Joback Method |
| hf | -310.06 | kJ/mol | Joback Method |
| hfus | 43.69 | kJ/mol | Joback Method |
| hvap | 95.00 | kJ/mol | NIST Webbook |
| log10ws | -7.63 | | Crippen Method |
| logp | 7.434 | | Crippen Method |
| mcvol | 274.270 | ml/mol | McGowan Method |
| pc | 1110.00 | kPa | KDB |
| rinpol | 1883.00 | | NIST Webbook |
| rinpol | 1899.00 | | NIST Webbook |
| rinpol | 1880.00 | | NIST Webbook |
| rinpol | 1890.00 | | NIST Webbook |
| rinpol | 1892.00 | | NIST Webbook |
| rinpol | 1891.00 | | NIST Webbook |
| rinpol | 1885.00 | | NIST Webbook |
| rinpol | 1883.00 | | NIST Webbook |
| rinpol | 1894.00 | | NIST Webbook |
| rinpol | 1881.00 | | NIST Webbook |
| rinpol | 1891.00 | | NIST Webbook |
| rinpol | 1890.00 | | NIST Webbook |
| rinpol | 1894.00 | | NIST Webbook |
| rinpol | 1895.00 | | NIST Webbook |
| rinpol | 1892.00 | | NIST Webbook |
| rinpol | 1875.00 | | NIST Webbook |
| rinpol | 298.50 | | NIST Webbook |
| rinpol | 1885.00 | | NIST Webbook |

| | | | |
|--------|-----------|----------------------|--------------|
| rinpol | 1890.00 | | NIST Webbook |
| rinpol | 1883.00 | | NIST Webbook |
| rinpol | 1891.00 | | NIST Webbook |
| rinpol | 1899.00 | | NIST Webbook |
| rinpol | 1892.00 | | NIST Webbook |
| rinpol | 1892.00 | | NIST Webbook |
| rinpol | 1893.00 | | NIST Webbook |
| ripol | 1943.00 | | NIST Webbook |
| ripol | 1920.00 | | NIST Webbook |
| ripol | 1960.00 | | NIST Webbook |
| ripol | 1938.00 | | NIST Webbook |
| ripol | 1956.00 | | NIST Webbook |
| tb | 601.70 | K | KDB |
| tc | 755.10 | K | KDB |
| tf | 297.00 | K | KDB |
| vc | 1.107 | m ³ /kmol | KDB |
| zc | 0.1956290 | | KDB |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 850.67 | J/molxK | 764.94 | Joback Method |
| cpg | 833.77 | J/molxK | 738.11 | Joback Method |
| cpg | 816.11 | J/molxK | 711.28 | Joback Method |
| cpg | 797.68 | J/molxK | 684.46 | Joback Method |
| cpg | 778.46 | J/molxK | 657.63 | Joback Method |
| cpg | 758.40 | J/molxK | 630.80 | Joback Method |
| cpg | 866.86 | J/molxK | 791.77 | Joback Method |
| dvisc | 0.0038207 | Paxs | 302.13 | Joback Method |
| dvisc | 0.0001144 | Paxs | 630.80 | Joback Method |
| dvisc | 0.0001555 | Paxs | 576.02 | Joback Method |
| dvisc | 0.0002254 | Paxs | 521.24 | Joback Method |
| dvisc | 0.0003564 | Paxs | 466.46 | Joback Method |
| dvisc | 0.0006367 | Paxs | 411.69 | Joback Method |
| dvisc | 0.0013594 | Paxs | 356.91 | Joback Method |
| hvapt | 54.81 | kJ/mol | 601.70 | KDB |
| hvapt | 63.30 | kJ/mol | 582.00 | NIST Webbook |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.58056e+01 |
| Coeff. B | -5.41610e+03 |
| Coeff. C | -1.08726e+02 |
| Temperature range (K), min. | 457.75 |
| Temperature range (K), max. | 624.83 |

| Information | Value |
|-----------------------------|--|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$ |
| Coeff. A | 2.16828e+02 |
| Coeff. B | -2.01039e+04 |
| Coeff. C | -2.85243e+01 |
| Coeff. D | 1.03581e-05 |
| Temperature range (K), min. | 296.55 |
| Temperature range (K), max. | 760.00 |

Sources

| | |
|---|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| KDB: | https://www.thermo.com/files/research/kdb/mol/mol354.mol |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C18435455&Units=SI |
| The Yaws Handbook of Vapor Pressure: | https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure |
| KDB Vapor Pressure Data: | https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=354 |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307I |
| Crippen Method: | https://www.chemed.com/doc/models/crippen_log10ws |

Legend

af: Acentric Factor

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvac: | Enthalpy of vaporization at standard conditions |
| hvapt: | Enthalpy of vaporization at a given temperature |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| pvap: | Vapor pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |
| zc: | Critical Compressibility |

Latest version available from:

<https://www.cheméo.com/cid/52-707-9/1-Nonadecene.pdf>

Generated by Cheméo on 2024-04-19 21:13:07.045153068 +0000 UTC m=+15850435.965730383.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.