

# Succinic acid, di(2-methylpent-3-yl) ester

<b>Inchi:</b>	InChI=1S/C16H30O4/c1-7-13(11(3)4)19-15(17)9-10-16(18)20-14(8-2)12(5)6/h11-14H,7-
<b>InchiKey:</b>	FGLVPHZMPJJZBU-UHFFFAOYSA-N
<b>Formula:</b>	C16H30O4
<b>SMILES:</b>	CCC(OC(=O)CCC(=O)OC(CC)C(C)C)C(C)C
<b>Mol. weight [g/mol]:</b>	286.41

## Physical Properties

Property code	Value	Unit	Source
gf	-393.76	kJ/mol	Joback Method
hf	-884.29	kJ/mol	Joback Method
hfus	28.68	kJ/mol	Joback Method
hvap	67.97	kJ/mol	Joback Method
log10ws	-3.99		Crippen Method
logp	3.722		Crippen Method
mcvol	251.180	ml/mol	McGowan Method
pc	1445.73	kPa	Joback Method
rinsol	1729.00		NIST Webbook
tb	716.30	K	Joback Method
tc	900.82	K	Joback Method
tf	354.40	K	Joback Method
vc	0.956	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	735.52	J/mol×K	716.30	Joback Method
cpg	752.94	J/mol×K	747.05	Joback Method
cpg	769.44	J/mol×K	777.81	Joback Method
cpg	785.03	J/mol×K	808.56	Joback Method
cpg	799.71	J/mol×K	839.31	Joback Method
cpg	813.48	J/mol×K	870.06	Joback Method
cpg	826.37	J/mol×K	900.82	Joback Method
dvisc	0.0031943	Paxs	354.40	Joback Method
dvisc	0.0010527	Paxs	414.72	Joback Method

dvisc	0.0004599	Paxs	475.03	Joback Method
dvisc	0.0002421	Paxs	535.35	Joback Method
dvisc	0.0001452	Paxs	595.67	Joback Method
dvisc	0.0000956	Paxs	655.98	Joback Method
dvisc	0.0000676	Paxs	716.30	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U349400&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U349400&amp;Units=SI</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/52-882-5/Succinic-acid-di-2-methylpent-3-yl-ester.pdf>

Generated by Cheméo on 2024-04-26 08:15:56.456974705 +0000 UTC m=+16408605.377552016.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.