

3-Furoic acid, benzyldimethylsilyl ester

Inchi: InChI=1S/C14H16O3Si/c1-18(2,11-12-6-4-3-5-7-12)17-14(15)13-8-9-16-10-13/h3-10H,1H
InchiKey: XTVSLAPKMPHNSN-UHFFFAOYSA-N
Formula: C14H16O3Si
SMILES: C[Si](C)(Cc1ccccc1)OC(=O)c1ccoc1
Mol. weight [g/mol]: 260.36

Physical Properties

Property code	Value	Unit	Source
log10ws	-6.04		Crippen Method
logp	3.423		Crippen Method
rinpol	1711.00		NIST Webbook

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=U375495&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/53-317-1/3-Furoic-acid-benzyldimethylsilyl-ester.pdf>

Generated by Cheméo on 2025-12-25 05:02:14.492256875 +0000 UTC m=+6387132.022297530.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.