

Benzene, 1,1',1''-(1-ethanyl-2-ylidene)tris-

Other names:	Ethane, 1,1,2-triphenyl- 1,1,2-Triphenylethane
Inchi:	InChI=1S/C20H18/c1-4-10-17(11-5-1)16-20(18-12-6-2-7-13-18)19-14-8-3-9-15-19/h1-15,
InchiKey:	KIIBETRYVBIAOO-UHFFFAOYSA-N
Formula:	C20H18
SMILES:	<chem>c1ccc(CC(c2ccccc2)c2ccccc2)cc1</chem>
Mol. weight [g/mol]:	258.36
CAS:	1520-42-9

Physical Properties

Property code	Value	Unit	Source
chs	-10572.90 ± 2.00	kJ/mol	NIST Webbook
gf	452.31	kJ/mol	Joback Method
hf	248.18	kJ/mol	Joback Method
hfus	26.16	kJ/mol	Joback Method
hsub	92.20 ± 0.50	kJ/mol	NIST Webbook
hvap	66.55	kJ/mol	Joback Method
log10ws	-5.57		Crippen Method
logp	5.061		Crippen Method
mvol	221.380	ml/mol	McGowan Method
pc	2189.73	kPa	Joback Method
tb	736.60	K	Joback Method
tc	998.54	K	Joback Method
tf	327.80 ± 0.60	K	NIST Webbook
tf	327.30 ± 0.30	K	NIST Webbook
tf	321.15 ± 1.00	K	NIST Webbook
tf	324.00 ± 3.00	K	NIST Webbook
tf	327.00 ± 4.00	K	NIST Webbook
tf	329.00 ± 2.00	K	NIST Webbook
tf	329.30 ± 3.00	K	NIST Webbook
tf	328.00 ± 4.00	K	NIST Webbook
tf	328.40 ± 2.00	K	NIST Webbook
tf	327.70 ± 2.00	K	NIST Webbook
vc	0.826	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	695.73	J/molxK	998.54	Joback Method
cpg	683.87	J/molxK	954.88	Joback Method
cpg	670.88	J/molxK	911.23	Joback Method
cpg	656.63	J/molxK	867.57	Joback Method
cpg	640.95	J/molxK	823.91	Joback Method
cpg	623.70	J/molxK	780.26	Joback Method
cpg	604.73	J/molxK	736.60	Joback Method
cps	319.70	J/molxK	298.50	NIST Webbook
dvisc	0.0000925	Paxs	736.60	Joback Method
dvisc	0.0018214	Paxs	379.42	Joback Method
dvisc	0.0001222	Paxs	677.07	Joback Method
dvisc	0.0001703	Paxs	617.54	Joback Method
dvisc	0.0002548	Paxs	558.01	Joback Method
dvisc	0.0004197	Paxs	498.48	Joback Method
dvisc	0.0007915	Paxs	438.95	Joback Method
hfust	24.39	kJ/mol	328.20	NIST Webbook
hsubt	89.00 ± 0.50	kJ/mol	351.50	NIST Webbook

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1520429&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation

hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvac:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/53-724-9/Benzene-1-1-1-1-ethanyl-2-ylidene-tris.pdf>

Generated by Cheméo on 2024-04-27 08:55:48.367047146 +0000 UTC m=+16497397.287624468.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.