

p-Bromobenzylamine

| | |
|-----------------------------|---|
| Other names: | Benzenemethanamine, 4-bromo-4-Bromobenzylamine |
| Inchi: | InChI=1S/C7H8BrN/c8-7-3-1-6(5-9)2-4-7/h1-4H,5,9H2 |
| InchiKey: | XRNVSPDQTPVECU-UHFFFAOYSA-N |
| Formula: | C7H8BrN |
| SMILES: | NCc1ccc(Br)cc1 |
| Mol. weight [g/mol]: | 186.05 |
| CAS: | 3959-07-7 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 191.61 | kJ/mol | Joback Method |
| hf | 97.37 | kJ/mol | Joback Method |
| hfus | 18.02 | kJ/mol | Joback Method |
| hvap | 51.19 | kJ/mol | Joback Method |
| log10ws | -2.95 | | Crippen Method |
| logp | 1.908 | | Crippen Method |
| mcvol | 113.210 | ml/mol | McGowan Method |
| pc | 4769.39 | kPa | Joback Method |
| tb | 523.00 | K | NIST Webbook |
| tc | 774.87 | K | Joback Method |
| tf | 293.00 | K | NIST Webbook |
| vc | 0.410 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 220.82 | J/molxK | 529.91 | Joback Method |
| cpg | 231.34 | J/molxK | 570.74 | Joback Method |
| cpg | 241.08 | J/molxK | 611.56 | Joback Method |
| cpg | 250.09 | J/molxK | 652.39 | Joback Method |
| cpg | 258.42 | J/molxK | 693.21 | Joback Method |
| cpg | 266.10 | J/molxK | 734.04 | Joback Method |
| cpg | 273.20 | J/molxK | 774.87 | Joback Method |

Pressure Dependent Properties

| Property code | Value | Unit | Pressure [kPa] | Source |
|---------------|---------------|------|----------------|--------------|
| tbrp | 399.50 ± 0.50 | K | 2.00 | NIST Webbook |

Sources

| | |
|-----------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C3959077&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| tb: | Normal Boiling Point Temperature |
| tbrp: | Boiling point at reduced pressure |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/55-208-0/p-Bromobenzylamine.pdf>

Generated by Cheméo on 2024-04-24 02:40:23.76403612 +0000 UTC m=+16215672.684613432.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.