

3-trifluoroacetyloxy-4-methoxybenzyl alcohol, O-heptafluorobutyryl-

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C14H8F10O5/c1-27-7-3-2-6(4-8(7)29-10(26)12(17,18)19)5-28-9(25)11(15,16)13 |
| InchiKey: | UHURIHKSWIEGLG-UHFFFAOYSA-N |
| Formula: | C14H8F10O5 |
| SMILES: | COc1ccc(COC(=O)C(F)(F)C(F)(F)C(F)(F)F)cc1OC(=O)C(F)(F)F |
| Mol. weight [g/mol]: | 446.19 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------|----------------------|----------------|
| gf | -2349.43 | kJ/mol | Joback Method |
| hf | -2736.62 | kJ/mol | Joback Method |
| hfus | 33.18 | kJ/mol | Joback Method |
| hvap | 57.73 | kJ/mol | Joback Method |
| log10ws | -5.27 | | Crippen Method |
| logp | 4.039 | | Crippen Method |
| mvol | 222.810 | ml/mol | McGowan Method |
| pc | 1525.88 | kPa | Joback Method |
| rinpol | 1389.00 | | NIST Webbook |
| tb | 711.14 | K | Joback Method |
| tc | 885.68 | K | Joback Method |
| tf | 481.13 | K | Joback Method |
| vc | 0.913 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 654.84 | J/molxK | 711.14 | Joback Method |
| cpg | 665.14 | J/molxK | 740.23 | Joback Method |
| cpg | 674.65 | J/molxK | 769.32 | Joback Method |
| cpg | 683.41 | J/molxK | 798.41 | Joback Method |
| cpg | 691.46 | J/molxK | 827.50 | Joback Method |
| cpg | 698.85 | J/molxK | 856.59 | Joback Method |
| cpg | 705.63 | J/molxK | 885.68 | Joback Method |

Sources

| | |
|------------------------|---|
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U374853&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/55-812-9/3-trifluoroacetyloxy-4-methoxybenzyl-alcohol-O-heptafluorobutyryl.pdf>

Generated by Cheméo on 2024-04-19 21:15:59.098431817 +0000 UTC m=+15850608.019009128.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.