

# 9H-Fluorene-9-carboxylic acid

<b>Other names:</b>	9-fluorene-9-carboxylic acid Fluorene-9-carboxylic acid
<b>Inchi:</b>	InChI=1S/C14H10O2/c15-14(16)13-11-7-3-1-5-9(11)10-6-2-4-8-12(10)13/h1-8,13H,(H,15
<b>InchiKey:</b>	DNVJGJUGFFYUPT-UHFFFAOYSA-N
<b>Formula:</b>	C14H10O2
<b>SMILES:</b>	O=C(O)C1c2ccccc2-c2ccccc21
<b>Mol. weight [g/mol]:</b>	210.23
<b>CAS:</b>	1989-33-9

## Physical Properties

Property code	Value	Unit	Source
gf	91.77	kJ/mol	Joback Method
hf	-61.86	kJ/mol	Joback Method
hfus	27.34	kJ/mol	Joback Method
hvap	75.63	kJ/mol	Joback Method
log10ws	-3.90		Crippen Method
logp	2.884		Crippen Method
mvol	157.180	ml/mol	McGowan Method
pc	3480.65	kPa	Joback Method
rinpol	270.30		NIST Webbook
tb	727.29	K	Joback Method
tc	955.21	K	Joback Method
tf	461.15	K	Joback Method
vc	0.602	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	473.23	J/molxK	955.21	Joback Method
cpg	418.07	J/molxK	727.29	Joback Method
cpg	428.82	J/molxK	765.28	Joback Method
cpg	438.81	J/molxK	803.26	Joback Method
cpg	448.15	J/molxK	841.25	Joback Method
cpg	456.92	J/molxK	879.24	Joback Method

cpg	465.25	J/molxK	917.22	Joback Method
dvisc	0.0002293	Paxs	727.29	Joback Method
dvisc	0.0018279	Paxs	461.15	Joback Method
dvisc	0.0011111	Paxs	505.51	Joback Method
dvisc	0.0007319	Paxs	549.86	Joback Method
dvisc	0.0005131	Paxs	594.22	Joback Method
dvisc	0.0003779	Paxs	638.58	Joback Method
dvisc	0.0002896	Paxs	682.93	Joback Method
hsubt	110.10 ± 4.60	kJ/mol	383.50	NIST Webbook
rhos	1164.00	kg/m3	298.15	A combined experimental and computational thermodynamic study of fluorene-9-methanol and fluorene-9-carboxylic acid

## Sources

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

A combined experimental and computational thermodynamic study of fluorene-9-methanol and fluorene-9-carboxylic acid: Joback Method, McGowan Method:

<https://www.doi.org/10.1016/j.jct.2013.03.005>

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C1989339&Units=SI>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hsubt:</b>	Enthalpy of sublimation at a given temperature
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure

<b>rhos:</b>	Solid Density
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/56-300-6/9H-Fluorene-9-carboxylic-acid.pdf>

Generated by Cheméo on 2024-04-24 09:50:42.021824781 +0000 UTC m=+16241490.942402107.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.