

# 3-Heptanone, 2,6-dimethyl-

|                      |                                                         |
|----------------------|---------------------------------------------------------|
| Other names:         | 2,6-Dimethyl-3-heptanone<br>2,6-dimethylheptan-3-one    |
| Inchi:               | InChI=1S/C9H18O/c1-7(2)5-6-9(10)8(3)4/h7-8H,5-6H2,1-4H3 |
| InchiKey:            | HFNWDYQEGABWQS-UHFFFAOYSA-N                             |
| Formula:             | C9H18O                                                  |
| SMILES:              | CC(C)CCC(=O)C(C)C                                       |
| Mol. weight [g/mol]: | 142.24                                                  |
| CAS:                 | 19549-83-8                                              |

## Physical Properties

| Property code | Value         | Unit    | Source         |
|---------------|---------------|---------|----------------|
| gf            | -108.90       | kJ/mol  | Joback Method  |
| hf            | -352.23       | kJ/mol  | Joback Method  |
| hfus          | 13.62         | kJ/mol  | Joback Method  |
| hvap          | 41.60         | kJ/mol  | Joback Method  |
| log10ws       | -2.39         |         | Crippen Method |
| logp          | 2.648         |         | Crippen Method |
| mcvol         | 139.240       | ml/mol  | McGowan Method |
| pc            | 2492.52       | kPa     | Joback Method  |
| rinpol        | 985.00        |         | NIST Webbook   |
| rinpol        | 985.00        |         | NIST Webbook   |
| tb            | 445.00 ± 4.00 | K       | NIST Webbook   |
| tc            | 640.10        | K       | Joback Method  |
| tf            | 211.12        | K       | Joback Method  |
| vc            | 0.533         | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 297.92 | J/mol×K | 458.31          | Joback Method |
| cpg           | 312.19 | J/mol×K | 488.61          | Joback Method |
| cpg           | 325.86 | J/mol×K | 518.91          | Joback Method |
| cpg           | 338.94 | J/mol×K | 549.20          | Joback Method |
| cpg           | 351.45 | J/mol×K | 579.50          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 363.40    | J/mol×K | 609.80 | Joback Method |
| cpg   | 374.81    | J/mol×K | 640.10 | Joback Method |
| dvisc | 0.0112700 | Pa×s    | 211.12 | Joback Method |
| dvisc | 0.0035885 | Pa×s    | 252.32 | Joback Method |
| dvisc | 0.0015755 | Pa×s    | 293.52 | Joback Method |
| dvisc | 0.0008471 | Pa×s    | 334.72 | Joback Method |
| dvisc | 0.0005218 | Pa×s    | 375.91 | Joback Method |
| dvisc | 0.0003537 | Pa×s    | 417.11 | Joback Method |
| dvisc | 0.0002572 | Pa×s    | 458.31 | Joback Method |

## Correlations

| Information                 | Value                         |
|-----------------------------|-------------------------------|
| Property code               | pvap                          |
| Equation                    | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A                    | 1.50525e+01                   |
| Coeff. B                    | -3.96644e+03                  |
| Coeff. C                    | -6.48600e+01                  |
| Temperature range (K), min. | 333.50                        |
| Temperature range (K), max. | 472.05                        |

## Sources

|                                      |                                                                                                                                                                                         |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Joback Method:                       | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                                                                   |
| McGowan Method:                      | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                                                                   |
| NIST Webbook:                        | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C19549838&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C19549838&amp;Units=SI</a>                                           |
| The Yaws Handbook of Vapor Pressure: | <a href="https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure">https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure</a> |
| Crippen Method:                      | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>                                                                               |
| Crippen Method:                      | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                                                                       |

## Legend

|        |                                              |
|--------|----------------------------------------------|
| cpg:   | Ideal gas heat capacity                      |
| dvisc: | Dynamic viscosity                            |
| gf:    | Standard Gibbs free energy of formation      |
| hf:    | Enthalpy of formation at standard conditions |

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>pvap:</b>    | Vapor pressure                                  |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.cheméo.com/cid/56-656-2/3-Heptanone-2-6-dimethyl.pdf>

Generated by Cheméo on 2025-12-19 15:12:55.178090742 +0000 UTC m=+5905372.708131396.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.