

Benzoic acid, 2-methyl-, methyl ester

| | |
|-----------------------------|---|
| Other names: | o-Toluic acid, methyl ester Methyl o-methylbenzoate Methyl o-toluate Methyl 2-methylbenzoate 2-Methylbenzoic acid, methyl ester Methyl orthotoluate Methyl ester of 2-Methylbenzoic acid o-Toluylic acid, methyl ester |
| Inchi: | InChI=1S/C9H10O2/c1-7-5-3-4-6-8(7)9(10)11-2/h3-6H,1-2H3 |
| InchiKey: | WVWZECQNFVFW-UHFFFAOYSA-N |
| Formula: | C9H10O2 |
| SMILES: | <chem>COC(=O)c1ccccc1C</chem> |
| Mol. weight [g/mol]: | 150.17 |
| CAS: | 89-71-4 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|--------|----------------|
| affp | 858.30 | kJ/mol | NIST Webbook |
| basg | 827.30 | kJ/mol | NIST Webbook |
| gf | -106.24 | kJ/mol | Joback Method |
| hf | -248.83 | kJ/mol | Joback Method |
| hfus | 15.50 | kJ/mol | Joback Method |
| hvap | 47.72 | kJ/mol | Joback Method |
| ie | 8.50 | eV | NIST Webbook |
| ie | 9.10 | eV | NIST Webbook |
| ie | 8.60 | eV | NIST Webbook |
| log10ws | -2.19 | | Crippen Method |
| logp | 1.782 | | Crippen Method |
| mcvol | 121.350 | ml/mol | McGowan Method |
| pc | 3380.21 | kPa | Joback Method |
| rinpola | 1165.00 | | NIST Webbook |
| rinpola | 1165.00 | | NIST Webbook |
| rinpola | 199.05 | | NIST Webbook |
| rinpola | 199.05 | | NIST Webbook |
| rinpola | 1181.00 | | NIST Webbook |
| rinpola | 1127.80 | | NIST Webbook |
| rinpola | 1181.00 | | NIST Webbook |

| | | | |
|-------|---------|----------------------|---------------|
| ripol | 1127.80 | | NIST Webbook |
| ripol | 1709.00 | | NIST Webbook |
| ripol | 1709.00 | | NIST Webbook |
| tb | 480.70 | K | NIST Webbook |
| tc | 730.64 | K | Joback Method |
| tf | 302.29 | K | Joback Method |
| vc | 0.456 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------------|---------|-----------------|---------------|
| cpg | 256.24 | J/mol×K | 513.27 | Joback Method |
| cpg | 268.48 | J/mol×K | 549.50 | Joback Method |
| cpg | 280.07 | J/mol×K | 585.73 | Joback Method |
| cpg | 291.03 | J/mol×K | 621.95 | Joback Method |
| cpg | 301.35 | J/mol×K | 658.18 | Joback Method |
| cpg | 311.06 | J/mol×K | 694.41 | Joback Method |
| cpg | 320.16 | J/mol×K | 730.64 | Joback Method |
| dvisc | 0.0010297 | Paxs | 337.45 | Joback Method |
| dvisc | 0.0017319 | Paxs | 302.29 | Joback Method |
| dvisc | 0.0006754 | Paxs | 372.62 | Joback Method |
| dvisc | 0.0004764 | Paxs | 407.78 | Joback Method |
| dvisc | 0.0003552 | Paxs | 442.94 | Joback Method |
| dvisc | 0.0002765 | Paxs | 478.11 | Joback Method |
| dvisc | 0.0002227 | Paxs | 513.27 | Joback Method |
| hfust | 12.47 | kJ/mol | 162.50 | NIST Webbook |
| hfust | 12.50 | kJ/mol | 228.80 | NIST Webbook |
| hvapt | 57.30 ± 0.20 | kJ/mol | 293.00 | NIST Webbook |

Pressure Dependent Properties

| Property code | Value | Unit | Pressure [kPa] | Source |
|---------------|--------|------|----------------|--------------|
| tbrp | 370.20 | K | 2.00 | NIST Webbook |

Sources

| | |
|------------------------|---|
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C89714&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |

Legend

| | |
|-----------------|---|
| affp: | Proton affinity |
| basg: | Gas basicity |
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hfust: | Enthalpy of fusion at a given temperature |
| hvap: | Enthalpy of vaporization at standard conditions |
| hvapt: | Enthalpy of vaporization at a given temperature |
| ie: | Ionization energy |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mccvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tbrp: | Boiling point at reduced pressure |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/57-284-4/Benzoic-acid-2-methyl-methyl-ester.pdf>

Generated by Cheméo on 2024-04-19 01:21:31.551554816 +0000 UTC m=+15778940.472132132.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.