

Sebacic acid, 2-fluorophenyl pentyl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C21H31FO4/c1-2-3-12-17-25-20(23)15-8-6-4-5-7-9-16-21(24)26-19-14-11-10- |
| InchiKey: | GYMKRBXPAJGYQE-UHFFFAOYSA-N |
| Formula: | C21H31FO4 |
| SMILES: | CCCCCOC(=O)CCCCCCCC(=O)Oc1ccccc1F |
| Mol. weight [g/mol]: | 366.47 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -433.93 | kJ/mol | Joback Method |
| hf | -937.42 | kJ/mol | Joback Method |
| hfus | 52.45 | kJ/mol | Joback Method |
| hvap | 82.77 | kJ/mol | Joback Method |
| log10ws | -6.42 | | Crippen Method |
| logp | 5.585 | | Crippen Method |
| mcvol | 299.640 | ml/mol | McGowan Method |
| pc | 1213.20 | kPa | Joback Method |
| rinpol | 2597.00 | | NIST Webbook |
| tb | 863.39 | K | Joback Method |
| tc | 1061.63 | K | Joback Method |
| tf | 510.28 | K | Joback Method |
| vc | 1.169 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|---------|---------|-----------------|---------------|
| cpg | 944.43 | J/molxK | 863.39 | Joback Method |
| cpg | 960.43 | J/molxK | 896.43 | Joback Method |
| cpg | 975.28 | J/molxK | 929.47 | Joback Method |
| cpg | 989.02 | J/molxK | 962.51 | Joback Method |
| cpg | 1001.66 | J/molxK | 995.55 | Joback Method |
| cpg | 1013.24 | J/molxK | 1028.59 | Joback Method |
| cpg | 1023.76 | J/molxK | 1061.63 | Joback Method |

Sources

| | |
|------------------------|---|
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U354998&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/57-394-2/Sebacic-acid-2-fluorophenyl-pentyl-ester.pdf>

Generated by Cheméo on 2024-08-07 07:03:13.435543429 +0000 UTC m=+1704062.682648788.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.