

# 5-Methylsalicylic acid

**Other names:** 2-Hydroxy-5-methylbenzoic acid  
Benzoic acid, 2-hydroxy-5-methyl-  
«alpha»-Cresotinic acid  
p-Cresotic acid  
p-Cresotinic acid  
p-Homosalicylic acid  
2,5-Cresotic acid  
5-Methyl-2-hydroxybenzoic acid  
6-Hydroxy-m-toluic acid  
6-Hydroxy-3-methylbenzoic acid  
NSC 38518

**Inchi:** InChI=1S/C8H8O3/c1-5-2-3-7(9)6(4-5)8(10)11/h2-4,9H,1H3,(H,10,11)

**InchiKey:** DLGBEGBHXSQOC-UHFFFAOYSA-N

**Formula:** C8H8O3

**SMILES:** Cc1ccc(O)c(C(=O)O)c1

**Mol. weight [g/mol]:** 152.15

**CAS:** 89-56-5

## Physical Properties

| Property code | Value         | Unit    | Source         |
|---------------|---------------|---------|----------------|
| gf            | -301.10       | kJ/mol  | Joback Method  |
| hf            | -425.51       | kJ/mol  | Joback Method  |
| hfus          | 21.60         | kJ/mol  | Joback Method  |
| hvap          | 72.78         | kJ/mol  | Joback Method  |
| log10ws       | -1.56         |         | Crippen Method |
| logp          | 1.399         |         | Crippen Method |
| mcvol         | 113.130       | ml/mol  | McGowan Method |
| pc            | 5359.18       | kPa     | Joback Method  |
| tb            | 640.77        | K       | Joback Method  |
| tc            | 858.15        | K       | Joback Method  |
| tf            | 422.00 ± 4.00 | K       | NIST Webbook   |
| vc            | 0.366         | m3/kmol | Joback Method  |

# Temperature Dependent Properties

| Property code | Value     | Unit    | Temperature [K] | Source        |
|---------------|-----------|---------|-----------------|---------------|
| cpg           | 276.61    | J/mol×K | 640.77          | Joback Method |
| cpg           | 284.67    | J/mol×K | 677.00          | Joback Method |
| cpg           | 292.21    | J/mol×K | 713.23          | Joback Method |
| cpg           | 299.28    | J/mol×K | 749.46          | Joback Method |
| cpg           | 305.95    | J/mol×K | 785.69          | Joback Method |
| cpg           | 312.29    | J/mol×K | 821.92          | Joback Method |
| cpg           | 318.35    | J/mol×K | 858.15          | Joback Method |
| dvisc         | 0.0005703 | Pa×s    | 441.33          | Joback Method |
| dvisc         | 0.0002373 | Pa×s    | 474.57          | Joback Method |
| dvisc         | 0.0001108 | Pa×s    | 507.81          | Joback Method |
| dvisc         | 0.0000568 | Pa×s    | 541.05          | Joback Method |
| dvisc         | 0.0000314 | Pa×s    | 574.29          | Joback Method |
| dvisc         | 0.0000186 | Pa×s    | 607.53          | Joback Method |
| dvisc         | 0.0000116 | Pa×s    | 640.77          | Joback Method |

## Sources

|                 |                                                                                                                                         |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Joback Method:  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                   |
| McGowan Method: | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                   |
| NIST Webbook:   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C89565&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C89565&amp;Units=SI</a> |
| Crippen Method: | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307I">http://pubs.acs.org/doi/abs/10.1021/ci990307I</a>                               |
| Crippen Method: | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                       |

## Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |

|               |                                  |
|---------------|----------------------------------|
| <b>mcvol:</b> | McGowan's characteristic volume  |
| <b>pc:</b>    | Critical Pressure                |
| <b>tb:</b>    | Normal Boiling Point Temperature |
| <b>tc:</b>    | Critical Temperature             |
| <b>tf:</b>    | Normal melting (fusion) point    |
| <b>vc:</b>    | Critical Volume                  |

Latest version available from:

<https://www.chemeo.com/cid/57-622-8/5-Methylsalicylic-acid.pdf>

Generated by Cheméo on 2025-12-24 00:12:50.676460633 +0000 UTC m=+6283368.206501297.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.