

Z-6-Tetradecen-1-ol acetate

| | |
|-----------------------------|---|
| Other names: | Z-6-tetradecenyl acetate |
| Inchi: | InChI=1S/C16H30O2/c1-3-4-5-6-7-8-9-10-11-12-13-14-15-18-16(2)17/h9-10H,3-8,11-15H |
| InchiKey: | SBLGLBNKXWHUFO-KTKRTIGZSA-N |
| Formula: | C16H30O2 |
| SMILES: | CCCCCCCC=CCCCCOC(C)=O |
| Mol. weight [g/mol]: | 254.41 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -69.86 | kJ/mol | Joback Method |
| hf | -501.15 | kJ/mol | Joback Method |
| hfus | 40.18 | kJ/mol | Joback Method |
| hvap | 60.32 | kJ/mol | Joback Method |
| log10ws | -5.24 | | Crippen Method |
| logp | 5.027 | | Crippen Method |
| mvol | 239.440 | ml/mol | McGowan Method |
| pc | 1417.57 | kPa | Joback Method |
| ripol | 1789.00 | | NIST Webbook |
| ripol | 2103.00 | | NIST Webbook |
| tb | 645.93 | K | Joback Method |
| tc | 818.34 | K | Joback Method |
| tf | 337.16 | K | Joback Method |
| vc | 0.935 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 655.12 | J/molxK | 645.93 | Joback Method |
| cpg | 672.59 | J/molxK | 674.67 | Joback Method |
| cpg | 689.29 | J/molxK | 703.40 | Joback Method |
| cpg | 705.23 | J/molxK | 732.14 | Joback Method |
| cpg | 720.44 | J/molxK | 760.87 | Joback Method |
| cpg | 734.94 | J/molxK | 789.61 | Joback Method |
| cpg | 748.76 | J/molxK | 818.34 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0022449 | Paxs | 337.16 | Joback Method |
| dvisc | 0.0009605 | Paxs | 388.62 | Joback Method |
| dvisc | 0.0005012 | Paxs | 440.08 | Joback Method |
| dvisc | 0.0002997 | Paxs | 491.55 | Joback Method |
| dvisc | 0.0001976 | Paxs | 543.01 | Joback Method |
| dvisc | 0.0001400 | Paxs | 594.47 | Joback Method |
| dvisc | 0.0001048 | Paxs | 645.93 | Joback Method |

Sources

| | |
|------------------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U130821&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/57-845-1/Z-6-Tetradecen-1-ol-acetate.pdf>

Generated by Cheméo on 2024-04-27 14:43:52.747193416 +0000 UTC m=+16518281.667770738.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.