

1,4-Naphthalenedione, 2,3-dichloro-

Other names:	1,4-naphthoquinone, 2,3-dichloro-
	2,3-Dichlor-1,4-naftochinon
	2,3-Dichlor-1,4-naphthochinon
	2,3-Dichloro-1,4-naphthaquinone
	2,3-Dichloro-1,4-naphthoquinone (dichlone)
	2,3-Dichloro-«alpha»-naphthoquinone
	2,3-Dichloronaphthoquinone
	2,3-Dichloronaphthoquinone-1,4
	2,3-dichloro-1,4-naphthalenedione
	2,3-dichloro-1,4-naphthoquinone
	Algistat
	CNQ
	Compound 604
	Dichloronaphthoquinone
	Diclone
	ENT 3,776
	Latka 604
	NSC 537
	Phygon
	Phygon Seed Protectant
	Phygon XL
	Phygon paste
	Quintar
	Quintar 540F
	Sanquinon
	U.S. rubber 604
	USR 604
	Uniroyal
	dichlone
Inchi:	InChI=1S/C10H4Cl2O2/c11-7-8(12)10(14)6-4-2-1-3-5(6)9(7)13/h1-4H
InchiKey:	SVPKNMBRVBMTLB-UHFFFAOYSA-N
Formula:	C10H4Cl2O2
SMILES:	O=C1C(Cl)=C(Cl)C(=O)c2ccccc21
Mol. weight [g/mol]:	227.05

Physical Properties

Property code	Value	Unit	Source
---------------	-------	------	--------

ea	2.21 ± 0.10	eV	NIST Webbook
hf	-144.67	kJ/mol	Cheméo Relay (1.0)
hfus	18.13	kJ/mol	Joback Method
ie	9.50	eV	NIST Webbook
ie	9.67 ± 0.02	eV	NIST Webbook
log10ws	-4.43		Cheméo Relay (1.0)
logp	2.755		Crippen Method
mcvol	140.460	ml/mol	McGowan Method
pc	3577.07	kPa	Joback Method
rinpol	1760.00		NIST Webbook
rinpol	1760.00		NIST Webbook
rinpol	1760.00		NIST Webbook
tb	579.34	K	Cheméo Relay (1.0)
tc	866.48	K	Cheméo Relay (1.0)
tf	469.56 ± 0.20	K	NIST Webbook
vc	0.494	m3/kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	311.43	J/mol×K	695.16	Joback Method
cpg	322.36	J/mol×K	740.72	Joback Method
cpg	332.36	J/mol×K	786.27	Joback Method
cpg	341.39	J/mol×K	831.83	Joback Method
cpg	349.43	J/mol×K	877.39	Joback Method
cpg	356.46	J/mol×K	922.94	Joback Method
cpg	362.44	J/mol×K	968.50	Joback Method
hfust	28.53	kJ/mol	469.00	NIST Webbook
hfust	28.53	kJ/mol	469.00	NIST Webbook

Sources

Solubility of menadione and dichlone in <https://www.doi.org/10.1016/j.fluid.2016.04.001>

supercritical carbon dioxide:
NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C117806&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

Legend

cpg:	Ideal gas heat capacity
ea:	Electron affinity
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/58-028-7/1-4-Naphthalenedione-2-3-dichloro.pdf>

Generated by Cheméo on 2026-07-22 01:37:04.578594074 +0000 UTC m=+195320.420479462.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.