

Acetic acid, (2,4,5-trichlorophenoxy)-, 2-butoxyethyl ester

Other names:	Acetic acid, (2,4,5-trichlorophenoxy)-, 2-butoxyethyl ester 2,4,5-T Butoxyethyl ester Bladex H Butoxyethyl 2,4,5-trichlorophenoxyacetate Butoxyethyl 2,4,5-T Hormoslyr 500-T Trinoxol 2,4,5-T Butoxyethanol ester 2,4,5-Trichlorophenoxyacetic acid butoxyethyl ester 2,4,5-Trichlorophenoxyacetic acid, 2-butoxyethyl ester 2-Butoxyethyl (2,4,5-trichlorophenoxy)ethanoate 2,4,5-T 2-butoxyethyl ester Ethanol, 2-butoxy-, (2,4,5-trichlorophenoxy)acetate 2-Butoxyethyl (2,4,5-trichlorophenoxy)acetate
Inchi:	InChI=1S/C14H17Cl3O4/c1-2-3-4-19-5-6-20-14(18)9-21-13-8-11(16)10(15)7-12(13)17/h7
InchiKey:	GLDWASBMYWLQGG-UHFFFAOYSA-N
Formula:	C14H17Cl3O4
SMILES:	CCCCOCCOC(=O)COc1cc(Cl)c(Cl)cc1Cl
Mol. weight [g/mol]:	355.64

Physical Properties

Property code	Value	Unit	Source
hfus	42.64	kJ/mol	Joback Method
hvap	103.06	kJ/mol	Cheméo Relay (1.0)
log10ws	-4.90		Cheméo Relay (1.0)
logp	4.386		Crippen Method
mcvol	240.260	ml/mol	McGowan Method
pc	1772.85	kPa	Joback Method
tb	617.38	K	Cheméo Relay (1.0)
tc	852.43	K	Cheméo Relay (1.0)
tf	315.54	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	625.05	J/mol×K	794.76	Joback Method
cpg	637.28	J/mol×K	829.82	Joback Method
cpg	648.59	J/mol×K	864.87	Joback Method
cpg	658.95	J/mol×K	899.93	Joback Method
cpg	668.37	J/mol×K	934.99	Joback Method
cpg	676.83	J/mol×K	970.05	Joback Method
cpg	684.32	J/mol×K	1005.10	Joback Method
dvisc	0.0003860	Pa×s	517.90	Joback Method
dvisc	0.0002546	Pa×s	564.04	Joback Method
dvisc	0.0001788	Pa×s	610.19	Joback Method
dvisc	0.0001320	Pa×s	656.33	Joback Method
dvisc	0.0001014	Pa×s	702.47	Joback Method
dvisc	0.0000805	Pa×s	748.62	Joback Method
dvisc	0.0000656	Pa×s	794.76	Joback Method

Sources

Cheméo Relay (1.0, beta):

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C2545597&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Cheméo Relay (1.0):

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

tf: Normal melting (fusion) point

Latest version available from:

<https://www.cheméo.com/cid/58-202-3/Acetic-acid-2-4-5-trichlorophenoxy-2-butoxyethyl-ester.pdf>

Generated by Cheméo on 2026-07-21 15:57:47.976102628 +0000 UTC m=+160563.817988008.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.