

Pentane, 1-(methylthio)-

Other names:	1-(Methylthio)pentane 2-Thiaheptane Amyl methyl sulfide Methyl n-amyl sulfide Methyl n-pentyl sulfide Methyl pentyl sulfide Methyl pentyl sulphide Methylthiapentane Pentyl methyl sulfide Sulfide, methyl pentyl
Inchi:	InChI=1S/C6H14S/c1-3-4-5-6-7-2/h3-6H2,1-2H3
InchiKey:	FOJGPFUFFHWGFQ-UHFFFAOYSA-N
Formula:	C6H14S
SMILES:	CCCCCSC
Mol. weight [g/mol]:	118.24
CAS:	1741-83-9

Physical Properties

Property code	Value	Unit	Source
chl	-4797.00 ± 2.00	kJ/mol	NIST Webbook
gf	32.76	kJ/mol	Joback Method
hf	-122.00 ± 3.00	kJ/mol	NIST Webbook
hfl	-167.00 ± 2.00	kJ/mol	NIST Webbook
hfus	15.43	kJ/mol	Joback Method
hvap	45.00 ± 1.00	kJ/mol	NIST Webbook
hvap	44.60 ± 0.80	kJ/mol	NIST Webbook
hvap	45.20	kJ/mol	NIST Webbook
hvap	45.00	kJ/mol	NIST Webbook
hvap	45.25	kJ/mol	NIST Webbook
log10ws	-2.22		Crippen Method
logp	2.540		Crippen Method
mcvol	111.750	ml/mol	McGowan Method
pc	3166.83	kPa	Joback Method
rinpol	902.00		NIST Webbook
rinpol	902.00		NIST Webbook
rinpol	918.00		NIST Webbook
rinpol	900.00		NIST Webbook

rinpol	902.00		NIST Webbook
rinpol	916.00		NIST Webbook
rinpol	916.00		NIST Webbook
rinpol	902.00		NIST Webbook
rinpol	902.00		NIST Webbook
rinpol	902.00		NIST Webbook
ripol	1140.00		NIST Webbook
ripol	1151.00		NIST Webbook
ripol	1128.10		NIST Webbook
ripol	1132.30		NIST Webbook
ripol	1140.00		NIST Webbook
tb	418.20	K	NIST Webbook
tb	418.20	K	NIST Webbook
tc	594.29	K	Joback Method
tf	191.78	K	Joback Method
vc	0.425	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	206.46	J/mol×K	405.46	Joback Method
cpg	217.94	J/mol×K	436.93	Joback Method
cpg	228.97	J/mol×K	468.40	Joback Method
cpg	239.58	J/mol×K	499.87	Joback Method
cpg	249.77	J/mol×K	531.34	Joback Method
cpg	259.54	J/mol×K	562.82	Joback Method
cpg	268.89	J/mol×K	594.29	Joback Method
hvapt	44.20	kJ/mol	335.00	NIST Webbook
hvapt	37.41	kJ/mol	418.20	NIST Webbook
hvapt	42.60	kJ/mol	335.50	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.47986e+01
Coeff. B	-3.67309e+03

Coeff. C	-5.73960e+01
Temperature range (K), min.	310.52
Temperature range (K), max.	444.56

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1741839&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.cheméo.com/doc/models/crippen_log10ws

Legend

chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/58-594-9/Pentane-1-methylthio.pdf>

Generated by Cheméo on 2024-04-29 17:06:26.914645519 +0000 UTC m=+16699635.835222834.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.