

2-Butanone, 4-(2,6,6-trimethyl-2-cyclohexen-1-yl), PFBO

InChI: InChI=1S/C20H24F5NO/c1-11-6-5-9-20(3,4)14(11)8-7-12(2)26-27-10-13-15(21)17(23)19
InChIKey: QOZVZZPGKHQHQW-UHFFFAOYSA-N
Formula: C20H24F5NO
SMILES: CC1=CCCC(C)(C)C1CCC(C)=NOCc1c(F)c(F)c(F)c(F)c1F
Mol. weight [g/mol]: 389.40

Physical Properties

Property code	Value	Unit	Source
hf	-1221.76	kJ/mol	Joback Method
hvap	67.34	kJ/mol	Joback Method
log10ws	-7.96		Crippen Method
logp	6.437		Crippen Method
mcvol	274.140	ml/mol	McGowan Method
pc	1121.55	kPa	Joback Method
rinpol	1961.00		NIST Webbook
rinpol	1961.00		NIST Webbook
ripol	2142.00		NIST Webbook
tb	823.17	K	Joback Method
tc	1024.44	K	Joback Method

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method: https://en.wikipedia.org/wiki/Joback_method
McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R574671&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

hf: Enthalpy of formation at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log10 of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/59-004-2/2-Butanone-4-2-6-6-trimethyl-2-cyclohexen-1-yl-PFBO-1.pdf>

Generated by Cheméo on 2024-05-02 16:22:47.066063851 +0000 UTC m=+16956215.986641166.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.