

Propanoic acid, 1,2-dimethylpropyl ester

Inchi: InChI=1S/C8H16O2/c1-5-8(9)10-7(4)6(2)3/h6-7H,5H2,1-4H3
InchiKey: RYYMZRUHQWULCT-UHFFFAOYSA-N
Formula: C8H16O2
SMILES: CCC(=O)OC(C)C(C)C
Mol. weight [g/mol]: 144.21

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -222.32 | kJ/mol | Joback Method |
| hf | -463.81 | kJ/mol | Joback Method |
| hfus | 12.22 | kJ/mol | Joback Method |
| hvap | 41.78 | kJ/mol | Joback Method |
| log10ws | -1.90 | | Crippen Method |
| logp | 1.984 | | Crippen Method |
| mcvol | 131.020 | ml/mol | McGowan Method |
| pc | 2701.41 | kPa | Joback Method |
| rinpol | 893.00 | | NIST Webbook |
| rinpol | 913.00 | | NIST Webbook |
| rinpol | 915.00 | | NIST Webbook |
| rinpol | 910.00 | | NIST Webbook |
| rinpol | 908.00 | | NIST Webbook |
| rinpol | 901.00 | | NIST Webbook |
| ripol | 1130.00 | | NIST Webbook |
| ripol | 1130.00 | | NIST Webbook |
| ripol | 1121.00 | | NIST Webbook |
| ripol | 1125.00 | | NIST Webbook |
| tb | 457.85 | K | Joback Method |
| tc | 640.65 | K | Joback Method |
| tf | 222.08 | K | Joback Method |
| vc | 0.495 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-------|------|-----------------|--------|
|---------------|-------|------|-----------------|--------|

| | | | | |
|-------|-----------|---------|--------|---------------|
| cpg | 279.95 | J/molxK | 457.85 | Joback Method |
| cpg | 292.89 | J/molxK | 488.32 | Joback Method |
| cpg | 305.35 | J/molxK | 518.78 | Joback Method |
| cpg | 317.32 | J/molxK | 549.25 | Joback Method |
| cpg | 328.83 | J/molxK | 579.72 | Joback Method |
| cpg | 339.86 | J/molxK | 610.19 | Joback Method |
| cpg | 350.42 | J/molxK | 640.65 | Joback Method |
| dvisc | 0.0076048 | Paxs | 222.08 | Joback Method |
| dvisc | 0.0027406 | Paxs | 261.38 | Joback Method |
| dvisc | 0.0012896 | Paxs | 300.67 | Joback Method |
| dvisc | 0.0007223 | Paxs | 339.97 | Joback Method |
| dvisc | 0.0004562 | Paxs | 379.26 | Joback Method |
| dvisc | 0.0003141 | Paxs | 418.56 | Joback Method |
| dvisc | 0.0002306 | Paxs | 457.85 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R113627&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mccvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |

tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/59-524-5/Propanoic-acid-1-2-dimethylpropyl-ester.pdf>

Generated by Cheméo on 2024-04-24 19:33:09.854539838 +0000 UTC m=+16276438.775117160.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.