

SOTALOL

Other names:	Methanesulfonanilide, 4'-(1-hydroxy-2-(isopropylamino)ethyl)-«beta»-Cardone Methanesulfonamide, N-(4-(1-hydroxy-2-((1-methylethyl)amino)ethyl)phenyl)-4'-[1-Hhydroxy-2-(isopropylamino)ethyl]methanesulfonanilide 4'-[1-Hydroxy-2-(isopropylamino)ethyl]metahnesulfonanilide 4'-[1-Hydroxy-2-(isopropylamino)ethyl]methanesulfonanilide
Inchi:	InChI=1S/C12H20N2O3S/c1-9(2)13-8-12(15)10-4-6-11(7-5-10)14-18(3,16)17/h4-7,9,12-15
InchiKey:	ZBMZVLHSJCTVON-UHFFFAOYSA-N
Formula:	C12H20N2O3S
SMILES:	CC(C)NCC(O)c1ccc(NS(C)(=O)=O)cc1
Mol. weight [g/mol]:	272.37

Physical Properties

Property code	Value	Unit	Source
hfus	39.11	kJ/mol	Joback Method
log10ws	-0.92		Cheméo Relay (1.0)
logp	1.090		Crippen Method
mcvol	210.100	ml/mol	McGowan Method
tf	445.82	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	600.56	J/mol×K	745.04	Joback Method
cpg	613.57	J/mol×K	777.41	Joback Method
cpg	625.67	J/mol×K	809.77	Joback Method
cpg	636.89	J/mol×K	842.14	Joback Method
cpg	647.24	J/mol×K	874.50	Joback Method
cpg	656.76	J/mol×K	906.87	Joback Method
cpg	665.45	J/mol×K	939.23	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Cheméo Relay (1.0, beta):	
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3930209&Units=SI
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
hfus:	Enthalpy of fusion at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.chemeo.com/cid/60-050-9/SOTALOL.pdf>

Generated by Cheméo on 2026-07-22 00:44:12.803002978 +0000 UTC m=+192148.644888371.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.