

# Phenol, 2-methoxy-6-(2-propenyl)-

<b>Other names:</b>	o-Allylguaiacol o-Eugenol Guaiacol, 6-allyl- Phenol, 2-allyl-6-methoxy- 2-Allyl-6-methoxyphenol 6-Allyl-2-methoxyphenol o-Eugenol, isomer 6-allylguaiacol
<b>Inchi:</b>	InChI=1S/C10H12O2/c1-3-5-8-6-4-7-9(12-2)10(8)11/h3-4,6-7,11H,1,5H2,2H3
<b>InchiKey:</b>	LREHGXOCZVBABG-UHFFFAOYSA-N
<b>Formula:</b>	C10H12O2
<b>SMILES:</b>	C=CCc1cccc(OC)c1O
<b>Mol. weight [g/mol]:</b>	164.20
<b>CAS:</b>	579-60-2

## Physical Properties

Property code	Value	Unit	Source
gf	-35.68	kJ/mol	Joback Method
hf	-208.77	kJ/mol	Joback Method
hfus	21.00	kJ/mol	Joback Method
hvap	55.55	kJ/mol	Joback Method
log10ws	-2.21		Crippen Method
logp	2.129		Crippen Method
mcvol	135.440	ml/mol	McGowan Method
pc	3509.58	kPa	Joback Method
rinpol	1446.00		NIST Webbook
rinpol	1412.00		NIST Webbook
tb	559.58	K	Joback Method
tc	781.19	K	Joback Method
tf	373.59	K	Joback Method
vc	0.453	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	315.44	J/mol×K	559.58	Joback Method
cpg	370.45	J/mol×K	744.26	Joback Method
cpg	360.77	J/mol×K	707.32	Joback Method
cpg	350.49	J/mol×K	670.39	Joback Method
cpg	339.55	J/mol×K	633.45	Joback Method
cpg	327.88	J/mol×K	596.52	Joback Method
cpg	379.59	J/mol×K	781.19	Joback Method
dvisc	0.0000422	Paxs	559.58	Joback Method
dvisc	0.0000629	Paxs	528.58	Joback Method
dvisc	0.0000985	Paxs	497.58	Joback Method
dvisc	0.0001637	Paxs	466.59	Joback Method
dvisc	0.0002925	Paxs	435.59	Joback Method
dvisc	0.0005711	Paxs	404.59	Joback Method
dvisc	0.0012460	Paxs	373.59	Joback Method

## Sources

**Crippen Method:**

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

**Joback Method:**

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

**McGowan Method:**

<http://link.springer.com/article/10.1007/BF02311772>

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C579602&Units=SI>

**Crippen Method:**

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvac:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature

**tc:** Critical Temperature  
**tf:** Normal melting (fusion) point  
**vc:** Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/60-298-5/Phenol-2-methoxy-6-2-propenyl.pdf>

Generated by Cheméo on 2024-04-24 04:52:06.004881105 +0000 UTC m=+16223574.925458420.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.