

# 4-mercapto-2-pentanol

**Inchi:** InChI=1S/C5H12OS/c1-4(6)3-5(2)7/h4-7H,3H2,1-2H3  
**InchiKey:** AKFMLHKPSQIJW-UHFFFAOYSA-N  
**Formula:** C5H12OS  
**SMILES:** CC(O)CC(C)S  
**Mol. weight [g/mol]:** 120.21

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | -121.09 | kJ/mol  | Joback Method  |
| hf            | -270.84 | kJ/mol  | Joback Method  |
| hfus          | 9.79    | kJ/mol  | Joback Method  |
| hvap          | 49.36   | kJ/mol  | Joback Method  |
| log10ws       | -1.47   |         | Crippen Method |
| logp          | 1.076   |         | Crippen Method |
| mcvol         | 103.530 | ml/mol  | McGowan Method |
| pc            | 4294.29 | kPa     | Joback Method  |
| rinpol        | 947.00  |         | NIST Webbook   |
| rinpol        | 947.00  |         | NIST Webbook   |
| rinpol        | 959.00  |         | NIST Webbook   |
| tb            | 467.96  | K       | Joback Method  |
| tc            | 658.24  | K       | Joback Method  |
| tf            | 213.39  | K       | Joback Method  |
| vc            | 0.377   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 212.56 | J/molxK | 467.96          | Joback Method |
| cpg           | 222.02 | J/molxK | 499.67          | Joback Method |
| cpg           | 231.06 | J/molxK | 531.39          | Joback Method |
| cpg           | 239.68 | J/molxK | 563.10          | Joback Method |
| cpg           | 247.90 | J/molxK | 594.82          | Joback Method |
| cpg           | 255.72 | J/molxK | 626.53          | Joback Method |
| cpg           | 263.16 | J/molxK | 658.24          | Joback Method |

# Sources

|                        |   |
|------------------------|---|
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                     |
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R513176&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R513176&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>                                 |
| <b>Crippen Method:</b> | <a href="https://www.cheméo.com/doc/models/crippen_log10ws">https://www.cheméo.com/doc/models/crippen_log10ws</a>                         |
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                     |

# Legend

|                  |   |
|------------------|---|
| <b>cpg:</b>      | Ideal gas heat capacity                         |
| <b>gf:</b>       | Standard Gibbs free energy of formation         |
| <b>hf:</b>       | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>     | Enthalpy of fusion at standard conditions       |
| <b>h vap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b>  | Log10 of Water solubility in mol/l              |
| <b>logp:</b>     | Octanol/Water partition coefficient             |
| <b>mcvol:</b>    | McGowan's characteristic volume                 |
| <b>pc:</b>       | Critical Pressure                               |
| <b>r in pol:</b> | Non-polar retention indices                     |
| <b>tb:</b>       | Normal Boiling Point Temperature                |
| <b>tc:</b>       | Critical Temperature                            |
| <b>tf:</b>       | Normal melting (fusion) point                   |
| <b>vc:</b>       | Critical Volume                                 |

Latest version available from:

<https://www.cheméo.com/cid/60-739-5/4-mercapto-2-pentanol.pdf>

Generated by Cheméo on 2024-04-19 19:27:16.707509062 +0000 UTC m=+15844085.628086373.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.