

Thioxanthone

Other names:	10-Thioxanthone 9-Thioxanthone 9H-Thioxanthen-9-one 9H-Thioxanthene, 9-oxo- NSC 15912 NSC 658181 Thiaxanthenone Thiaxanthon Thiaxanthone Thioxanthen-9-one Thioxanthene, 9-oxo- Thioxanthene-9-one Thioxanthenone
Inchi:	InChI=1S/C13H8OS/c14-13-9-5-1-3-7-11(9)15-12-8-4-2-6-10(12)13/h1-8H
InchiKey:	YRHRIQCWCFGUEQ-UHFFFAOYSA-N
Formula:	C13H8OS
SMILES:	O=c1c2ccccc2sc2ccccc12
Mol. weight [g/mol]:	212.27
CAS:	492-22-8

Physical Properties

Property code	Value	Unit	Source
chs	-6840.50 ± 3.50	kJ/mol	NIST Webbook
hf	94.30 ± 3.60	kJ/mol	NIST Webbook
hfs	-20.50 ± 3.60	kJ/mol	NIST Webbook
hfus	28.40	kJ/mol	Thermodynamic Study on the Sublimation of Anthracene-Like Compounds
hsub	114.81 ± 0.41	kJ/mol	NIST Webbook
hsub	114.80 ± 0.40	kJ/mol	NIST Webbook
log10ws	-5.54		Aqueous Solubility Prediction Method
logp	3.415		Crippen Method
mvol	153.570	ml/mol	McGowan Method
rinpol	346.20		NIST Webbook
rinpol	2049.00		NIST Webbook

tf	482.00	K	Solubilities of Some Thioxanthone Derivatives in Supercritical CO ₂
tf	487.88 ± 0.02	K	NIST Webbook

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
hfust	35.50	kJ/mol	487.88	NIST Webbook
hfust	35.50	kJ/mol	487.90	NIST Webbook
hfust	35.50	kJ/mol	487.90	NIST Webbook

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	645.20	K	95.30	NIST Webbook

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C492228&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Solubilities of Some Thioxanthone Derivatives in Supercritical CO ₂ :	https://www.doi.org/10.1021/je020163y
Thermodynamic Study on the Sublimation of Anthracene-Like Compounds:	https://www.doi.org/10.1021/je100850z
Solubilities of Oxygenated Aromatic Solids in Pressurized Hot Water:	https://www.doi.org/10.1021/je800707x
Aqueous Solubility Prediction Method:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa

Legend

chs:	Standard solid enthalpy of combustion
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
rinpol:	Non-polar retention indices
tbrp:	Boiling point at reduced pressure
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.cheméo.com/cid/61-621-4/Thioxanthone.pdf>

Generated by Cheméo on 2024-04-29 05:44:21.490059049 +0000 UTC m=+16658710.410636365.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.