

2-Hexanone, 3,4-dimethyl-

| | |
|-----------------------------|--|
| Other names: | 3,4-Dimethyl-2-hexanone |
| Inchi: | InChI=1S/C8H16O/c1-5-6(2)7(3)8(4)9/h6-7H,5H2,1-4H3 |
| InchiKey: | YGXOERUAAWTDEV-UHFFFAOYSA-N |
| Formula: | C8H16O |
| SMILES: | CCC(C)C(C)C(C)=O |
| Mol. weight [g/mol]: | 128.21 |
| CAS: | 19550-10-8 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------------|---------|----------------|
| gf | -117.32 | kJ/mol | Joback Method |
| hf | -331.59 | kJ/mol | Joback Method |
| hfus | 11.03 | kJ/mol | Joback Method |
| hvap | 39.37 | kJ/mol | Joback Method |
| log10ws | -1.97 | | Crippen Method |
| logp | 2.258 | | Crippen Method |
| mcvol | 125.150 | ml/mol | McGowan Method |
| pc | 2749.78 | kPa | Joback Method |
| tb | 427.00 ± 3.00 | K | NIST Webbook |
| tb | 431.20 | K | NIST Webbook |
| tb | 431.00 ± 3.00 | K | NIST Webbook |
| tc | 618.82 | K | Joback Method |
| tf | 199.85 | K | Joback Method |
| vc | 0.477 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 255.61 | J/molxK | 435.43 | Joback Method |
| cpg | 268.85 | J/molxK | 466.00 | Joback Method |
| cpg | 281.53 | J/molxK | 496.56 | Joback Method |
| cpg | 293.67 | J/molxK | 527.13 | Joback Method |
| cpg | 305.29 | J/molxK | 557.69 | Joback Method |
| cpg | 316.39 | J/molxK | 588.26 | Joback Method |

| | | | | |
|-------|-----------|---------|--------|---------------|
| cpg | 326.99 | J/mol×K | 618.82 | Joback Method |
| dvisc | 0.0114893 | Paxs | 199.85 | Joback Method |
| dvisc | 0.0036803 | Paxs | 239.11 | Joback Method |
| dvisc | 0.0016253 | Paxs | 278.38 | Joback Method |
| dvisc | 0.0008785 | Paxs | 317.64 | Joback Method |
| dvisc | 0.0005437 | Paxs | 356.90 | Joback Method |
| dvisc | 0.0003700 | Paxs | 396.17 | Joback Method |
| dvisc | 0.0002700 | Paxs | 435.43 | Joback Method |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.50256e+01 |
| Coeff. B | -3.85265e+03 |
| Coeff. C | -6.10100e+01 |
| Temperature range (K), min. | 322.42 |
| Temperature range (K), max. | 457.61 |

Sources

| | |
|---|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C19550108&Units=SI |
| The Yaws Handbook of Vapor Pressure: | https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure |

Legend

| | |
|---------------|--|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |

| | |
|-----------------|---|
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| pvap: | Vapor pressure |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/61-664-7/2-Hexanone-3-4-dimethyl.pdf>

Generated by Cheméo on 2024-04-25 21:03:38.853796486 +0000 UTC m=+16368267.774373813.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.