

2-Hexen-1-ol, acetate, (Z)-

Other names:	(2Z)-2-Hexenyl acetate cis-2-Hexen-1-ol, acetate (Z)-2-Hexenyl acetate (Z)-Hex-2-enyl acetate (Z)-1-Acetoxy-2-hexene
Inchi:	InChI=1S/C8H14O2/c1-3-4-5-6-7-10-8(2)9/h5-6H,3-4,7H2,1-2H3/b6-5-
InchiKey:	HRHOWZHRZRZVCU-WAYWQWQTSA-N
Formula:	C8H14O2
SMILES:	CCCC=CCOC(C)=O
Mol. weight [g/mol]:	142.20
CAS:	56922-75-9

Physical Properties

Property code	Value	Unit	Source
gf	-137.22	kJ/mol	Joback Method
hf	-336.03	kJ/mol	Joback Method
hfus	19.46	kJ/mol	Joback Method
hvap	42.52	kJ/mol	Joback Method
log10ws	-1.89		Crippen Method
logp	1.906		Crippen Method
mcvol	126.720	ml/mol	McGowan Method
pc	2805.41	kPa	Joback Method
rinpol	982.00		NIST Webbook
rinpol	993.00		NIST Webbook
rinpol	1005.30		NIST Webbook
rinpol	1007.00		NIST Webbook
ripol	1320.00		NIST Webbook
ripol	1310.00		NIST Webbook
ripol	1327.00		NIST Webbook
ripol	1319.00		NIST Webbook
ripol	1319.00		NIST Webbook
ripol	1308.00		NIST Webbook
ripol	1305.00		NIST Webbook
tb	462.89	K	Joback Method
tc	646.21	K	Joback Method
tf	247.00	K	Joback Method
vc	0.487	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	263.30	J/mol×K	462.89	Joback Method
cpg	317.95	J/mol×K	615.66	Joback Method
cpg	307.96	J/mol×K	585.10	Joback Method
cpg	297.52	J/mol×K	554.55	Joback Method
cpg	286.60	J/mol×K	524.00	Joback Method
cpg	275.19	J/mol×K	493.44	Joback Method
cpg	327.49	J/mol×K	646.21	Joback Method
dvisc	0.0002123	Pa×s	462.89	Joback Method
dvisc	0.0002744	Pa×s	426.91	Joback Method
dvisc	0.0003717	Pa×s	390.93	Joback Method
dvisc	0.0005355	Pa×s	354.94	Joback Method
dvisc	0.0008378	Pa×s	318.96	Joback Method
dvisc	0.0014687	Pa×s	282.98	Joback Method
dvisc	0.0030324	Pa×s	247.00	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C56922759&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/61-860-9/2-Hexen-1-ol-acetate-Z.pdf>

Generated by Cheméo on 2025-12-05 13:53:57.543234128 +0000 UTC m=+4691035.073274783.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.