

Heptane, 3-ethyl-5-methyl-

Other names:	3-ETHYL-5-METHYLHEPTANE 3-METHYL-5-ETHYLHEPTANE 5-ETHYL-3-METHYLHEPTANE 5-methyl-3-ethyl-heptane Heptane, 5-ethyl-3-methyl
Inchi:	InChI=1S/C10H22/c1-5-9(4)8-10(6-2)7-3/h9-10H,5-8H2,1-4H3
InchiKey:	VXARVYMIZCGZGG-UHFFFAOYSA-N
Formula:	C10H22
SMILES:	CCC(C)CC(CC)CC
Mol. weight [g/mol]:	142.28
CAS:	52896-90-9

Physical Properties

Property code	Value	Unit	Source
gf	28.44	kJ/mol	Joback Method
hf	-260.29	kJ/mol	Joback Method
hfus	14.61	kJ/mol	Joback Method
hvap	47.70	kJ/mol	NIST Webbook
log10ws	-3.52		Crippen Method
logp	3.859		Crippen Method
mcvol	151.760	ml/mol	McGowan Method
pc	2139.38	kPa	Joback Method
rinpol	924.00		NIST Webbook
rinpol	949.30		NIST Webbook
rinpol	928.00		NIST Webbook
rinpol	928.00		NIST Webbook
rinpol	924.00		NIST Webbook
rinpol	949.00		NIST Webbook
rinpol	924.00		NIST Webbook
rinpol	938.00		NIST Webbook
rinpol	949.30		NIST Webbook
tb	427.32	K	Joback Method
tc	596.92	K	Joback Method
tf	172.46	K	Joback Method
vc	0.584	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	315.26	J/molxK	427.32	Joback Method
cpg	331.18	J/molxK	455.59	Joback Method
cpg	346.50	J/molxK	483.85	Joback Method
cpg	361.21	J/molxK	512.12	Joback Method
cpg	375.35	J/molxK	540.39	Joback Method
cpg	388.93	J/molxK	568.65	Joback Method
cpg	401.95	J/molxK	596.92	Joback Method
dvisc	0.0214146	Paxs	172.46	Joback Method
dvisc	0.0046771	Paxs	214.94	Joback Method
dvisc	0.0016877	Paxs	257.41	Joback Method
dvisc	0.0008129	Paxs	299.89	Joback Method
dvisc	0.0004693	Paxs	342.37	Joback Method
dvisc	0.0003059	Paxs	384.84	Joback Method
dvisc	0.0002171	Paxs	427.32	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.42104e+01
Coeff. B	-3.53536e+03
Coeff. C	-6.27880e+01
Temperature range (K), min.	316.71
Temperature range (K), max.	460.07

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	1.03190e+02
Coeff. B	-9.15941e+03
Coeff. C	-1.29816e+01
Coeff. D	7.61920e-06
Temperature range (K), min.	317.15

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C52896909&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
KDB Vapor Pressure Data:	https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=123
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.cheméo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
KDB:	https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=123

Legend

cp_g:	Ideal gas heat capacity
dv_{isc}:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log₁₀ws:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rin_{pol}:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/62-073-2/Heptane-3-ethyl-5-methyl.pdf>

Generated by Cheméo on 2024-04-27 06:04:17.318644954 +0000 UTC m=+16487106.239222270.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.