

# Z-12-Tetradecenal

<b>Other names:</b>	12-tetradecenal, Z
<b>Inchi:</b>	InChI=1S/C14H26O/c1-2-3-4-5-6-7-8-9-10-11-12-13-14-15/h2-3,14H,4-13H2,1H3/b3-2-
<b>InchiKey:</b>	OSQYHHXEZIXDDO-IHWYPQMZSA-N
<b>Formula:</b>	C14H26O
<b>SMILES:</b>	CC=CCCCCCCCCCCC=O
<b>Mol. weight [g/mol]:</b>	210.36

## Physical Properties

Property code	Value	Unit	Source
gf	47.70	kJ/mol	Joback Method
hf	-300.65	kJ/mol	Joback Method
hfus	34.51	kJ/mol	Joback Method
hvap	53.44	kJ/mol	Joback Method
log10ws	-4.82		Crippen Method
logp	4.662		Crippen Method
mcvol	205.390	ml/mol	McGowan Method
pc	1685.18	kPa	Joback Method
rinpol	1632.00		NIST Webbook
rinpol	1632.00		NIST Webbook
ripol	1994.00		NIST Webbook
ripol	1994.00		NIST Webbook
tb	572.54	K	Joback Method
tc	743.29	K	Joback Method
tf	284.46	K	Joback Method
vc	0.817	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	518.54	J/molxK	572.54	Joback Method
cpg	535.03	J/molxK	601.00	Joback Method
cpg	550.80	J/molxK	629.46	Joback Method
cpg	565.86	J/molxK	657.91	Joback Method
cpg	580.24	J/molxK	686.37	Joback Method

cpg	593.97	J/molxK	714.83	Joback Method
cpg	607.07	J/molxK	743.29	Joback Method
dvisc	0.0043394	Paxs	284.46	Joback Method
dvisc	0.0017423	Paxs	332.47	Joback Method
dvisc	0.0008807	Paxs	380.49	Joback Method
dvisc	0.0005187	Paxs	428.50	Joback Method
dvisc	0.0003399	Paxs	476.51	Joback Method
dvisc	0.0002406	Paxs	524.53	Joback Method
dvisc	0.0001805	Paxs	572.54	Joback Method

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U130765&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U130765&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307I">http://pubs.acs.org/doi/abs/10.1021/ci990307I</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>ripol:</b>	Polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/62-153-3/Z-12-Tetradecenal.pdf>

Generated by Cheméo on 2025-05-13 22:06:39.524890543 +0000 UTC m=+2483045.025334769.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.