

Acetamide, N-methyl-

Other names:	ACETYLMETHYLAMINE CH3CONHCH3 MONOMETHYLACETAMIDE Methylacetamide N-Acetyl-N-methylamine N-METHYLACETAMIDE N-methylethanamide X 44
Inchi:	InChI=1S/C3H7NO/c1-3(5)4-2/h1-2H3,(H,4,5)
InchiKey:	OHLUUHNLEMFGTQ-UHFFFAOYSA-N
Formula:	C3H7NO
SMILES:	CNC(C)=O
Mol. weight [g/mol]:	73.09
CAS:	79-16-3

Physical Properties

Property code	Value	Unit	Source
affp	888.50	kJ/mol	NIST Webbook
basg	857.60	kJ/mol	NIST Webbook
chl	-1867.70 ± 1.30	kJ/mol	NIST Webbook
chs	-1862.10 ± 5.10	kJ/mol	NIST Webbook
gf	-65.15	kJ/mol	Joback Method
hf	-248.00 ± 5.50	kJ/mol	NIST Webbook
hfl	-313.20 ± 1.30	kJ/mol	NIST Webbook
hfs	-318.80 ± 5.10	kJ/mol	NIST Webbook
hfus	10.22	kJ/mol	Joback Method
hsub	69.87 ± 0.31	kJ/mol	NIST Webbook
hsub	70.80 ± 2.00	kJ/mol	NIST Webbook
hsub	70.80 ± 2.00	kJ/mol	NIST Webbook
hvap	35.45	kJ/mol	Joback Method
ie	8.90 ± 0.02	eV	NIST Webbook
ie	9.85	eV	NIST Webbook
ie	9.70 ± 0.05	eV	NIST Webbook
log10ws	-0.04		Crippen Method
logp	-0.248		Crippen Method
mcvol	64.680	ml/mol	McGowan Method
pc	4890.21	kPa	Joback Method

rinpol	857.00		NIST Webbook
rinpol	825.00		NIST Webbook
ripol	1623.00		NIST Webbook
ripol	1609.00		NIST Webbook
ripol	1648.00		NIST Webbook
ripol	1609.00		NIST Webbook
ripol	1623.00		NIST Webbook
tb	479.15	K	Vapor-Liquid Equilibrium Data for N-Methylacetamide and N,N-Dimethylacetamide with Cumene at 97.3 kPa
tb	478.20	K	NIST Webbook
tb	478.07	K	Isobaric vapor liquid equilibria for water + acetic acid + (N-methyl pyrrolidone or N-methyl acetamide)
tc	557.68	K	Joback Method
tf	303.67 ± 0.15	K	NIST Webbook
tf	303.43 ± 0.20	K	NIST Webbook
tf	302.90 ± 1.00	K	NIST Webbook
vc	0.244	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	146.12	J/molxK	557.68	Joback Method
cpg	116.34	J/molxK	403.01	Joback Method
cpg	122.81	J/molxK	433.95	Joback Method
cpg	129.01	J/molxK	464.88	Joback Method
cpg	134.96	J/molxK	495.81	Joback Method
cpg	140.66	J/molxK	526.75	Joback Method
cpg	109.61	J/molxK	372.08	Joback Method
dvisc	0.0038224	Paxs	303.15	Volumetric and transport properties of binary liquid mixtures of N-methylacetamide with lactones at temperatures (303.15 to 318.15) K

dvisc	0.0038224	Paxs	303.15	Volumetric and transport properties of binary liquid mixtures of N-methylacetamide with lactones at temperatures (303.15 to 318.15) K
dvisc	0.0029041	Paxs	313.15	Volumetric and transport properties of binary liquid mixtures of N-methylacetamide with lactones at temperatures (303.15 to 318.15) K
dvisc	0.0033124	Paxs	308.15	Volumetric and transport properties of binary liquid mixtures of N-methylacetamide with lactones at temperatures (303.15 to 318.15) K
dvisc	0.0026072	Paxs	318.15	Volumetric and transport properties of binary liquid mixtures of N-methylacetamide with lactones at temperatures (303.15 to 318.15) K
hfust	9.73	kJ/mol	303.80	NIST Webbook
hfust	9.73	kJ/mol	303.80	NIST Webbook
hfust	10.11	kJ/mol	303.70	NIST Webbook
hsubt	54.00	kJ/mol	295.50	NIST Webbook
hvapt	62.00	kJ/mol	390.50	NIST Webbook
hvapt	55.50	kJ/mol	388.50	NIST Webbook
hvapt	53.50	kJ/mol	416.00	NIST Webbook
hvapt	59.60	kJ/mol	388.00	NIST Webbook
rho1	941.81	kg/m3	313.15	Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure

rhoI	937.44	kg/m3	318.15	Density and Viscosity of N-Methylacetamide-Calcium Chloride Mixtures over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	
rhoI	933.24	kg/m3	323.15	Density and Viscosity of N-Methylacetamide-Calcium Chloride Mixtures over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	
rhoI	929.07	kg/m3	328.15	Density and Viscosity of N-Methylacetamide-Calcium Chloride Mixtures over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	
rhoI	946.01	kg/m3	308.15	Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	
rhoI	945.85	kg/m3	308.15	Density and Viscosity of N-Methylacetamide-Calcium Chloride Mixtures over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	
rhoI	937.59	kg/m3	318.15	Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure	

rhoI	933.36	kg/m3	323.15	Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure
rhoI	929.17	kg/m3	328.15	Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure
rhoI	945.71	kg/m3	308.15	Density and Viscosity of Magnesium Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Ambient Pressure
rhoI	941.53	kg/m3	313.15	Density and Viscosity of Magnesium Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Ambient Pressure
rhoI	937.33	kg/m3	318.15	Density and Viscosity of Magnesium Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Ambient Pressure

rhoI	933.16	kg/m3	323.15	Density and Viscosity of Magnesium Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Ambient Pressure
rhoI	928.93	kg/m3	328.15	Density and Viscosity of Magnesium Chloride Solution in N-Methylacetamide over the Temperature Range from 308.15 to 328.15 K at Ambient Pressure
rhoI	949.70	kg/m3	308.15	Ultrasonic Studies of Binary Mixtures of Some Aromatic Ketones with N-Methyl-acetamide at 308.15 K
rhoI	941.63	kg/m3	313.15	Density and Viscosity of N-Methylacetamide-Calcium Chloride Mixtures over the Temperature Range from 308.15 to 328.15 K at Atmospheric Pressure
rhoI	956.30	kg/m3	293.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	951.20	kg/m3	298.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data

rhoI	950.20	kg/m3	303.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	937.60	kg/m3	318.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	941.70	kg/m3	313.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	945.90	kg/m3	308.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	950.10	kg/m3	303.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	954.20	kg/m3	298.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K

rhoI	958.40	kg/m3	293.15	Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 293.15 K and 318.15 K
rhoI	940.50	kg/m3	313.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
rhoI	946.80	kg/m3	308.15	Interpretation of Association Behavior and Molecular Interactions in Binary Mixtures from Thermoacoustics and Molecular Compression Data
speedsI	1319.00	m/s	318.15	Density and Speed of Sound of Binary Mixtures of N-Methylacetamide with Ethyl Acetate, Ethyl Chloroacetate, and Ethyl Cyanoacetate in the Temperature Interval (303.15 to 318.15) K
speedsI	1334.00	m/s	313.15	Density and Speed of Sound of Binary Mixtures of N-Methylacetamide with Ethyl Acetate, Ethyl Chloroacetate, and Ethyl Cyanoacetate in the Temperature Interval (303.15 to 318.15) K

speedsl	1362.00	m/s	308.15	Density and Speed of Sound of Binary Mixtures of N-Methylacetamide with Ethyl Acetate, Ethyl Chloroacetate, and Ethyl Cyanoacetate in the Temperature Interval (303.15 to 318.15) K
speedsl	1367.00	m/s	303.15	Density and Speed of Sound of Binary Mixtures of N-Methylacetamide with Ethyl Acetate, Ethyl Chloroacetate, and Ethyl Cyanoacetate in the Temperature Interval (303.15 to 318.15) K

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.50574e+01
Coeff. B	-4.21034e+03
Coeff. C	-7.48750e+01
Temperature range (K), min.	359.94
Temperature range (K), max.	506.89

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	5.63193e+01
Coeff. B	-8.67256e+03
Coeff. C	-5.45449e+00
Coeff. D	1.83955e-07
Temperature range (K), min.	301.15
Temperature range (K), max.	718.00

Datasets

Viscosity, Pa*s

Temperature, K - Liquid	Pressure, kPa - Liquid	Viscosity, Pa*s - Liquid
308.15	101.30	0.0033130
Reference		https://www.doi.org/10.1016/j.jct.2005.05.006

Temperature, K	Pressure, kPa	Viscosity, Pa*s
308.15	101.00	0.0033120
Reference		https://www.doi.org/10.1016/j.jct.2006.06.009

Pressure, kPa	Temperature, K	Viscosity, Pa*s
101.30	308.15	0.0036700
Reference		https://www.doi.org/10.1021/je020178w

Sources

KDB:	https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1378
The Yaws Handbook of Vapor Pressure: Joback Method:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure https://en.wikipedia.org/wiki/Joback_method
Isobaric vapor liquid equilibria for water + acetic acid + (N-methyl-2-pyrrolidone) and systems of binary mixtures of N-methylacetamide with methanol, ethanol, 1-propanol, and 2-propanol. The vapor pressure and molecular interaction parameters are reported from 308.15 to 328.15 K.	https://www.doi.org/10.1016/j.fluid.2006.02.002 https://www.doi.org/10.1021/je060343y https://www.doi.org/10.1007/s10765-016-2096-3
Isobaric vapor liquid equilibria for N-methylacetamide + water and N-methylacetamide + calcium chloride. The vapor pressure and molecular interaction parameters are reported from 308.15 to 328.15 K.	https://www.doi.org/10.1016/j.jct.2006.04.007 https://www.doi.org/10.1021/je800481n https://www.doi.org/10.1016/j.jct.2005.05.006
Isobaric vapor liquid equilibria for N-methylacetamide + calcium chloride. The vapor pressure and molecular interaction parameters are reported from 308.15 to 328.15 K.	https://www.doi.org/10.1021/acs.jced.9b00046 https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1378 https://www.doi.org/10.1021/acs.jced.7b00494
Isobaric vapor liquid equilibria for N-methylacetamide + calcium chloride. The vapor pressure and molecular interaction parameters are reported from 308.15 to 328.15 K.	http://pubs.acs.org/doi/abs/10.1021/ci9903071 http://link.springer.com/article/10.1007/BF02311772

Densities and volumetric properties of (acetonitrile + an amide) binary mixtures at temperatures between 298.15 and 308.15 K: N-Methylacetamide and N,N-Dimethylacetamide: Experimental measurements and molecular modeling

<https://www.doi.org/10.1016/j.jct.2006.01.015>

NIST Webbook:

<https://www.doi.org/10.1021/je500478t>

<https://www.doi.org/10.1021/je9007074>

https://www.chemeo.com/doc/models/crippen_log10ws

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C79163&Units=SI>

Density and Viscosity of Zinc Chloride Solution in N-Methylacetamide over the Temperature Range from 15 to 45 °C: Properties of Binary Mixtures of Some Organic and Inorganic Compounds with N-Methylacetamide and N,N-Dimethylacetamide at 303.15 K: N-Methylacetamide and N,N-Dimethylacetamide with Some Organic and Inorganic Compounds at 303.15 K: N-Methylacetamide and N,N-Dimethylacetamide with Some Organic and Inorganic Compounds at 308.15 K: N-Methylacetamide and N,N-Dimethylacetamide with Some Organic and Inorganic Compounds at 303.15 K: N-Methylacetamide and N,N-Dimethylacetamide with Some Organic and Inorganic Compounds at 308.15 K: (N-Methylformamide or N-Methylacetamide) + Aromatic Compounds at 303.15 K:

<https://www.doi.org/10.1021/acs.jced.8b00399>

<https://www.doi.org/10.1021/je020178w>

<https://www.doi.org/10.1016/j.jct.2006.06.009>

<https://www.doi.org/10.1016/j.jct.2008.05.004>

<https://www.doi.org/10.1021/je040008e>

<https://www.doi.org/10.1021/je700414c>

Legend

affp:	Proton affinity
basg:	Gas basicity
chl:	Standard liquid enthalpy of combustion
chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rho:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
speedsl:	Speed of sound in fluid
tb:	Normal Boiling Point Temperature

tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/62-324-3/Acetamide-N-methyl.pdf>

Generated by Cheméo on 2025-12-06 01:48:47.810953011 +0000 UTC m=+4733925.340993680.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.