## o-Xylene

Other names: 1,2-Dimethylbenzene

1,2-Xylene

1,2-dimethyl-benzene (o-xylene)

2-Methyltoluene

3,4-Xylene

Benzene, 1,2-dimethyl-

NSC 60920

o-Dimethylbenzene o-Methyltoluene

o-Xylol

ortho-Xylene

InChl=1S/C8H10/c1-7-5-3-4-6-8(7)2/h3-6H,1-2H3

InchiKey: CTQNGGLPUBDAKN-UHFFFAOYSA-N

Formula: C8H10

SMILES: Cc1cccc1C

**Mol. weight [g/mol]:** 106.17 **CAS:** 95-47-6

## **Physical Properties**

| Property code | Value           | Unit    | Source   |
|---------------|-----------------|---------|--|
| af            | 0.3100          |         | KDB  |
| affp          | 796.00          | kJ/mol  | NIST Webbook   |
| affp          | 791.20          | kJ/mol  | NIST Webbook   |
| affp          | 793.50 ± 1.70   | kJ/mol  | NIST Webbook   |
| aigt          | 738.15          | K       | KDB  |
| basg          | 765.30          | kJ/mol  | NIST Webbook   |
| basg          | 772.10 ± 2.20   | kJ/mol  | NIST Webbook   |
| basg          | 768.30          | kJ/mol  | NIST Webbook   |
| chl           | -4552.90 ± 1.00 | kJ/mol  | NIST Webbook   |
| chl           | -4567.60        | kJ/mol  | NIST Webbook   |
| chl           | -4581.40        | kJ/mol  | NIST Webbook   |
| chl           | -4551.48 ± 0.50 | kJ/mol  | NIST Webbook   |
| cpl           | 187.28          | J/mol×K | Thermodynamics of mixtures involving some (benzene derivatives + benzonitrile) |
| dm            | 0.50            | debye   | KDB  |

| dvisc   | 0.0007680       | Paxs     | Viscosities, Densities, and<br>Speeds of Sound of Binary<br>Mixtures of o-Xylene,<br>m-Xylene, p-Xylene, and<br>Isopropylbenzene with<br>2-Butanone at 298.15 K              |
|---------|-----------------|----------|--|
| dvisc   | 0.0007690       | Paxs     | Viscosities, Densities, and<br>Speeds of Sound of Binary<br>Mixtures of o-Xylene,<br>m-Xylene, p-Xylene, and<br>Isopropylbenzene with<br>4-Methylpentan-2-one at<br>298.15 K |
| ер      | 36.90           | J/mol×K  | NIST Webbook   |
| fll     | 1.10            | % in Air | KDB  |
| flu     | 7.00            | % in Air | KDB  |
| fpc     | 297.04          | K        | KDB  |
| fpo     | 290.37          | K        | KDB  |
| gf      | 122.20          | kJ/mol   | KDB  |
| gyrad   | 3.7890          |          | KDB  |
| hcg     | 4552.86         | kJ/mol   | KDB  |
| hcn     | 4332.784        | kJ/mol   | KDB  |
| hf      | 19.00           | kJ/mol   | KDB  |
| hf      | 19.00 ± 1.10    | kJ/mol   | NIST Webbook   |
| hfl     | -24.40 ± 1.10   | kJ/mol   | NIST Webbook   |
| hfus    | 10.13           | kJ/mol   | Joback Method  |
| hvap    | 36.34           | kJ/mol   | Joback Method  |
| ie      | 8.75 ± 0.03     | eV       | NIST Webbook   |
| ie      | $8.56 \pm 0.02$ | eV       | NIST Webbook   |
| ie      | 8.58 ± 0.01     | eV       | NIST Webbook   |
| ie      | 8.55            | eV       | NIST Webbook   |
| ie      | 8.56            | eV       | NIST Webbook   |
| ie      | 8.57 ± 0.03     | eV       | NIST Webbook   |
| ie      | 8.56 ± 0.01     | eV       | NIST Webbook   |
| ie      | 8.57            | eV       | NIST Webbook   |
| ie      | $8.60 \pm 0.10$ | eV       | NIST Webbook   |
| ie      | 8.70            | eV       | NIST Webbook   |
| ie      | 8.56 ± 0.04     | eV       | NIST Webbook   |
| ie      | $8.56 \pm 0.01$ | eV       | NIST Webbook   |
| ie      | $8.45 \pm 0.02$ | eV       | NIST Webbook   |
| ie      | $8.85 \pm 0.05$ | eV       | NIST Webbook   |
| ie      | 8.61            | eV       | NIST Webbook   |
| log10ws | -2.80           |          | Estimated Solubility<br>Method   |
| log10ws | -2.80           |          | Aqueous Solubility<br>Prediction Method  |
| logp    | 2.303           |          | Crippen Method   |
| mcvol   | 99.820          | ml/mol   | McGowan Method   |
| nfpaf   | %!d(float64=3)  |          | KDB  |

| nfpah  | %!d(float64=2)    |       | KDB          |
|--------|-------------------|-------|--------------|
| рс     | 3732.00           | kPa   | KDB          |
| rhoc   | 286.54 ± 5.31     | kg/m3 | NIST Webbook |
| rhoc   | $286.65 \pm 4.25$ | kg/m3 | NIST Webbook |
| rhoc   | 287.71 ± 4.25     | kg/m3 | NIST Webbook |
| rinpol | 885.20            |       | NIST Webbook |
| rinpol | 877.60            |       | NIST Webbook |
| rinpol | 877.80            |       | NIST Webbook |
| rinpol | 878.00            |       | NIST Webbook |
| rinpol | 878.10            |       | NIST Webbook |
| rinpol | 877.40            |       | NIST Webbook |
| rinpol | 884.00            |       | NIST Webbook |
| rinpol | 877.00            |       | NIST Webbook |
| rinpol | 878.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 878.00            |       | NIST Webbook |
| rinpol | 892.90            |       | NIST Webbook |
| rinpol | 895.60            |       | NIST Webbook |
| rinpol | 888.80            |       | NIST Webbook |
| rinpol | 888.80            |       | NIST Webbook |
| rinpol | 889.80            |       | NIST Webbook |
| rinpol | 887.30            |       | NIST Webbook |
| rinpol | 888.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 874.00            |       | NIST Webbook |
| rinpol | 879.60            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 875.00            |       | NIST Webbook |
| rinpol | 868.30            |       | NIST Webbook |
| rinpol | 874.00            |       | NIST Webbook |
| rinpol | 895.00            |       | NIST Webbook |
| rinpol | 914.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 889.00            |       | NIST Webbook |
| rinpol | 893.00            |       | NIST Webbook |
| rinpol | 885.00            |       | NIST Webbook |
| rinpol | 884.00            |       | NIST Webbook |
| rinpol | 868.40            |       | NIST Webbook |
| rinpol | 905.00            |       | NIST Webbook |
| rinpol | 881.00            |       | NIST Webbook |
| rinpol | 890.00            |       | NIST Webbook |
|        |                   |       | 2            |

| rinpol 888.0 | 00 NIST Webbook |
|--------------|-----------------|
| rinpol 891.0 | 00 NIST Webbook |
| rinpol 885.0 | 00 NIST Webbook |
| rinpol 884.0 | 00 NIST Webbook |
| rinpol 882.0 | 00 NIST Webbook |
| rinpol 877.6 | NIST Webbook    |
| rinpol 878.  | 0 NIST Webbook  |
| rinpol 882.2 | 20 NIST Webbook |
| rinpol 900.0 | 00 NIST Webbook |
| rinpol 885.0 | 00 NIST Webbook |
| rinpol 890.0 | 00 NIST Webbook |
| rinpol 896.0 | 00 NIST Webbook |
| rinpol 903.0 | 00 NIST Webbook |
| rinpol 844.0 | 00 NIST Webbook |
| rinpol 880.8 | NIST Webbook    |
| rinpol 883.0 | 00 NIST Webbook |
| rinpol 890.3 | NIST Webbook    |
| rinpol 896.4 | NIST Webbook    |
| rinpol 903.2 | 20 NIST Webbook |
| rinpol 895.0 | 00 NIST Webbook |
| rinpol 880.0 | 00 NIST Webbook |
| rinpol 868.9 |                 |
| rinpol 880.3 |                 |
| rinpol 880.  | NIST Webbook    |
| rinpol 880.8 | NIST Webbook    |
| rinpol 881.5 |                 |
| rinpol 875.6 |                 |
| rinpol 875.9 |                 |
| rinpol 879.9 |                 |
| rinpol 880.8 |                 |
| rinpol 874.3 |                 |
| rinpol 874.  |                 |
| rinpol 880.8 |                 |
| rinpol 883.0 |                 |
| rinpol 886.0 |                 |
| rinpol 880.0 |                 |
| rinpol 880.0 |                 |
| rinpol 872.0 |                 |
| rinpol 874.0 |                 |
| rinpol 877.2 |                 |
| rinpol 896.0 |                 |
| rinpol 900.0 |                 |
| rinpol 881.0 |                 |
| rinpol 870.0 | 00 NIST Webbook |

| rinpol | 875.00 | NIST Webbook |
|--------|--------|--------------|
| rinpol | 878.90 | NIST Webbook |
| rinpol | 883.70 | NIST Webbook |
| rinpol | 886.00 | NIST Webbook |
| rinpol | 877.00 | NIST Webbook |
| rinpol | 885.00 | NIST Webbook |
| rinpol | 889.00 | NIST Webbook |
| rinpol | 891.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 898.00 | NIST Webbook |
| rinpol | 870.70 | NIST Webbook |
| rinpol | 903.00 | NIST Webbook |
| rinpol | 880.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 888.40 | NIST Webbook |
| rinpol | 888.10 | NIST Webbook |
| rinpol | 880.10 | NIST Webbook |
| rinpol | 864.00 | NIST Webbook |
| rinpol | 871.00 | NIST Webbook |
| rinpol | 877.00 | NIST Webbook |
| rinpol | 882.00 | NIST Webbook |
| rinpol | 918.00 | NIST Webbook |
| rinpol | 926.00 | NIST Webbook |
| rinpol | 933.00 | NIST Webbook |
| rinpol | 911.00 | NIST Webbook |
| rinpol | 885.00 | NIST Webbook |
| rinpol | 893.00 | NIST Webbook |
| rinpol | 882.00 | NIST Webbook |
| rinpol | 908.00 | NIST Webbook |
| rinpol | 893.20 | NIST Webbook |
| rinpol | 891.00 | NIST Webbook |
| rinpol | 884.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 887.00 | NIST Webbook |
| rinpol | 887.00 | NIST Webbook |
| rinpol | 910.00 | NIST Webbook |
| rinpol | 883.80 | NIST Webbook |
| rinpol | 880.00 | NIST Webbook |
| rinpol | 887.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 893.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
|        |        |              |

| rinpol | 886.00 | NIST Webbook |
|--------|--------|--------------|
| rinpol | 894.00 | NIST Webbook |
| rinpol | 862.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 881.80 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 889.90 | NIST Webbook |
| rinpol | 891.20 | NIST Webbook |
| rinpol | 871.00 | NIST Webbook |
| rinpol | 898.40 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 863.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 863.00 | NIST Webbook |
| rinpol | 877.70 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 886.00 | NIST Webbook |
| rinpol | 897.00 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 892.10 | NIST Webbook |
| rinpol | 867.90 | NIST Webbook |
| rinpol | 872.30 | NIST Webbook |
| rinpol | 876.70 | NIST Webbook |
| rinpol | 877.00 | NIST Webbook |
| rinpol | 850.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 889.90 | NIST Webbook |
| rinpol | 891.20 | NIST Webbook |
| rinpol | 875.31 | NIST Webbook |
| rinpol | 875.68 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 875.88 | NIST Webbook |
| rinpol | 875.89 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 887.00 | NIST Webbook |
| rinpol | 881.30 | NIST Webbook |
| rinpol | 875.60 | NIST Webbook |
| rinpol | 874.60 | NIST Webbook |
| rinpol | 870.77 | NIST Webbook |
| rinpol | 874.14 | NIST Webbook |
| rinpol | 876.31 | NIST Webbook |
| rinpol | 887.70 | NIST Webbook |
|        |        |              |

| rinpol | 891.29 | NIST Webbook |
|--------|--------|--------------|
| rinpol | 893.63 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 875.12 | NIST Webbook |
| rinpol | 874.00 | NIST Webbook |
| rinpol | 897.40 | NIST Webbook |
| rinpol | 900.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 903.66 | NIST Webbook |
| rinpol | 877.00 | NIST Webbook |
| rinpol | 895.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 884.00 | NIST Webbook |
| rinpol | 889.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 895.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 865.00 | NIST Webbook |
| rinpol | 874.00 | NIST Webbook |
| rinpol | 874.00 | NIST Webbook |
| rinpol | 880.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 838.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 895.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 889.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 891.00 | NIST Webbook |
| rinpol | 893.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 898.00 | NIST Webbook |
| rinpol | 901.00 | NIST Webbook |
| rinpol | 898.00 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 882.00 | NIST Webbook |

| rinpol | 884.00 | NIST Webbook |
|--------|--------|--------------|
| rinpol | 885.00 | NIST Webbook |
| rinpol | 878.00 | NIST Webbook |
| rinpol | 868.00 | NIST Webbook |
| rinpol | 901.00 | NIST Webbook |
| rinpol | 901.00 | NIST Webbook |
| rinpol | 871.00 | NIST Webbook |
| rinpol | 873.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 899.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 902.00 | NIST Webbook |
| rinpol | 887.00 | NIST Webbook |
| rinpol | 877.74 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 877.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 898.00 | NIST Webbook |
| rinpol | 860.00 | NIST Webbook |
| rinpol | 896.50 | NIST Webbook |
| rinpol | 850.00 | NIST Webbook |
| rinpol | 879.00 | NIST Webbook |
| rinpol | 885.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 869.00 | NIST Webbook |
| rinpol | 872.00 | NIST Webbook |
| rinpol | 892.00 | NIST Webbook |
| rinpol | 879.00 | NIST Webbook |
| rinpol | 878.00 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 889.00 | NIST Webbook |
| rinpol | 875.60 | NIST Webbook |
| rinpol | 870.50 | NIST Webbook |
| rinpol | 873.40 | NIST Webbook |
| rinpol | 877.30 | NIST Webbook |
| rinpol | 880.10 | NIST Webbook |
| rinpol | 882.50 | NIST Webbook |
| rinpol | 870.00 | NIST Webbook |
| rinpol | 873.00 | NIST Webbook |
| rinpol | 876.00 | NIST Webbook |
| rinpol | 879.00 | NIST Webbook |

| rinpol | 882.00 | NIST Webbook |
|--------|--------|--------------|
| rinpol | 877.00 | NIST Webbook |
| rinpol | 871.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 854.00 | NIST Webbook |
| rinpol | 880.00 | NIST Webbook |
| rinpol | 879.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 905.00 | NIST Webbook |
| rinpol | 894.00 | NIST Webbook |
| rinpol | 891.00 | NIST Webbook |
| rinpol | 896.00 | NIST Webbook |
| rinpol | 870.00 | NIST Webbook |
| rinpol | 878.00 | NIST Webbook |
| rinpol | 872.00 | NIST Webbook |
| rinpol | 888.00 | NIST Webbook |
| rinpol | 910.00 | NIST Webbook |
| rinpol | 889.00 | NIST Webbook |
| rinpol | 884.00 | NIST Webbook |
| rinpol | 882.00 | NIST Webbook |
| rinpol | 898.00 | NIST Webbook |
| rinpol | 869.52 | NIST Webbook |
| rinpol | 903.00 | NIST Webbook |
| rinpol | 904.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 878.00 | NIST Webbook |
| rinpol | 901.00 | NIST Webbook |
| rinpol | 883.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 878.00 | NIST Webbook |
| rinpol | 886.00 | NIST Webbook |
| rinpol | 892.00 | NIST Webbook |
| rinpol | 906.00 | NIST Webbook |
| rinpol | 895.00 | NIST Webbook |
| rinpol | 880.00 | NIST Webbook |
| rinpol | 890.00 | NIST Webbook |
| rinpol | 855.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 886.00 | NIST Webbook |
| rinpol | 875.00 | NIST Webbook |
| rinpol | 881.00 | NIST Webbook |
| rinpol | 892.00 | NIST Webbook |
| rinpol | 895.00 | NIST Webbook |
|        |        |              |

| rinpol | 888.20  | NIST Webbook |
|--------|---------|--------------|
| rinpol | 896.40  | NIST Webbook |
| rinpol | 894.90  | NIST Webbook |
| rinpol | 894.80  | NIST Webbook |
| rinpol | 884.00  | NIST Webbook |
| rinpol | 866.00  | NIST Webbook |
| rinpol | 876.00  | NIST Webbook |
| rinpol | 884.00  | NIST Webbook |
| rinpol | 900.00  | NIST Webbook |
| rinpol | 879.00  | NIST Webbook |
| rinpol | 885.00  | NIST Webbook |
| rinpol | 884.00  | NIST Webbook |
| rinpol | 900.00  | NIST Webbook |
| rinpol | 880.00  | NIST Webbook |
| rinpol | 128.10  | NIST Webbook |
| rinpol | 128.40  | NIST Webbook |
| rinpol | 130.67  | NIST Webbook |
| rinpol | 883.80  | NIST Webbook |
| rinpol | 890.30  | NIST Webbook |
| rinpol | 878.32  | NIST Webbook |
| rinpol | 877.40  | NIST Webbook |
| rinpol | 882.40  | NIST Webbook |
| rinpol | 879.50  | NIST Webbook |
| rinpol | 876.70  | NIST Webbook |
| rinpol | 873.80  | NIST Webbook |
| rinpol | 870.90  | NIST Webbook |
| rinpol | 868.00  | NIST Webbook |
| rinpol | 900.00  | NIST Webbook |
| rinpol | 874.64  | NIST Webbook |
| rinpol | 874.10  | NIST Webbook |
| rinpol | 874.17  | NIST Webbook |
| rinpol | 915.10  | NIST Webbook |
| rinpol | 908.30  | NIST Webbook |
| rinpol | 918.00  | NIST Webbook |
| rinpol | 878.70  | NIST Webbook |
| rinpol | 874.20  | NIST Webbook |
| rinpol | 871.90  | NIST Webbook |
| rinpol | 873.40  | NIST Webbook |
| rinpol | 875.70  | NIST Webbook |
| rinpol | 874.60  | NIST Webbook |
| rinpol | 879.40  | NIST Webbook |
| rinpol | 882.00  | NIST Webbook |
| rinpol | 889.80  | NIST Webbook |
| ripol  | 1183.90 | NIST Webbook |
|        |         |              |

| ripol | 1164.90 | NIST Webbook |
|-------|---------|--------------|
| ripol | 1230.00 | NIST Webbook |
| ripol | 1232.00 | NIST Webbook |
| ripol | 1210.00 | NIST Webbook |
| ripol | 1218.00 | NIST Webbook |
| ripol | 1227.00 | NIST Webbook |
| ripol | 1201.00 | NIST Webbook |
| ripol | 1184.00 | NIST Webbook |
| ripol | 1181.00 | NIST Webbook |
| ripol | 1185.00 | NIST Webbook |
| ripol | 1185.00 | NIST Webbook |
| ripol | 1191.00 | NIST Webbook |
| ripol | 1178.00 | NIST Webbook |
| ripol | 1183.00 | NIST Webbook |
| ripol | 1171.00 | NIST Webbook |
| ripol | 1195.00 | NIST Webbook |
| ripol | 1159.00 | NIST Webbook |
| ripol | 1204.40 | NIST Webbook |
| ripol | 1187.00 | NIST Webbook |
| ripol | 1174.00 | NIST Webbook |
| ripol | 1187.00 | NIST Webbook |
| ripol | 1174.00 | NIST Webbook |
| ripol | 1189.00 | NIST Webbook |
| ripol | 1192.00 | NIST Webbook |
| ripol | 1175.00 | NIST Webbook |
| ripol | 1188.00 | NIST Webbook |
| ripol | 1177.00 | NIST Webbook |
| ripol | 1184.00 | NIST Webbook |
| ripol | 1187.00 | NIST Webbook |
| ripol | 1190.00 | NIST Webbook |
| ripol | 1169.00 | NIST Webbook |
| ripol | 1183.00 | NIST Webbook |
| ripol | 1181.00 | NIST Webbook |
| ripol | 1191.00 | NIST Webbook |
| ripol | 1190.00 | NIST Webbook |
| ripol | 1191.00 | NIST Webbook |
| ripol | 1176.00 | NIST Webbook |
| ripol | 1190.00 | NIST Webbook |
| ripol | 1175.00 | NIST Webbook |
| ripol | 1176.00 | NIST Webbook |
| ripol | 1189.00 | NIST Webbook |
| ripol | 1193.00 | NIST Webbook |
| ripol | 1208.00 | NIST Webbook |
| ripol | 1186.00 | NIST Webbook |
|       |         |              |

| ripol | 1182.00 | NIST Webbook |
|-------|---------|--------------|
| ripol | 1175.00 | NIST Webbook |
| ripol | 1186.00 | NIST Webbook |
| ripol | 1186.00 | NIST Webbook |
| ripol | 1190.00 | NIST Webbook |
| ripol | 1188.00 | NIST Webbook |
| ripol | 1191.00 | NIST Webbook |
| ripol | 1216.00 | NIST Webbook |
| ripol | 1229.00 | NIST Webbook |
| ripol | 1189.00 | NIST Webbook |
| ripol | 1203.00 | NIST Webbook |
| ripol | 1202.00 | NIST Webbook |
| ripol | 1198.00 | NIST Webbook |
| ripol | 1201.00 | NIST Webbook |
| ripol | 1213.00 | NIST Webbook |
| ripol | 1225.00 | NIST Webbook |
| ripol | 1178.00 | NIST Webbook |
| ripol | 1188.00 | NIST Webbook |
| ripol | 1165.00 | NIST Webbook |
| ripol | 1204.00 | NIST Webbook |
| ripol | 1159.00 | NIST Webbook |
| ripol | 1177.00 | NIST Webbook |
| ripol | 1189.00 | NIST Webbook |
| ripol | 1197.00 | NIST Webbook |
| ripol | 1173.00 | NIST Webbook |
| ripol | 1191.40 | NIST Webbook |
| ripol | 1181.00 | NIST Webbook |
| ripol | 1191.00 | NIST Webbook |
| ripol | 1171.00 | NIST Webbook |
| ripol | 1192.00 | NIST Webbook |
| ripol | 1180.00 | NIST Webbook |
| ripol | 1181.00 | NIST Webbook |
| ripol | 1155.00 | NIST Webbook |
| ripol | 1182.00 | NIST Webbook |
| ripol | 1182.00 | NIST Webbook |
| ripol | 1182.00 | NIST Webbook |
| ripol | 1187.00 | NIST Webbook |
| ripol | 1225.00 | NIST Webbook |
| ripol | 1172.00 | NIST Webbook |
| ripol | 1175.00 | NIST Webbook |
| ripol | 1182.00 | NIST Webbook |
| ripol | 1163.00 | NIST Webbook |
| ripol | 1171.00 | NIST Webbook |
| ripol | 1175.00 | NIST Webbook |
|       |         |              |

| tb             | 417.60             | K       | KDB   |
|----------------|--------------------|---------|---|
|                |                    |         | Systems of Methyl<br>Formate with o-Xylene,<br>m-Xylene, p-Xylene, and<br>Ethylbenzene at 101.33<br>kPa |
| tb             | 417.56             | K       | Isobaric Vapor-Liquid<br>Equilibium for the Binary  |
| sl             | 246.02             | J/mol×K | NIST Webbook  |
| sl             | 248.10             | J/mol×K | NIST Webbook  |
| sg             | 353.60 ± 1.30      | J/mol×K | NIST Webbook  |
| ripol          | 1174.00            |         | NIST Webbook  |
| ripol          | 1188.70            |         | NIST Webbook  |
| ripol          | 1178.00            |         | NIST Webbook  |
| ripol          | 1193.00            |         | NIST Webbook  |
| ripol          | 1200.00            |         | NIST Webbook  |
| ripol          | 1186.00            |         | NIST Webbook  |
| ripol          | 1174.60            |         | NIST Webbook  |
| ripol          | 1174.00            |         | NIST Webbook  |
| ripol          | 1209.84            |         | NIST Webbook  |
| ripol          | 1215.66            |         | NIST Webbook  |
| ripol          | 1221.09            |         | NIST Webbook  |
| ripol          | 1192.98            |         | NIST Webbook  |
| ripol          | 1174.00            |         | NIST Webbook  |
| ripol          | 1234.30            |         | NIST Webbook  |
| ripol          | 1198.32            |         | NIST Webbook  |
| ripol          | 1204.40            |         | NIST Webbook  |
| ripol          | 1185.70            |         | NIST Webbook  |
| ripol          | 1221.00            |         | NIST Webbook  |
| ripol          | 1191.00            |         | NIST Webbook  |
| ripol          | 1190.00            |         | NIST Webbook  |
| ripol          | 1180.00            |         | NIST Webbook  |
| ripol          | 1191.00            |         | NIST Webbook  |
| ripol<br>ripol | 1232.00            |         | NIST Webbook  |
| ripol          | 1183.00<br>1232.00 |         | NIST Webbook NIST Webbook   |
| ripol          | 1183.00            |         | NIST Webbook  |
| ripol          | 1186.00            |         | NIST Webbook  |
| ripol          |                    |         |   |
| ripol          | 1165.00<br>1232.00 |         | NIST Webbook NIST Webbook   |
| ripol          | 1188.00            |         | NIST Webbook  |
| ripol          | 1186.00            |         | NIST Webbook  |
| ripol          | 1191.00            |         |   |
| ripol          | 1166.00            |         | NIST Webbook NIST Webbook   |
| ripol          | 1187.00            |         | NIST Webbook  |
| ripol          | 1171.00            |         | NIST Webbook  |
|                | 4474.00            |         | NIOTIVALL   |

| tb  | 417.55        | К       | Vapor-Liquid Equilibria<br>Data for Binary Systems of<br>Ethylbenzene + Xylene<br>Isomers at 100.65 kPa  |
|-----|---------------|---------|--|
| tb  | 417.43        | К       | Measurement and Correlation of Vapor-Liquid Equilibrium for Binary Systems of Dimethyl Carbonate with Butyl Butyrate, o-Xylene, and Cyclohexanone at 101.3 kPa |
| tb  | 417.50        | К       | Isobaric vapor-liquid equilibrium for binary systemsof toluene + o-xylene, benzene + o-xylene, nonane + benzene and nonane + heptane at 101.3 kPa              |
| tc  | 630.30        | K       | KDB  |
| tf  | 248.08        | K       | Aqueous Solubility<br>Prediction Method  |
| tf  | 247.90        | K       | KDB  |
| tt  | 247.80 ± 0.25 | K       | NIST Webbook   |
| VC  | 0.370         | m3/kmol | KDB  |
| VC  | 0.370         | m3/kmol | NIST Webbook   |
| ZC  | 0.2634870     |         | KDB  |
| zra | 0.26          |         | KDB  |

## **Temperature Dependent Properties**

| Property code | Value         | Unit    | Temperature [K] | Source       |  |
|---------------|---------------|---------|-----------------|--------------|--|
| cpg           | 192.50 ± 2.10 | J/mol×K | 463.00          | NIST Webbook |  |
| cpg           | 182.00 ± 1.70 | J/mol×K | 428.00          | NIST Webbook |  |
| cpg           | 168.20 ± 1.70 | J/mol×K | 393.00          | NIST Webbook |  |
| cpl           | 187.58        | J/mol×K | 298.15          | NIST Webbook |  |
| cpl           | 187.65        | J/mol×K | 298.15          | NIST Webbook |  |
| cpl           | 182.40        | J/mol×K | 303.00          | NIST Webbook |  |
| cpl           | 183.89        | J/mol×K | 298.10          | NIST Webbook |  |
| cpl           | 187.82        | J/mol×K | 298.15          | NIST Webbook |  |
| срІ           | 187.00        | J/mol×K | 298.00          | NIST Webbook |  |
| срІ           | 206.70        | J/mol×K | 347.00          | NIST Webbook |  |

| dvisc | 0.0005584 | Paxs | 323.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure |  |
|-------|-----------|------|--------|---|--|
| dvisc | 0.0005890 | Paxs | 318.15 | Densities and Viscosities of Binary Mixtures of Methyl 4-Chlorobutyrate with Aromatic Hydrocarbons at T) (298.15 to 318.15) K               |  |
| dvisc | 0.0007580 | Paxs | 298.15 | Densities and Viscosities of Binary Mixtures of Methyl 4-Chlorobutyrate with Aromatic Hydrocarbons at T) (298.15 to 318.15) K               |  |
| dvisc | 0.0006210 | Paxs | 313.15 | Thermophysical Properties of Isoamyl Acetate or Methyl Benzoate + Hydrocarbon Binary Mixtures, at (303.15 and 313.15) K                     |  |
| dvisc | 0.0006650 | Paxs | 308.15 | Densities and Viscosities of Binary Mixtures of Methyl 4-Chlorobutyrate with Aromatic Hydrocarbons at T) (298.15 to 318.15) K               |  |
| dvisc | 0.0006950 | Paxs | 303.15 | Thermophysical Properties of Isoamyl Acetate or Methyl Benzoate + Hydrocarbon Binary Mixtures, at (303.15 and 313.15) K                     |  |

| dvisc | 0.0005105 | Paxs | 333.15 | Densities and<br>Viscosities of<br>Binary Mixtures<br>of Vitamin K3<br>with Benzene,<br>Toluene,<br>Ethylbenzene,<br>o-Xylene,<br>m-Xylene, and<br>p-Xylene from<br>(303.15 to<br>333.15) K |  |
|-------|-----------|------|--------|---|--|
| dvisc | 0.0005433 | Paxs | 328.15 | Densities and Viscosities of Binary Mixtures of Vitamin K3 with Benzene, Toluene, Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene from (303.15 to 333.15) K                                  |  |
| dvisc | 0.0005711 | Paxs | 323.15 | Densities and Viscosities of Binary Mixtures of Vitamin K3 with Benzene, Toluene, Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene from (303.15 to 333.15) K                                  |  |
| dvisc | 0.0006117 | Paxs | 318.15 | Densities and<br>Viscosities of<br>Binary Mixtures<br>of Vitamin K3<br>with Benzene,<br>Toluene,<br>Ethylbenzene,<br>o-Xylene,<br>m-Xylene, and<br>p-Xylene from<br>(303.15 to<br>333.15) K |  |
| dvisc | 0.0006451 | Paxs | 313.15 | Densities and Viscosities of Binary Mixtures of Vitamin K3 with Benzene, Toluene, Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene from (303.15 to 333.15) K                                  |  |

| dvisc | 0.0006900 | Paxs | 308.15 | Densities and Viscosities of Binary Mixtures of Vitamin K3 with Benzene, Toluene, Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene from (303.15 to 333.15) K                                   |
|-------|-----------|------|--------|--|
| dvisc | 0.0007404 | Pa×s | 303.15 | Densities and Viscosities of Binary Mixtures of Vitamin K3 with Benzene, Toluene, Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene from (303.15 to 333.15) K                                   |
| dvisc | 0.0004136 | Pa×s | 353.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure  |
| dvisc | 0.0004544 | Paxs | 343.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure  |
| dvisc | 0.0007576 | Paxs | 298.15 | Ultrasonic and viscometric study of molecular interactions in binary mixtures of aniline with 1-propanol, 2-propanol, 2-methyl-1-propanol, and 2-methyl-2-propanol at different temperatures |

| dvisc | 0.0006690 | Paxs | 308.15 | Ultrasonic and viscometric study of molecular interactions in binary mixtures of aniline with 1-propanol, 2-propanol, 2-methyl-1-propanol, and 2-methyl-2-propanol at different temperatures |
|-------|-----------|------|--------|--|
| dvisc | 0.0005972 | Paxs | 318.15 | Ultrasonic and viscometric study of molecular interactions in binary mixtures of aniline with 1-propanol, 2-propanol, 2-methyl-1-propanol, and 2-methyl-2-propanol at different temperatures |
| dvisc | 0.0005020 | Paxs | 333.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure  |
| dvisc | 0.0006660 | Paxs | 308.15 | Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol  |
| dvisc | 0.0006280 | Paxs | 313.15 | Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol  |
| dvisc | 0.0005910 | Paxs | 318.15 | Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol  |

|       | 0.000=000 | <b>D</b> | 000 17       | \ <i>C</i>   |     |
|-------|-----------|----------|--------------|--|-----|
| dvisc | 0.0005600 | Paxs     | 323.15       | Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol  |     |
| dvisc | 0.0008092 | Paxs     | 293.15       | Viscosities, Densities, and Ultrasonic Velocities of 3-Pentanone + Ethylbenzene and 3-Pentanone + o-Xylene at (293.15, 303.15, and 313.15) K   |     |
| dvisc | 0.0007172 | Paxs     | 303.15       | Viscosities, Densities, and Ultrasonic Velocities of 3-Pentanone + Ethylbenzene and 3-Pentanone + o-Xylene at (293.15, 303.15, and 313.15) K   |     |
| dvisc | 0.0006292 | Paxs     | 313.15       | Viscosities, Densities, and Ultrasonic Velocities of 3-Pentanone + Ethylbenzene and 3-Pentanone + o-Xylene at (293.15, 303.15, and 313.15) K   |     |
| dvisc | 0.0007590 | Paxs     | 298.15<br>Cm | Densities, Excess Molar Volumes, Viscosities, Speeds of Sound, Excess Isentropic Compressibilities, and Relative Permittivities for H2m+1(OCH2CH2)r (m) 1 or 2 or 4 andn) 1) + Benzene, + Toluene, + (o-, m-, and p-) Xylenes, + Ethylbenzene, and + Cyclohexane | nOH |

| dvisc | 0.0006580 | Paxs | S<br>Cc<br>P<br>CmH2n<br>() | Densities, Excess Molar Volumes, Viscosities, Speeds of Sound, Excess Isentropic ompressibilities, and Relative ermittivities for n+1(OCH2CH2)r m) 1 or 2 or 4 andn) 1) + Benzene, + Foluene, + (o-, m-, and p-) Xylenes, + Ethylbenzene, and + Cyclohexane | nOH |
|-------|-----------|------|-----------------------------|---|-----|
| dvisc | 0.0007440 | Paxs | B<br>of<br>E                | Excess Molar Volumes and Viscosities of Sinary Mixtures Sulfolane with Benzene, Toluene, Ethylbenzene, p-Xylene, o-Xylene, and m-Xylene at 303.15 and 323.15 K and Atmospheric Pressure   |     |
| dvisc | 0.0007062 | Paxs | B<br>of<br>E                | Excess Molar Volumes and Viscosities of Sinary Mixtures Sulfolane with Benzene, Toluene, Ethylbenzene, p-Xylene, and m-Xylene at 303.15 and 323.15 K and Atmospheric Pressure   |     |
| dvisc | 0.0005554 | Paxs | B<br>of<br>E                | Excess Molar Volumes and Viscosities of sinary Mixtures Sulfolane with Benzene, Toluene, Ethylbenzene, p-Xylene, o-Xylene, and m-Xylene at 303.15 and 323.15 K and Atmospheric Pressure   |     |

| dvisc | 0.0006950 | Paxs | 303.15 | Viscosity,<br>Density, and<br>Refractive Index<br>of Some (Ester +<br>Hydrocarbon)<br>Binary Mixtures<br>at 303.15 K and<br>313.15 K  |  |
|-------|-----------|------|--------|---|--|
| dvisc | 0.0006210 | Paxs | 313.15 | Viscosity, Density, and Refractive Index of Some (Ester + Hydrocarbon) Binary Mixtures at 303.15 K and 313.15 K   |  |
| dvisc | 0.0008710 | Pa×s | 288.15 | Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K |  |
| dvisc | 0.0008100 | Paxs | 293.15 | Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K |  |
| dvisc | 0.0007560 | Paxs | 298.15 | Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K |  |

| dvisc | 0.0007080 | Paxs | 303.15 | Viscosities, Densities, and Speeds of Sound of Binary Mixtures of Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene with Anisole at (288.15, 293.15, 298.15, and 303.15) K |  |
|-------|-----------|------|--------|---|--|
| dvisc | 0.0006660 | Paxs | 308.15 | Density and Viscosity of the Binary Mixtures of Hexan-1-ol with Isomeric Xylenes at T = (308.15 and 318.15) K and Atmospheric Pressure  |  |
| dvisc | 0.0005910 | Paxs | 318.15 | Density and Viscosity of the Binary Mixtures of Hexan-1-ol with Isomeric Xylenes at T = (308.15 and 318.15) K and Atmospheric Pressure  |  |
| dvisc | 0.0007610 | Paxs | 298.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene at Different Temperatures and Atmospheric Pressure   |  |
| dvisc | 0.0007095 | Paxs | 303.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure   |  |

| dvisc | 0.0006261 | Paxs   | 313.15 | Densities and Viscosities of N-Formylmorpholine (NFM) + p-Xylene, + o-Xylene, + m-Xylene at Different Temperatures and Atmospheric Pressure |
|-------|-----------|--------|--------|---|
| dvisc | 0.0007100 | Paxs   | 303.15 | Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol                                   |
| hfust | 13.60     | kJ/mol | 247.80 | NIST Webbook  |
| hfust | 13.60     | kJ/mol | 247.80 | NIST Webbook  |
| hfust | 13.60     | kJ/mol | 247.82 | NIST Webbook  |
| hsubt | 60.10     | kJ/mol | 248.00 | NIST Webbook  |
| hvapt | 36.70     | kJ/mol | 521.00 | NIST Webbook  |
| hvapt | 40.80     | kJ/mol | 378.00 | NIST Webbook  |
| hvapt | 39.80     | kJ/mol | 401.00 | NIST Webbook  |
| hvapt | 45.00     | kJ/mol | 298.00 | NIST Webbook  |
| hvapt | 38.00     | kJ/mol | 444.50 | NIST Webbook  |
| hvapt | 41.10     | kJ/mol | 376.00 | NIST Webbook  |
| hvapt | 36.24     | kJ/mol | 417.60 | NIST Webbook  |
| hvapt | 43.07     | kJ/mol | 298.00 | Enthalpies of Vaporization and Vapor Pressures of Some Deuterated Hydrocarbons. Liquid-Vapor Pressure Isotope Effects                       |
| hvapt | 36.82     | kJ/mol | 417.50 | KDB   |
| hvapt | 36.70     | kJ/mol | 598.50 | NIST Webbook  |
| pvap  | 30.14     | kPa    | 376.75 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K   |

| pvap | 8.54  | kPa | 343.15 | Vapor-liquid  |  |
|------|-------|-----|--------|---|--|
|      |       |     |        | equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression   |  |
| рvар | 5.61  | kPa | 333.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression  |  |
| pvap | 3.46  | kPa | 323.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression  |  |
| pvap | 2.05  | kPa | 313.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression  |  |
| pvap | 12.71 | kPa | 353.15 | Vapor liquid equilibria and density measurement for binary mixtures of o-xylene + NMF, m-xylene +NMF and p-xylene +NMF at 333.15 K, 343.15 K and 353.15 K from 0 kPa to 101.3 kPa |  |

| pvap | 8.47   | kPa | 343.15 | Vapor liquid equilibria and density measurement for binary mixtures of o-xylene + NMF, m-xylene +NMF and p-xylene +NMF at 333.15 K, 343.15 K and 353.15 K from 0 kPa to 101.3 kPa |
|------|--------|-----|--------|---|
| pvap | 5.45   | kPa | 333.15 | Vapor liquid equilibria and density measurement for binary mixtures of o-xylene + NMF, m-xylene +NMF and p-xylene +NMF at 333.15 K, 343.15 K and 353.15 K from 0 kPa to 101.3 kPa |
| pvap | 101.85 | kPa | 417.28 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K   |
| pvap | 90.54  | kPa | 413.06 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K   |
| pvap | 80.41  | kPa | 408.83 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K   |

| pvap | 70.27 | kPa | 404.09 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K |  |
|------|-------|-----|--------|---|--|
| рvар | 60.03 | kPa | 398.66 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K |  |
| pvap | 50.43 | kPa | 392.87 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K |  |
| pvap | 40.20 | kPa | 385.55 | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K |  |
| pvap | 0.88  | kPa | 298.15 | (Vapour + liquid) equilibria of (1-butanol + benzene, or toluene, or o-, or m-, or p-xylene) at T = 308.15 K                              |  |
| pvap | 12.73 | kPa | 353.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression            |  |
| pvap | 14.75 | kPa | 357.30 | Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts   |  |

| pvap | 29.61                        | kPa  | 376.70  | Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  |  |
|------|------------------------------|--|---|--|--|
| pvap | 49.44                        | kPa  | 392.70  | Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  |  |
| pvap | 64.27                        | kPa  | 401.50  | Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  |  |
| pvap | 102.78                       | kPa  | 418.60  | Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  |  |
| pvap | 93.13                        | kPa  | 414.41  | Refractive Index<br>and Vapor-Liquid<br>Equilibrium Data<br>for the Binary<br>Systems of<br>Anisole with<br>Xylene Isomers<br>at 93.13 kPa   |  |
| pvap | 20.40                        | kPa  | 365.49  | Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + o-xylene at 368.15 K and 383.15 K  |  |
| pvap | 20.00                        | kPa  | 365.15  | Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental data and regression   |  |
| pvap | 16.62                        | kPa  | 360.15  | Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental data and  |  |
|      | pvap  pvap  pvap  pvap  pvap | pvap 49.44  pvap 64.27  pvap 93.13  pvap 20.40  pvap 20.00 | pvap         49.44         kPa           pvap         64.27         kPa           pvap         102.78         kPa           pvap         93.13         kPa           pvap         20.40         kPa | pvap         49.44         kPa         392.70           pvap         64.27         kPa         401.50           pvap         102.78         kPa         418.60           pvap         93.13         kPa         414.41           pvap         20.40         kPa         365.49           pvap         20.00         kPa         365.15 | DSC method to measuring vapor pressures of narrow boiling range oil cuts  pvap 49.44 kPa 392.70 Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  pvap 64.27 kPa 401.50 Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  pvap 102.78 kPa 418.60 Extension of the DSC method to measuring vapor pressures of narrow boiling range oil cuts  pvap 93.13 kPa 414.41 Refractive Index and Vapor-Liquid Equilibrium Data for the Binary Systems of Anisole with Xylene Isomers at 93.13 kPa  pvap 20.40 kPa 365.49 Vapor liquid equilibrium for the binary systems tetrahydrothiophene + toluene and tetrahydrothiophene + toluene and tetrahydrothiophene glycol + aromatic hydrocarbons binary systems: Experimental data and regression  pvap 16.62 kPa 360.15 Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental hydrocarbons binary systems: E |

| pvap | 11.27  | kPa | 350.15 | Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental data and regression   |  |
|------|--------|-----|--------|--|--|
| pvap | 9.18   | kPa | 345.15 | Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental data and regression   |  |
| pvap | 90.18  | kPa | 413.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression   |  |
| pvap | 68.42  | kPa | 403.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression   |  |
| pvap | 101.30 | kPa | 417.43 | Measurement<br>and Correlation<br>of Vapor-Liquid<br>Equilibrium for<br>Binary Systems<br>of Dimethyl<br>Carbonate with<br>Butyl Butyrate,<br>o-Xylene, and<br>Cyclohexanone<br>at 101.3 kPa |  |
| pvap | 51.01  | kPa | 393.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression   |  |

| pvap | 43.63 | kPa | 388.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression |  |
|------|-------|-----|--------|--|--|
| pvap | 37.35 | kPa | 383.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression |  |
| pvap | 3.60  | kPa | 323.15 | Vapor-Liquid Equilibrium Data, Excess Enthalpy Data, and Azeotropic Data for the Binary System Dibutyl Ether + o-Xylene        |  |
| pvap | 50.60 | kPa | 393.04 | Vapor-Liquid Equilibrium Data, Excess Enthalpy Data, and Azeotropic Data for the Binary System Dibutyl Ether + o-Xylene        |  |
| pvap | 90.39 | kPa | 413.15 | Vapor-Liquid Equilibrium Data, Excess Enthalpy Data, and Azeotropic Data for the Binary System Dibutyl Ether + o-Xylene        |  |
| pvap | 31.66 | kPa | 378.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression |  |

| pvap | 12.66 | kPa | 353.15 | Vapor liquid equilibria and density measurement for binary mixtures of toluene, benzene, o-xylene, m-xylene, sulfolane and nonane at 333.15K and 353.15K |  |
|------|-------|-----|--------|--|--|
| pvap | 5.44  | kPa | 333.15 | Vapor liquid equilibria and density measurement for binary mixtures of toluene, benzene, o-xylene, m-xylene, sulfolane and nonane at 333.15K and 353.15K |  |
| pvap | 12.80 | kPa | 353.15 | Vapor liquid equilibria and density measurement for binary mixtures of toluene, benzene, o-xylene, m-xylene, sulfolane and nonane at 333.15K and 353.15K |  |
| pvap | 5.32  | kPa | 333.15 | Vapor liquid equilibria and density measurement for binary mixtures of toluene, benzene, o-xylene, m-xylene, sulfolane and nonane at 333.15K and 353.15K |  |
| pvap | 26.73 | kPa | 373.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression                           |  |

| pvap | 18.65   | kPa | 363.15 | Vapor-liquid equilibrium for the binary mixtures of dipropylene glycol with aromatic hydrocarbons: Experimental and regression   |
|------|---------|-----|--------|--|
| pvap | 13.73   | kPa | 355.15 | Vapour-liquid equilibrium for tripropylene glycol + aromatic hydrocarbons binary systems: Experimental data and regression   |
| pvap | 250.00  | kPa | 456.10 | Isobaric Vapor Liquid Equilibrium for Binary Systems of 2,2,4-Trimethylpentane with o-Xylene, m-Xylene, p-Xylene, and Ethylbenzene at 250 kPa                            |
| rfi  | 1.49480 |     | 313.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |
| rfi  | 1.49750 |     | 308.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |
| rfi  | 1.49466 |     | 313.15 | Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at T = (298.15 and 313.15) K |

| rfi | 1.50262 | 298.15 | Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at T = (298.15 and 313.15) K                             |
|-----|---------|--------|--|
| rfi | 1.50550 | 293.15 | Solubilities of<br>Methyldiphenylphosphine<br>Oxide in Selected<br>Solvents  |
| rfi | 1.49210 | 318.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |
| rfi | 1.49480 | 313.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |
| rfi | 1.50290 | 298.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |

| rfi | 1.50550 | 293.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |  |
|-----|---------|--------|--|--|
| rfi | 1.50830 | 288.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |  |
| rfi | 1.50240 | 298.15 | Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary Mixtures of Ethanoic Acid and Trichloroethylene with Dimethylbenzenes at Different Temperatures |  |
| rfi | 1.50260 | 298.00 | Vapor-Liquid Equilibrium for Dimethyl Disulfide + Butane, + trans-But-2-ene, + 2-Methylpropane, + 2-Methylpropene, + Ethanol, and  |  |
| rfi | 1.49210 | 318.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |  |
| rfi | 1.50260 | 298.15 | Vapor-Liquid Equilibrium for Binary System of 1-Propanethiol, Thiophene, and Diethyl Sulfide with Toluene at 90.03 kPa   |  |

| rfi | 1.50200 | 298.15 | Isobaric Vapor-Liquid Equilibria for the Binary Mixtures of Styrene with Ethylbenzene, o-Xylene, m-Xylene, and p-Xylene   |    |
|-----|---------|--------|---|----|
| rfi | 1.50180 | 298.15 | Liquid-liquid equilibria for mixtures of (Furfural + an Aromatic hydrocarbon + an alkane) at T=298.15 K   |    |
| rfi | 1.50150 | 293.15 | Volumetric properties of binary mixtures of tributylamine with benzene derivatives and comparison with ERAS model results at temperatures from (293.15 to 333.15) K |    |
| rfi | 1.48580 | 293.15 | Activity coefficients and excess Gibbs free energy of some binary mixtures formed by p-cresol at 95.23 kPa  |    |
| rfi | 1.50570 | 298.15 | A study of densities and volumetric properties of binary mixtures of N-methyl-2-pyrrolidon with xylene at different temperatures and atmospheric pressure           | e  |
| rfi | 1.50570 | 298.15 | Densities and volumetric properties of binary mixtures of xylene with N,N-dimethylformamid at different temperatures  | le |

| rfi | 1.50000 | 303.15 | Excess molar volumes and refractive indices of (methoxybenzene + benzene, or toluene, or o-xylene, or m-xylene, or p-xylene, or mesitylene) binary mixtures between T = (288.15 to 303.15) K         |  |
|-----|---------|--------|--|--|
| rfi | 1.50180 | 298.15 | Excess molar volumes and refractive indices of (methoxybenzene + benzene, or toluene, or o-xylene, or m-xylene, or p-xylene, or mesitylene) binary mixtures between T = (288.15 to 303.15) K         |  |
| rfi | 1.49750 | 308.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |  |
| rfi | 1.50470 | 293.15 | Excess molar volumes and refractive indices of (methoxybenzene + benzene, or toluene, or o-xylene, or m-xylene, or p-xylene, or mesitylene) binary mixtures between T = (288.15 to 303.15) K         |  |

| rfi | 1.50720 | 288.15 | Excess molar volumes and refractive indices of (methoxybenzene + benzene, or toluene, or o-xylene, or m-xylene, or p-xylene, or mesitylene) binary mixtures between T = (288.15 to 303.15) K |  |
|-----|---------|--------|--|--|
| rfi | 1.50573 | 293.15 | A study of densities and volumetric properties of binary mixtures containing nitrobenzene at T = (293.15 to 353.15) K  |  |
| rfi | 1.50570 | 293.15 | Densities and volumetric properties of a (xylene + dimethyl sulfoxide) at temperature from (293.15 to 353.15) K  |  |
| rfi | 1.50020 | 303.15 | Refractive Indices of Binary Mixtures of Tetrahydrofuran with Aromatic Hydrocarbon at Temperatures from (288.15 to 318.15) K   |  |
| rfi | 1.50280 | 298.15 | Phase equilibria<br>of binary systems<br>of<br>3-methylthiophene<br>with four different<br>hydrocarbons  |  |
| rfi | 1.50280 | 298.15 | Phase equilibria<br>on four binary<br>systems<br>containing<br>3-methylthiophene   |  |
| rfi | 1.50550 | 293.15 | Excess Gibbs' energies of the binary mixtures formed by N,N-dimethylformamide with xylenes and cresols at 95.1 kPa   |  |

| rfi | 1.50550 | 293.15 | Bubble points of<br>some binary<br>mixtures formed<br>by o-cresol at<br>95.75 kPa  |  |
|-----|---------|--------|--|--|
| rfi | 1.50310 | 308.15 | Topological and thermodynamic investigations of molecular interactions in binary mixtures:  Molar excess volumes and molar excess enthalpies   |  |
| rfi | 1.50300 | 298.15 | Bubble temperature measurements on the binary mixtures formed by decane with a variety of compounds at 95.8 kPa  |  |
| rfi | 1.50295 | 298.15 | KDB  |  |
| rfi | 1.50830 | 288.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |  |
| rfi | 1.50550 | 293.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |  |

| rfi  | 1.50290 |       | 298.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |  |
|------|---------|-------|--------|--|--|
| rfi  | 1.50020 |       | 303.15 | Densities, Refractive Indices, and Excess Properties of Binary Mixtures of 1,4-Dioxane with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from (288.15 to 318.15) K |  |
| rfi  | 1.50570 |       | 293.10 | Volumetric<br>properties of<br>(cyclohexanone +<br>a xylene) at<br>temperature<br>between (293.15<br>and 353.15) K   |  |
| rhol | 867.20  | kg/m3 | 308.15 | Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure   |  |
| rhol | 871.30  | kg/m3 | 303.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes  |  |

| rhol | 867.07 | kg/m3 | 308.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
|------|--------|-------|--------|--|--|
| rhol | 862.83 | kg/m3 | 313.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
| rhol | 858.57 | kg/m3 | 318.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
| rhol | 854.30 | kg/m3 | 323.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
| rhol | 850.01 | kg/m3 | 328.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
| rhol | 845.71 | kg/m3 | 333.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes            |  |
| rhol | 875.81 | kg/m3 | 298.15 | Isobaric Vapor Liquid Equilibrium for the Binary Systems of Diethyl Carbonate with Xylene Isomers and Ethylbenzene at 101.33 kPa |  |

| rhol | 871.50 | kg/m3 | 303.15 | Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure |  |
|------|--------|-------|--------|--|--|
| rhol | 875.51 | kg/m3 | 298.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes                                  |  |
| rhol | 862.80 | kg/m3 | 313.15 | Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure |  |
| rhol | 858.80 | kg/m3 | 318.15 | Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure |  |
| rhol | 854.30 | kg/m3 | 323.15 | Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure |  |

| rhol | 875.60 | kg/m3 | 298.15 Volumetric Properties of the D2EHPA-o-Xylene-Neodymium (Samarium, Europium, Gadolinium, Terbium, Dysprosium) Di(2-ethylhexyl)phosphate Systems at 298.15 K |
|------|--------|-------|---|
| rhol | 875.00 | kg/m3 | 298.15 Excess Molar Entalpies of Dimethyl Carbonate with o-Xylene, m-Xylene, p-Xylene, Ethylbenzene, or Ethyl Benzoate at 298.15 K                                |
| rhol | 875.00 | kg/m3 | 298.15 Excess Molar Enthalpies for Dimethyl Carbonate with o-Xylene, m-Xylene, p-Xylene, Ethylbenzene or Ethyl Benzoate at 298.15 K and 10.2 MPa                  |
| rhol | 875.92 | kg/m3 | 298.15 Excess Molar Volumes and Surface Tensions of Xylene with Acetone or 2-Butanone at 298.15 K   |
| rhol | 875.92 | kg/m3 | 298.15 Excess Molar Volumes and Surface Tensions of Xylene with Isopropyl Ether or Methyl tert-Butyl Ether at 298.15 K  |
| rhol | 875.72 | kg/m3 | 298.15 Excess Molar Volumes of 2,4,6,8-Tetramethylcyclotetrasiloxane with Benzene, Toluene, and Xylene at T = (288.15, 298.15, and 308.15) K                      |
| rhol | 879.72 | kg/m3 | 293.15 Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes                                      |

| rhol | 875.52 | kg/m3 | 298.15 | Evaluation of the Performance of Four Solvents for the Liquid Liquid Extraction of Acrylic Acid from Water                                   |
|------|--------|-------|--------|--|
| rhol | 875.50 | kg/m3 | 298.20 | Isobaric Vapor Liquid Equilibrium of Binary Systems of Hexane or Octane with 1,2-Dimethylbenzene or  |
|      |        |       |        | 1,3-Dimethylbenzene<br>at 101.3 kPa  |
| rhol | 875.81 | kg/m3 | 298.15 | Vapor Liquid Equilibrium for 2-Methyl-1-butanol + Ethylbenzene + Xylene Isomers at 101.33 kPa  |
| rhol | 875.91 | kg/m3 | 298.15 | Thermodynamic Properties of Ternary Liquid Mixtures Containing o-Chlorotoluene: Excess Molar Volumes and Excess Isentropic Compressibilities |
| rhol | 871.70 | kg/m3 | 303.15 | Thermodynamic Properties of Ternary Liquid Mixtures Containing o-Chlorotoluene: Excess Molar Volumes and Excess Isentropic Compressibilities |
| rhol | 867.48 | kg/m3 | 308.15 | Thermodynamic Properties of Ternary Liquid Mixtures Containing o-Chlorotoluene: Excess Molar Volumes and Excess Isentropic Compressibilities |
| rhol | 875.99 | kg/m3 | 298.15 | Molar Excess Volumes and Excess Isentropic Compressibilities of Ternary Mixtures of o-Toluidine  |

| rhol | 875.90 | kg/m3 |        | Molar Excess Volumes and Excess Isentropic Compressibilities of {2-Methylaniline (i) + Benzene (j) + Methylbenzene}, {2-Methylaniline (i) + Benzene (j) + 1,2-Dimethylbenzene (k)}, and {2-Methylaniline (i) + Benzene (j) + 1,4-Dimethylbenzene (k)} at T = 308.15 K |  |
|------|--------|-------|--------|---|--|
| rhol | 866.51 | kg/m3 | 308.15 | Acoustic and thermodynamic properties of binary mixtures of 1-nonanol with o-xylene, m-xylene, p-xylene, ethylbenzene and mesitylene at T = (298.15 and 308.15) K   |  |
| rhol | 875.36 | kg/m3 | 298.15 | Acoustic and thermodynamic properties of binary mixtures of 1-nonanol with o-xylene, m-xylene, p-xylene, ethylbenzene and mesitylene at T = (298.15 and 308.15) K   |  |
| rhol | 875.67 | kg/m3 |        | Effect of temperature and composition on the density, refractive index, and excess quantities of binary mixtures of c,6,8-tetramethyl-2,4,6,8- methenylcyclotetrasiloxane with aromatic hydrocarbons  |  |

| rhol | 850.24 | kg/m3 | 328.15<br>2,4, | Effect of temperature and composition on the density, refractive index, and excess quantities of binary mixtures of 6,8-tetramethyl-2,4,6,8- |  |
|------|--------|-------|----------------|--|--|
|      |        |       | tetra          | ethenylcyclotetrasiloxane<br>with aromatic<br>hydrocarbons   |  |
| rhol | 858.81 | kg/m3 |                | Effect of temperature and composition on the density, refractive index, and excess quantities of binary mixtures of 6,8-tetramethyl-2,4,6,8- |  |
|      |        |       | tetra          | ethenylcyclotetrasiloxane<br>with aromatic<br>hydrocarbons   |  |
| rhol | 867.30 | kg/m3 | 308.15         | Effect of temperature and composition on the density, refractive index, and excess quantities of binary mixtures of                          |  |
|      |        |       |                | 6,8-tetramethyl-2,4,6,8-   |  |
|      |        |       | tetra          | ethenylcyclotetrasiloxane<br>with aromatic<br>hydrocarbons   |  |
| rhol | 884.07 | kg/m3 | 288.15         | Effect of temperature and composition on the density, refractive index, and excess quantities of binary mixtures of 6,8-tetramethyl-2,4,6,8- |  |
|      |        |       |                | ethenylcyclotetrasiloxane  |  |
|      |        |       |                | with aromatic hydrocarbons   |  |

| rhol | 746.76 | kg/m3 | 353.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
|------|--------|-------|--------|--|--|
| rhol | 784.38 | kg/m3 | 343.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
| rhol | 815.74 | kg/m3 | 333.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
| rhol | 840.84 | kg/m3 | 323.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
| rhol | 859.67 | kg/m3 | 313.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
| rhol | 872.25 | kg/m3 | 303.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |

| rhol | 878.60 | kg/m3 | 293.15 | Excess volumes<br>and partial molar<br>volumes of binary<br>mixtures of<br>1,2-propanediol<br>carbonate with<br>xylene in the<br>temperature<br>range of (293.15<br>to 353.15) K |  |
|------|--------|-------|--------|--|--|
| rhol | 867.48 | kg/m3 | 308.15 | Heat capacities of binary and ternary mixtures containing o-chlorotoluene, cyclic ether and aromatic hydrocarbons  |  |
| rhol | 875.91 | kg/m3 | 298.15 | Heat capacities of binary and ternary mixtures containing o-chlorotoluene, cyclic ether and aromatic hydrocarbons  |  |
| rhol | 875.50 | kg/m3 | 298.15 | Isobaric<br>vapor-liquid<br>equilibrium for<br>n-undecane + p-,<br>o-, m-xylene at<br>10 kPa   |  |
| rhol | 859.54 | kg/m3 | 298.15 | Isobaric vapor-liquid equilibrium data of the binary systems of octane with p, o, m-xylene at 20 kPa   |  |
| rhol | 859.54 | kg/m3 | 298.15 | Isobaric vapor-liquid equilibrium of binary systems of decane with p-, o-, m-xylene at 20 kPa  |  |
| rhol | 875.90 | kg/m3 | 298.15 | Bubble point measurements of binary mixtures formed by 1-hexanol with selected nitro-compounds and substituted benzenes at 95.6 kPa  |  |

| rhol | 858.53 | kg/m3 | 318.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |  |
|------|--------|-------|--------|--|--|
| rhol | 862.79 | kg/m3 | 313.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |  |
| rhol | 867.05 | kg/m3 | 308.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |  |
| rhol | 871.31 | kg/m3 | 303.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |  |

| rhol | 879.83 | kg/m3 | 293.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |   |
|------|--------|-------|--------|--|---|
| rhol | 884.09 | kg/m3 | 288.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |   |
| rhol | 875.99 | kg/m3 | 298.15 | Thermodynamic Properties of Ternary Liquid Mixtures of 2-Pyrrolidinone with Aromatic Hydrocarbons  |   |
| rhol | 874.89 | kg/m3 | 298.15 | Experimental Study of the Dynamic Viscosity Deviations in the Binary Systems: Hexane + Ethylbenzene, + o-Xylene, + m-Xylene, + p-Xylene at 298.15 K                                    |   |
| rhol | 880.00 | kg/m3 | 293.00 | KDB  | _ |
| rhol | 879.68 | kg/m3 | 293.15 | Isobaric vapor liquid equilibium for the binary systerms of 1-butanol with o-xylene, m-xylene, p-xylene, and ethylbenzene at 101.33 kPa  |   |

|         | 0=1 =0  |         |        |  |  |
|---------|---------|---------|--------|--|--|
| rhol    | 871.70  | kg/m3   | 303.15 | Heat capacities of binary and ternary mixtures containing o-chlorotoluene, cyclic ether and aromatic hydrocarbons  |  |
| rhol    | 875.57  | kg/m3   | 298.15 | Densities and Volumetric Properties of Binary Mixtures of Butyl Acrylate with Benzene, Toluene, o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures from 288.15 K to 318.15 K |  |
| rhol    | 883.91  | kg/m3   | 288.15 | Thermodynamic characterization of binary mixtures of poly(propylene glycol) 425 with toluene and o-, m- and p-xylenes  |  |
| sfust   | 54.87   | J/mol×K | 247.82 | NIST Webbook   |  |
| speedsl | 1300.66 | m/s     | 308.15 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes   |  |
| speedsl | 1329.40 | m/s     | 303.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods      |  |
| speedsl | 1250.66 | m/s     | 320.65 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes   |  |

| speedsl | 1285.20 | m/s | 318.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods   |
|---------|---------|-----|--------|---|
| speedsl | 1369.00 | m/s | 293.15 | Densities, Speeds of Sound, and Isentropic Compressibilities of Binary Mixtures of {Alkan-1-ols + 1,2-Dimethylbenzene, or 1,3-Dimethylbenzene, or 1,4-Dimethylbenzene, or Ethylbenzene) at (293.15, 303.15, and 313.15) K |
| speedsl | 1328.00 | m/s | 303.15 | Densities, Speeds of Sound, and Isentropic Compressibilities of Binary Mixtures of {Alkan-1-ols + 1,2-Dimethylbenzene, or 1,3-Dimethylbenzene, or 1,4-Dimethylbenzene, or thylbenzene, at (293.15, 303.15, and 313.15) K  |
| speedsl | 1347.50 | m/s | 298.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods   |

| speedsl | 1289.00 | m/s | 313.15 | Densities, Speeds of Sound, and Isentropic Compressibilities of Binary Mixtures of {Alkan-1-ols + 1,2-Dimethylbenzene, or 1,3-Dimethylbenzene, or 1,4-Dimethylbenzene, or Ethylbenzene} at (293.15, 303.15, and 313.15) K |  |
|---------|---------|-----|--------|---|--|
| speedsl | 1346.00 | m/s | 298.15 | Isentropic Compressibilities Changes of Mixing of Tetrahydropyran and Aromatic Hydrocarbons Ternary Mixtures at 308.15 K  |  |
| speedsl | 1260.62 | m/s | 318.15 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1313.30 | m/s | 308.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods   |  |
| speedsl | 1270.55 | m/s | 315.65 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |
| speedsl | 1280.61 | m/s | 313.15 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |
| speedsl | 1290.59 | m/s | 310.65 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |

| speedsl | 1381.29 | m/s | 288.15 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |
|---------|---------|-----|--------|---|--|
| speedsl | 1371.75 | m/s | 290.65 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |
| speedsl | 1362.16 | m/s | 293.15 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1351.83 | m/s | 295.65 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1341.51 | m/s | 298.15 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1331.21 | m/s | 300.65 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1298.50 | m/s | 313.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods |  |
| speedsl | 1320.96 | m/s | 303.15 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |
| speedsl | 1310.79 | m/s | 305.65 | Influence of temperature on thermodynamics of ethers + xylenes  |  |
| speedsl | 1240.87 | m/s | 323.15 | Influence of<br>temperature on<br>thermodynamics<br>of ethers +<br>xylenes  |  |

| speedsl | 1367.70 | m/s | 293.15 | Physicochemical study of intermolecular interactions in 1,4-dioxane + aromatic hydrocarbons binary mixtures at different temperatures by using ultrasonic and viscometric methods |  |
|---------|---------|-----|--------|---|--|
| srf     | 0.03    | N/m | 303.15 | Densities and<br>Surface Tensions<br>of Propyl Acetate<br>+ Xylenes or +<br>Ethylbenzene<br>from (298.15 to<br>308.15) K  |  |
| srf     | 0.03    | N/m | 298.15 | Experimental and theoretical surface tension deviations in the binary systems propyl propanoate + o-, m- and p-xylene at 298.15K  |  |
| srf     | 0.03    | N/m | 298.15 | Excess thermodynamic functions derived from densities and surface tensions of (p- or o-xylene + ethylene glycol dimethyl ether) between the temperatures (298.15 and 308.15) K    |  |
| srf     | 0.03    | N/m | 303.15 | Excess thermodynamic functions derived from densities and surface tensions of (p- or o-xylene + ethylene glycol dimethyl ether) between the temperatures (298.15 and 308.15) K    |  |
| srf     | 0.03    | N/m | 333.15 | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K   |  |

|     | 0.00 | N1/ | 0.40.45 | 0 ( = :   |  |
|-----|------|-----|---------|---|--|
| srf | 0.02 | N/m | 343.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |
| srf | 0.03 | N/m | 293.20  | KDB   |  |
| srf | 0.03 | N/m | 308.15  | Densities and<br>Surface Tensions<br>of Propyl Acetate<br>+ Xylenes or +<br>Ethylbenzene<br>from (298.15 to<br>308.15) K            |  |
| srf | 0.03 | N/m | 313.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |
| srf | 0.03 | N/m | 318.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |
| srf | 0.03 | N/m | 323.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |
| srf | 0.03 | N/m | 308.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |
| srf | 0.03 | N/m | 303.15  | Surface Tension<br>of o-Xylene +<br>Acetic Acid and<br>m-Xylene +<br>Acetic Acid<br>Binary Mixtures<br>from 303.15 K to<br>343.15 K |  |

| srf    | 0.03 | N/m   | 308.15 | Excess thermodynamic functions derived from densities and surface tensions of (p- or o-xylene + ethylene glycol dimethyl ether) between the temperatures (298.15 and 308.15) K |  |
|--------|------|-------|--------|--|--|
| srf    | 0.03 | N/m   | 298.15 | Densities and<br>Surface Tensions<br>of Propyl Acetate<br>+ Xylenes or +<br>Ethylbenzene<br>from (298.15 to<br>308.15) K   |  |
| tcondl | 0.14 | W/m×K | 257.96 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons                    |  |
| tcondl | 0.14 | W/m×K | 257.75 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons                    |  |
| tcondl | 0.14 | W/m×K | 258.10 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons                    |  |

| tcondl | 0.13 | W/m×K | 277.07 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
|--------|------|-------|--------|---|--|
| tcondl | 0.13 | W/m×K | 277.27 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.13 | W/m×K | 277.42 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.13 | W/m×K | 295.56 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.13 | W/m×K | 295.78 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |

| tcondl | 0.13 | W/m×K | 312.07 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
|--------|------|-------|--------|---|--|
| tcondl | 0.13 | W/m×K | 312.29 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.13 | W/m×K | 312.44 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.12 | W/m×K | 328.72 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
| tcondl | 0.12 | W/m×K | 328.94 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |

| tcondl | 0.12 | W/m×K | 329.09 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |
|--------|------|-------|--------|---|--|
| tcondl | 0.13 | W/m×K | 295.91 | Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons |  |

# **Correlations**

Information Value

| Property code               | pvap                    |
|-----------------------------|-------------------------|
| Equation                    | In(Pvp) = A + B/(T + C) |
| Coeff. A                    | 1.44465e+01             |
| Coeff. B                    | -3.60720e+03            |
| Coeff. C                    | -5.05540e+01            |
| Temperature range (K), min. | 305.32                  |
| Temperature range (K), max. | 445.43                  |

Information Value

| Property code               | pvap                                  |
|-----------------------------|---------------------------------------|
| Equation                    | $ln(Pvp) = A + B/T + C*ln(T) + D*T^2$ |
| Coeff. A                    | 8.33218e+01                           |
| Coeff. B                    | -7.94623e+03                          |
| Coeff. C                    | -1.00606e+01                          |
| Coeff. D                    | 5.93974e-06                           |
| Temperature range (K), min. | 247.98                                |
| Temperature range (K), max. | 630.37                                |

### **Datasets**

# Mass density, kg/m3

| 283.15         100.00         890.5           283.15         1000.00         890.8           283.15         3000.00         892.4           283.15         5000.00         893.5           283.15         10000.00         896.7           283.15         15000.00         899.0           283.15         20000.00         902.6           283.15         25000.00         908.1           283.15         35000.00         910.9           283.15         40000.00         913.3           283.15         60000.00         918.2           283.15         60000.00         918.2           283.15         60000.00         918.2           283.15         60000.00         973.0           293.15         100.00         879.7           293.15         100.00         879.9           293.15         3000.00         881.4           293.15         1000.00         882.4           293.15         15000.00         882.4           293.15         2000.00         884.9           293.15         3000.00         894.9           293.15         3000.00         894.9           293.15  | Temperature, K - Liquid | Pressure, kPa - Liquid | Mass density, kg/m3 - Liquid |
|---|-------------------------|------------------------|------------------------------|
| 283.15       3000.00       892.4         283.15       5000.00       893.5         283.15       10000.00       896.7         283.15       15000.00       899.0         283.15       20000.00       902.6         283.15       25000.00       908.1         283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       100.00       879.7         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       1000.00       885.9         293.15       1500.00       888.9         293.15       2500.00       894.9         293.15       3000.00       894.9         293.15       3000.00       894.9         293.15       35000.00       90.5         293.15       3000.00       894.9         293.15       35000.00       90.5         293.15       3000.00       894.9         293.15       3000.00       894.9 <td>283.15</td> <td>100.00</td> <td>890.5</td>  | 283.15                  | 100.00                 | 890.5                        |
| 283.15         5000.00         893.5           283.15         10000.00         896.7           283.15         15000.00         899.0           283.15         20000.00         902.6           283.15         25000.00         908.1           283.15         30000.00         908.1           283.15         35000.00         910.9           283.15         40000.00         913.3           283.15         50000.00         918.2           283.15         60000.00         923.0           293.15         100.00         879.7           293.15         1000.00         879.9           293.15         3000.00         881.4           293.15         5000.00         882.4           293.15         15000.00         885.9           293.15         20000.00         892.0           293.15         25000.00         894.9           293.15         3000.00         894.9           293.15         3000.00         894.9           293.15         3000.00         894.9           293.15         3000.00         894.9           293.15         3000.00         897.8           293.15 <td>283.15</td> <td>1000.00</td> <td>890.8</td> | 283.15                  | 1000.00                | 890.8                        |
| 283.15       10000.00       896.7         283.15       15000.00       899.0         283.15       20000.00       902.6         283.15       25000.00       908.1         283.15       35000.00       910.9         283.15       4000.00       913.3         283.15       40000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       15000.00       885.9         293.15       15000.00       886.9         293.15       2000.00       892.0         293.15       25000.00       894.9         293.15       3000.00       894.9         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8<   | 283.15                  | 3000.00                | 892.4                        |
| 283.15       15000.00       899.0         283.15       20000.00       902.6         283.15       25000.00       905.3         283.15       30000.00       908.1         283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       923.0         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       3000.00       879.9         293.15       3000.00       881.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       2000.00       892.0         293.15       2000.00       894.9         293.15       3000.00       897.8         293.15       3500.00       900.5         293.15       3500.00       903.1         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       897.8         293.15       3000.00       903.1         293.15       3000.00       907.9         303.15       4000.00       907.9<   | 283.15                  | 5000.00                | 893.5                        |
| 283.15       20000.00       905.3         283.15       25000.00       905.3         283.15       30000.00       908.1         283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       923.0         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       15000.00       885.9         293.15       2000.00       892.0         293.15       2000.00       894.9         293.15       3000.00       897.8         293.15       35000.00       897.8         293.15       35000.00       900.5         293.15       35000.00       908.5         293.15       3000.00       903.1         293.15       3000.00       908.5         293.15       3000.00       908.5         293.15       3000.00       908.5         293.15       3000.00       908.5         293.15       300.00       908.5<   | 283.15                  | 10000.00               | 896.7                        |
| 283.15       25000.00       905.3         283.15       30000.00       908.1         283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       15000.00       885.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       3000.00       897.8         293.15       35000.00       90.5         293.15       35000.00       90.5         293.15       36000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5         293.15       3000.00       90.5  | 283.15                  | 15000.00               | 899.0                        |
| 283.15       30000.00       908.1         283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       15000.00       888.9         293.15       15000.00       892.0         293.15       25000.00       894.9         293.15       3000.00       897.8         293.15       35000.00       90.5         293.15       35000.00       903.1         293.15       40000.00       903.1         293.15       5000.00       908.5         293.15       10000.00       870.9         303.15       100.00       871.6         303.15       300.00       874.4         303.15       1000.00       874.4         303.15       15000.00       884.2         303.15       15000.00       884.2         303.15       25000.00       884.   | 283.15                  | 20000.00               | 902.6                        |
| 283.15       35000.00       910.9         283.15       40000.00       913.3         283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       2000.00       892.0         293.15       25000.00       894.9         293.15       35000.00       897.8         293.15       35000.00       90.5         293.15       35000.00       903.1         293.15       40000.00       903.1         293.15       50000.00       903.1         293.15       60000.00       913.1         303.15       100.00       871.6         303.15       3000.00       873.0         303.15       1000.00       874.4         303.15       1000.00       874.4         303.15       1500.00       884.2         303.15       2000.00       884.2         303.15       25000.00       884.   | 283.15                  | 25000.00               | 905.3                        |
| 283.15       40000.00       913.3         283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       3000.00       881.4         293.15       3000.00       882.4         293.15       5000.00       885.9         293.15       15000.00       888.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       5000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       100.00       871.6         303.15       5000.00       874.4         303.15       15000.00       884.2         303.15       15000.00       884.2         303.15       2000.00       884.2         303.15       25000.00       884.2   | 283.15                  | 30000.00               | 908.1                        |
| 283.15       50000.00       918.2         283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       903.1         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       874.4         303.15       1000.00       877.8         303.15       15000.00       884.2         303.15       2000.00       884.2         303.15       25000.00       887.3   | 283.15                  | 35000.00               | 910.9                        |
| 283.15       60000.00       923.0         293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       90.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       300.00       873.0         303.15       5000.00       874.4         303.15       1000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3   | 283.15                  | 40000.00               | 913.3                        |
| 293.15       100.00       879.7         293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       90.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       300.00       874.4         303.15       15000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 283.15                  | 50000.00               | 918.2                        |
| 293.15       1000.00       879.9         293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       884.2         303.15       25000.00       887.3  | 283.15                  | 60000.00               | 923.0                        |
| 293.15       3000.00       881.4         293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       898.9         293.15       20000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3   | 293.15                  | 100.00                 | 879.7                        |
| 293.15       5000.00       882.4         293.15       10000.00       885.9         293.15       15000.00       888.9         293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 1000.00                | 879.9                        |
| 293.15     10000.00     885.9       293.15     15000.00     888.9       293.15     20000.00     892.0       293.15     25000.00     894.9       293.15     30000.00     897.8       293.15     35000.00     900.5       293.15     40000.00     903.1       293.15     50000.00     908.5       293.15     60000.00     913.1       303.15     100.00     870.9       303.15     1000.00     871.6       303.15     3000.00     873.0       303.15     5000.00     874.4       303.15     10000.00     877.8       303.15     15000.00     881.1       303.15     20000.00     884.2       303.15     25000.00     887.3  | 293.15                  | 3000.00                | 881.4                        |
| 293.15     15000.00     888.9       293.15     20000.00     892.0       293.15     25000.00     894.9       293.15     30000.00     897.8       293.15     35000.00     900.5       293.15     40000.00     903.1       293.15     50000.00     908.5       293.15     60000.00     913.1       303.15     100.00     870.9       303.15     1000.00     873.0       303.15     3000.00     874.4       303.15     10000.00     877.8       303.15     15000.00     881.1       303.15     20000.00     884.2       303.15     25000.00     887.3   | 293.15                  | 5000.00                | 882.4                        |
| 293.15       20000.00       892.0         293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 10000.00               | 885.9                        |
| 293.15       25000.00       894.9         293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       10000.00       874.4         303.15       15000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3   | 293.15                  | 15000.00               | 888.9                        |
| 293.15       30000.00       897.8         293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       15000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 20000.00               | 892.0                        |
| 293.15       35000.00       900.5         293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 25000.00               | 894.9                        |
| 293.15       40000.00       903.1         293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 30000.00               | 897.8                        |
| 293.15       50000.00       908.5         293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 35000.00               | 900.5                        |
| 293.15       60000.00       913.1         303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 40000.00               | 903.1                        |
| 303.15       100.00       870.9         303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 50000.00               | 908.5                        |
| 303.15       1000.00       871.6         303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3  | 293.15                  | 60000.00               | 913.1                        |
| 303.15       3000.00       873.0         303.15       5000.00       874.4         303.15       10000.00       877.8         303.15       15000.00       881.1         303.15       20000.00       884.2         303.15       25000.00       887.3   | 303.15                  | 100.00                 | 870.9                        |
| 303.15     5000.00     874.4       303.15     10000.00     877.8       303.15     15000.00     881.1       303.15     20000.00     884.2       303.15     25000.00     887.3  | 303.15                  | 1000.00                | 871.6                        |
| 303.15     10000.00     877.8       303.15     15000.00     881.1       303.15     20000.00     884.2       303.15     25000.00     887.3   | 303.15                  | 3000.00                | 873.0                        |
| 303.15     15000.00     881.1       303.15     20000.00     884.2       303.15     25000.00     887.3   | 303.15                  | 5000.00                | 874.4                        |
| 303.15     20000.00     884.2       303.15     25000.00     887.3   | 303.15                  | 10000.00               | 877.8                        |
| 303.15 25000.00 887.3   | 303.15                  | 15000.00               | 881.1                        |
|   | 303.15                  | 20000.00               | 884.2                        |
| 303.15 30000.00 890.3   | 303.15                  | 25000.00               | 887.3                        |
|   | 303.15                  | 30000.00               | 890.3                        |

| 303.15 | 35000.00 | 893.1 |
|--------|----------|-------|
| 303.15 | 40000.00 | 895.9 |
| 303.15 | 50000.00 | 901.2 |
| 303.15 | 60000.00 | 906.4 |
| 313.15 | 100.00   | 862.7 |
| 313.15 | 1000.00  | 862.9 |
| 313.15 | 3000.00  | 864.5 |
| 313.15 | 5000.00  | 865.9 |
| 313.15 | 10000.00 | 869.6 |
| 313.15 | 15000.00 | 873.0 |
| 313.15 | 20000.00 | 876.3 |
| 313.15 | 25000.00 | 879.6 |
| 313.15 | 30000.00 | 882.7 |
| 313.15 | 35000.00 | 885.7 |
| 313.15 | 40000.00 | 888.4 |
| 313.15 | 50000.00 | 894.2 |
| 313.15 | 60000.00 | 899.2 |
| 323.15 | 100.00   | 853.8 |
| 323.15 | 1000.00  | 854.6 |
| 323.15 | 3000.00  | 856.1 |
| 323.15 | 5000.00  | 857.7 |
| 323.15 | 10000.00 | 861.5 |
| 323.15 | 15000.00 | 865.2 |
| 323.15 | 20000.00 | 868.8 |
| 323.15 | 25000.00 | 872.0 |
| 323.15 | 30000.00 | 875.3 |
| 323.15 | 35000.00 | 878.4 |
| 323.15 | 40000.00 | 881.5 |
| 323.15 | 50000.00 | 887.3 |
| 323.15 | 60000.00 | 892.8 |
| 333.15 | 100.00   | 845.1 |
| 333.15 | 1000.00  | 846.0 |
| 333.15 | 3000.00  | 847.8 |
| 333.15 | 5000.00  | 849.4 |
| 333.15 | 10000.00 | 853.3 |
| 333.15 | 15000.00 | 857.1 |
| 333.15 | 20000.00 | 860.9 |
| 333.15 | 25000.00 | 864.4 |
| 333.15 | 30000.00 | 867.8 |
| 333.15 | 35000.00 | 871.0 |
| 333.15 | 40000.00 | 874.3 |
| 333.15 | 50000.00 | 880.3 |
| 333.15 | 60000.00 | 886.0 |
| 343.15 | 100.00   | 836.3 |
|        |          |       |

| 837.2 | 1000.00  | 343.15 |
|-------|----------|--------|
| 839.0 | 3000.00  | 343.15 |
| 840.9 | 5000.00  | 343.15 |
| 844.9 | 10000.00 | 343.15 |
| 849.0 | 15000.00 | 343.15 |
| 853.0 | 20000.00 | 343.15 |
| 856.6 | 25000.00 | 343.15 |
| 860.2 | 30000.00 | 343.15 |
| 863.7 | 35000.00 | 343.15 |
| 866.8 | 40000.00 | 343.15 |
| 873.2 | 50000.00 | 343.15 |
| 878.9 | 60000.00 | 343.15 |
| 827.8 | 100.00   | 353.15 |
| 828.6 | 1000.00  | 353.15 |
| 830.6 | 3000.00  | 353.15 |
| 832.4 | 5000.00  | 353.15 |
| 836.9 | 10000.00 | 353.15 |
| 841.2 | 15000.00 | 353.15 |
| 845.1 | 20000.00 | 353.15 |
| 849.1 | 25000.00 | 353.15 |
| 852.8 | 30000.00 | 353.15 |
| 856.4 | 35000.00 | 353.15 |
| 859.8 | 40000.00 | 353.15 |
| 866.3 | 50000.00 | 353.15 |
| 872.5 | 60000.00 | 353.15 |
| 819.3 | 100.00   | 363.15 |
| 820.3 | 1000.00  | 363.15 |
| 822.4 | 3000.00  | 363.15 |
| 824.3 | 5000.00  | 363.15 |
| 828.7 | 10000.00 | 363.15 |
| 833.6 | 15000.00 | 363.15 |
| 837.6 | 20000.00 | 363.15 |
| 841.5 | 25000.00 | 363.15 |
| 845.5 | 30000.00 | 363.15 |
| 849.3 | 35000.00 | 363.15 |
| 853.1 | 40000.00 | 363.15 |
|       |          | 000.45 |
| 859.8 | 50000.00 | 363.15 |

Reference

https://www.doi.org/10.1016/j.fluid.2019.06.014

### Viscosity, Pa\*s

| 273.48         100.00         0.0011017           273.48         1000.00         0.0011126           273.48         5000.00         0.0011545           273.48         10000.00         0.0012091           273.48         15000.00         0.0013191           273.48         25000.00         0.0013777           273.48         25000.00         0.0013777           273.48         30000.00         0.0013779           273.48         30000.00         0.0013779           273.48         30000.00         0.0013779           273.48         30000.00         0.0013779           273.48         30000.00         0.0009529           283.22         1000.00         0.0009529           283.22         1000.00         0.0009529           283.21         15000.00         0.0010749           283.21         20000.00         0.0011687           283.21         25000.00         0.0012159           293.04         100.00         0.0012159           293.04         100.00         0.0008252           293.04         100.00         0.0008252           293.04         1000.00         0.0008252           293.04   | Temperature, K - Liquid | Pressure, kPa - Liquid | Viscosity, Pa*s - Liquid |
|---|-------------------------|------------------------|--------------------------|
| 273.48         5000.00         0.0011545           273.48         10000.00         0.0012091           273.48         15000.00         0.0013191           273.48         20000.00         0.0013191           273.48         25000.00         0.0013777           273.48         30000.00         0.0014359           283.22         100.00         0.0009529           283.22         5000.00         0.0009529           283.21         10000.00         0.0010310           283.21         15000.00         0.0010749           283.21         20000.00         0.0011687           283.21         25000.00         0.0011687           283.21         25000.00         0.0011687           283.21         30000.00         0.001687           283.21         30000.00         0.001896           293.04         100.00         0.0088196           293.04         100.00         0.0088535           293.04         1000.00         0.0088535           293.05         2000.00         0.0098535           293.05         2000.00         0.009865           293.05         20000.00         0.009865           293.05 <t< td=""><td>273.48</td><td>100.00</td><td>0.0011017</td></t<> | 273.48                  | 100.00                 | 0.0011017                |
| 273.48         10000.00         0.0012091           273.48         15000.00         0.0012642           273.48         20000.00         0.0013777           273.48         25000.00         0.0013777           273.48         30000.00         0.0014359           283.22         100.00         0.0009859           283.22         5000.00         0.0009859           283.21         10000.00         0.0010310           283.21         15000.00         0.0010749           283.21         20000.00         0.0011687           283.21         25000.00         0.0012159           283.21         30000.00         0.0012159           293.04         100.00         0.008252           293.04         1000.00         0.008252           293.04         1000.00         0.008855           293.04         1000.00         0.008855           293.04         1000.00         0.008855           293.05         2500.00         0.009865           293.05         25000.00         0.009865           293.05         25000.00         0.001062           293.06         30000.00         0.0007178           302.87         1  | 273.48                  | 1000.00                | 0.0011126                |
| 273.48         15000.00         0.0012642           273.48         20000.00         0.0013191           273.48         25000.00         0.0013777           273.48         30000.00         0.0009464           283.22         100.00         0.0009464           283.22         5000.00         0.0009859           283.21         10000.00         0.0010749           283.21         15000.00         0.0010749           283.21         20000.00         0.0011209           283.21         20000.00         0.0011209           283.21         25000.00         0.0012159           283.21         30000.00         0.0012159           293.04         100.00         0.0008252           293.04         1000.00         0.0008252           293.04         1000.00         0.0008252           293.04         1000.00         0.000855           293.04         1000.00         0.000855           293.05         15000.00         0.0008901           293.05         25000.00         0.0009869           293.05         25000.00         0.001062           293.06         30000.00         0.0007489           302.87  | 273.48                  | 5000.00                | 0.0011545                |
| 273.48         2000.00         0.0013191           273.48         25000.00         0.0013777           273.48         30000.00         0.0014359           283.22         100.00         0.0009629           283.22         5000.00         0.0009859           283.21         10000.00         0.0010310           283.21         15000.00         0.0010749           283.21         20000.00         0.0011209           283.21         25000.00         0.0011687           283.21         25000.00         0.0011687           283.21         30000.00         0.0012159           293.04         100.00         0.008816           293.04         100.00         0.0088535           293.04         5000.00         0.0088535           293.04         5000.00         0.0088535           293.04         5000.00         0.0088535           293.05         15000.00         0.0008850           293.05         25000.00         0.0008850           293.05         25000.00         0.0009685           293.06         30000.00         0.001062           293.06         30000.00         0.0007478           302.87   | 273.48                  | 10000.00               | 0.0012091                |
| 273.48         25000.00         0.0013777           273.48         30000.00         0.0014359           283.22         100.00         0.0009464           283.22         1000.00         0.0009529           283.22         5000.00         0.0009869           283.21         10000.00         0.0010749           283.21         20000.00         0.0011209           283.21         25000.00         0.0012159           283.21         25000.00         0.0012159           283.21         30000.00         0.0012159           293.04         100.00         0.008196           293.04         1000.00         0.008855           293.04         5000.00         0.008855           293.04         1000.00         0.008891           293.05         15000.00         0.009865           293.05         2000.00         0.0099269           293.05         2000.00         0.0099269           293.06         30000.00         0.001062           293.06         30000.00         0.001062           293.06         30000.00         0.0007178           302.87         1000.00         0.0007178           302.88         10  | 273.48                  | 15000.00               | 0.0012642                |
| 273.48         30000.00         0.0014359           283.22         100.00         0.0009464           283.22         1000.00         0.0009859           283.21         10000.00         0.0010310           283.21         15000.00         0.0010749           283.21         20000.00         0.0011209           283.21         25000.00         0.0012159           283.21         30000.00         0.0012159           293.04         100.00         0.0008196           293.04         1000.00         0.0008252           293.04         5000.00         0.0008355           293.04         5000.00         0.0008935           293.05         15000.00         0.0009269           293.05         25000.00         0.0009269           293.05         25000.00         0.0010477           302.87         100.00         0.0007178           302.88         10000.00         0.0007489           302.88         15000.00         0.0008128           302.87         20000.00         0.0008457           302.87         25000.00         0.0008410           312.66         100.00         0.0006351           312.66  | 273.48                  | 20000.00               | 0.0013191                |
| 283.22         100.00         0.0009464           283.22         1000.00         0.0009529           283.22         5000.00         0.0009859           283.21         10000.00         0.0010310           283.21         15000.00         0.001749           283.21         20000.00         0.0011209           283.21         25000.00         0.0011209           283.21         30000.00         0.0012159           293.04         100.00         0.0008196           293.04         5000.00         0.0008252           293.04         5000.00         0.0008535           293.04         10000.00         0.0008901           293.05         15000.00         0.0009269           293.05         25000.00         0.0009685           293.05         25000.00         0.0010477           302.87         100.00         0.0007178           302.87         1000.00         0.0007489           302.88         15000.00         0.000794           302.87         25000.00         0.0008457           302.87         25000.00         0.000847           302.87         25000.00         0.0008457           302.87         <  | 273.48                  | 25000.00               | 0.0013777                |
| 283.22       1000.00       0.0009859         283.21       10000.00       0.0010310         283.21       15000.00       0.0010749         283.21       20000.00       0.0011209         283.21       25000.00       0.0011687         283.21       30000.00       0.0012159         293.04       100.00       0.0008196         293.04       1000.00       0.0008535         293.04       10000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.0009685         293.05       25000.00       0.001062         293.06       30000.00       0.001062         293.06       30000.00       0.0007178         302.87       1000.00       0.0007228         302.88       5000.00       0.0007489         302.88       15000.00       0.0008457         302.87       2000.00       0.0008457         302.87       25000.00       0.0008790         302.87       25000.00       0.0008790         302.87       25000.00       0.0006371         312.66       100.00       0.0006371         312.66       100.00       0.   | 273.48                  | 30000.00               | 0.0014359                |
| 283.22         5000.00         0.0009859           283.21         10000.00         0.0010310           283.21         15000.00         0.0010749           283.21         20000.00         0.0011209           283.21         25000.00         0.001159           293.04         100.00         0.0008159           293.04         1000.00         0.000852           293.04         5000.00         0.0008535           293.04         1000.00         0.0008901           293.05         15000.00         0.0009269           293.05         25000.00         0.0010062           293.06         30000.00         0.0010062           293.06         30000.00         0.0007178           302.87         100.00         0.000778           302.88         5000.00         0.000728           302.88         15000.00         0.0008457           302.87         20000.00         0.0008457           302.87         25000.00         0.0008790           302.87         25000.00         0.0008790           302.87         25000.00         0.0008790           302.87         25000.00         0.0008790           312.66   | 283.22                  | 100.00                 | 0.0009464                |
| 283.21       10000.00       0.0010310         283.21       15000.00       0.0010749         283.21       20000.00       0.0011209         283.21       25000.00       0.0011687         283.21       30000.00       0.0008196         293.04       100.00       0.0008252         293.04       5000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.009269         293.05       25000.00       0.001062         293.06       30000.00       0.001477         302.87       100.00       0.0007178         302.87       1000.00       0.0007228         302.88       5000.00       0.0007489         302.88       15000.00       0.0008457         302.87       20000.00       0.0008790         302.87       20000.00       0.0008790         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       3000.00       0.0008790         302.87       3000.00       0.0008790         312.66       100.00       0.0006371         312.67       1000.00       0.00   | 283.22                  | 1000.00                | 0.0009529                |
| 283.21         15000.00         0.0010749           283.21         20000.00         0.0011209           283.21         25000.00         0.0011687           283.21         30000.00         0.0012159           293.04         100.00         0.0008196           293.04         1000.00         0.000855           293.04         5000.00         0.0008535           293.04         10000.00         0.0008901           293.05         15000.00         0.009269           293.05         25000.00         0.009685           293.05         25000.00         0.001062           293.06         30000.00         0.001062           293.06         30000.00         0.0007178           302.87         100.00         0.0007178           302.88         5000.00         0.0007489           302.88         15000.00         0.0008128           302.87         20000.00         0.0008457           302.87         25000.00         0.000879           302.87         30000.00         0.000879           302.87         30000.00         0.000879           312.66         100.00         0.0006371           312.67   | 283.22                  | 5000.00                | 0.0009859                |
| 283.21         20000.00         0.0011209           283.21         25000.00         0.0011687           283.21         30000.00         0.0012159           293.04         100.00         0.0008196           293.04         1000.00         0.0008252           293.04         5000.00         0.0008535           293.04         10000.00         0.0008801           293.05         15000.00         0.0009269           293.05         25000.00         0.001062           293.06         30000.00         0.0010477           302.87         100.00         0.0007178           302.87         100.00         0.0007228           302.88         5000.00         0.0007489           302.88         15000.00         0.0008128           302.87         20000.00         0.0008128           302.87         25000.00         0.0008128           302.87         25000.00         0.0008457           302.87         30000.00         0.0008414           312.66         100.00         0.0006371           312.66         1000.00         0.000635           312.66         10000.00         0.0007185           312.66         <  | 283.21                  | 10000.00               | 0.0010310                |
| 283.21       25000.00       0.0011687         283.21       30000.00       0.0012159         293.04       100.00       0.0008196         293.04       1000.00       0.0008252         293.04       5000.00       0.0008535         293.05       15000.00       0.0009269         293.05       20000.00       0.0009685         293.05       25000.00       0.0010062         293.06       30000.00       0.0007178         302.87       100.00       0.0007178         302.88       5000.00       0.0007228         302.88       15000.00       0.0007489         302.88       15000.00       0.0008457         302.87       20000.00       0.0008457         302.87       25000.00       0.0008457         302.87       25000.00       0.0008457         302.87       25000.00       0.0006371         312.66       100.00       0.000635         312.66       1000.00       0.0006901         312.66       1000.00       0.0007486   | 283.21                  | 15000.00               | 0.0010749                |
| 283.21       30000.00       0.0012159         293.04       100.00       0.0008196         293.04       1000.00       0.0008252         293.04       5000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.0009269         293.05       20000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.007178         302.88       5000.00       0.0007489         302.88       10000.00       0.0007489         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.0006414         312.67       5000.00       0.0006901         312.66       1000.00       0.0007486   | 283.21                  | 20000.00               | 0.0011209                |
| 293.04       100.00       0.0008196         293.04       1000.00       0.0008252         293.04       5000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.0009269         293.05       20000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       10000.00       0.0007489         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.0006371         312.66       1000.00       0.0006635         312.66       10000.00       0.0006901         312.66       10000.00       0.0007486   | 283.21                  | 25000.00               | 0.0011687                |
| 293.04       1000.00       0.0008252         293.04       5000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.0009269         293.05       20000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.0006414         312.67       5000.00       0.0006901         312.66       10000.00       0.0007486   | 283.21                  | 30000.00               | 0.0012159                |
| 293.04       5000.00       0.0008535         293.04       10000.00       0.0008901         293.05       15000.00       0.0009685         293.05       25000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007228         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.000635         312.67       5000.00       0.000635         312.66       10000.00       0.0006901         312.66       10000.00       0.0007486  | 293.04                  | 100.00                 | 0.0008196                |
| 293.04       10000.00       0.0008901         293.05       15000.00       0.0009269         293.05       20000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.000635         312.67       5000.00       0.000635         312.66       10000.00       0.0007486   | 293.04                  | 1000.00                | 0.0008252                |
| 293.05       15000.00       0.0009269         293.05       20000.00       0.0009685         293.05       25000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       15000.00       0.0007794         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       1000.00       0.000635         312.67       5000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 293.04                  | 5000.00                | 0.0008535                |
| 293.05       20000.00       0.0009685         293.05       25000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       15000.00       0.0007794         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0008790         302.87       30000.00       0.0006371         312.66       100.00       0.0006414         312.67       5000.00       0.000635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 293.04                  | 10000.00               | 0.0008901                |
| 293.05       25000.00       0.0010062         293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.88       5000.00       0.0007489         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 293.05                  | 15000.00               | 0.0009269                |
| 293.06       30000.00       0.0010477         302.87       100.00       0.0007178         302.87       1000.00       0.0007228         302.88       5000.00       0.0007489         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008790         302.87       30000.00       0.0008790         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006901         312.66       10000.00       0.0007185         312.66       20000.00       0.0007486  | 293.05                  | 20000.00               | 0.0009685                |
| 302.87       100.00       0.0007178         302.87       1000.00       0.0007228         302.88       5000.00       0.0007489         302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 293.05                  | 25000.00               | 0.0010062                |
| 302.87       1000.00       0.0007228         302.88       5000.00       0.0007489         302.88       10000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       5000.00       0.0006414         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 293.06                  | 30000.00               | 0.0010477                |
| 302.88       5000.00       0.0007489         302.88       10000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 302.87                  | 100.00                 | 0.0007178                |
| 302.88       10000.00       0.0007794         302.88       15000.00       0.0008128         302.87       20000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 302.87                  | 1000.00                | 0.0007228                |
| 302.88       15000.00       0.0008128         302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 302.88                  | 5000.00                | 0.0007489                |
| 302.87       20000.00       0.0008457         302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 302.88                  | 10000.00               | 0.0007794                |
| 302.87       25000.00       0.0008790         302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.67       5000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 302.88                  | 15000.00               | 0.0008128                |
| 302.87       30000.00       0.0009126         312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.67       5000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 302.87                  | 20000.00               | 0.0008457                |
| 312.66       100.00       0.0006371         312.67       1000.00       0.0006414         312.67       5000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 302.87                  | 25000.00               | 0.0008790                |
| 312.67       1000.00       0.0006414         312.67       5000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 302.87                  | 30000.00               | 0.0009126                |
| 312.67       5000.00       0.0006635         312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486  | 312.66                  | 100.00                 | 0.0006371                |
| 312.66       10000.00       0.0006901         312.67       15000.00       0.0007185         312.66       20000.00       0.0007486   | 312.67                  | 1000.00                | 0.0006414                |
| 312.67     15000.00     0.0007185       312.66     20000.00     0.0007486   | 312.67                  | 5000.00                | 0.0006635                |
| 312.66 20000.00 0.0007486   | 312.66                  | 10000.00               | 0.0006901                |
|   | 312.67                  | 15000.00               | 0.0007185                |
| 312.66 25000.00 0.0007781   | 312.66                  | 20000.00               | 0.0007486                |
|   | 312.66                  | 25000.00               | 0.0007781                |

| 312.66 | 30000.00 | 0.0008077 |
|--------|----------|-----------|
| 321.85 | 100.00   | 0.0005744 |
| 321.85 | 1000.00  | 0.0005794 |
| 321.86 | 5000.00  | 0.0005991 |
| 321.85 | 10000.00 | 0.0006241 |
| 321.85 | 15000.00 | 0.0006489 |
| 321.86 | 20000.00 | 0.0006748 |
| 321.86 | 25000.00 | 0.0006987 |
| 321.85 | 30000.00 | 0.0007248 |
| 332.47 | 100.00   | 0.0005150 |
| 332.47 | 1000.00  | 0.0005176 |
| 332.48 | 5000.00  | 0.0005347 |
| 332.48 | 10000.00 | 0.0005575 |
| 332.48 | 15000.00 | 0.0005798 |
| 332.48 | 20000.00 | 0.0006029 |
| 332.48 | 25000.00 | 0.0006273 |
| 332.48 | 30000.00 | 0.0006504 |
| 343.06 | 100.00   | 0.0004586 |
| 343.07 | 1000.00  | 0.0004624 |
| 343.07 | 5000.00  | 0.0004782 |
| 343.07 | 10000.00 | 0.0004990 |
| 343.08 | 15000.00 | 0.0005195 |
| 343.09 | 20000.00 | 0.0005401 |
| 343.08 | 25000.00 | 0.0005603 |
| 343.08 | 30000.00 | 0.0005817 |
| 353.04 | 100.00   | 0.0004177 |
| 353.04 | 1000.00  | 0.0004196 |
| 353.03 | 5000.00  | 0.0004342 |
| 353.02 | 10000.00 | 0.0004549 |
| 353.02 | 15000.00 | 0.0004725 |
| 353.02 | 20000.00 | 0.0004922 |
| 353.02 | 25000.00 | 0.0005113 |
| 353.01 | 30000.00 | 0.0005312 |
| 362.85 | 100.00   | 0.0003838 |
| 362.85 | 1000.00  | 0.0003862 |
| 362.85 | 5000.00  | 0.0004001 |
| 362.85 | 10000.00 | 0.0004169 |
| 362.86 | 15000.00 | 0.0004340 |
| 362.86 | 20000.00 | 0.0004506 |
| 362.87 | 25000.00 | 0.0004690 |
| 362.87 | 30000.00 | 0.0004842 |
| 372.83 | 100.00   | 0.0003528 |
| 372.84 | 1000.00  | 0.0003556 |
| 372.84 | 5000.00  | 0.0003683 |
|        |          |           |

| 372.85 | 10000.00 | 0.0003831 |
|--------|----------|-----------|
| 372.86 | 15000.00 | 0.0004015 |
| 372.86 | 20000.00 | 0.0004156 |
| 372.85 | 25000.00 | 0.0004324 |
| 372.86 | 30000.00 | 0.0004477 |

Reference

https://www.doi.org/10.1016/j.jct.2015.11.027

| Temperature, K | Pressure, kPa | Viscosity, Pa*s |
|----------------|---------------|-----------------|
| 303.15         | 101.30        | 0.0007272       |
|                |               |                 |

Reference

https://www.doi.org/10.1021/je034204h

#### Refractive index (Na D-line)

|   | Pressure, kPa - Liquid | Temperature, K - Liquid | Refractive index (Na D-line) -<br>Liquid |
|---|------------------------|-------------------------|--|
|   | 93.00                  | 298.15                  | 1.5022                                   |
| _ |                        |                         |  |

Reference

https://www.doi.org/10.1021/acs.jced.7b00372

#### Sources

Activity coefficients at infinite dilution Activity coefficients at infinite dilution of organic solutes in N-alkylpyridinium Eisterinion entem pischmething from the mappyriding properties if a green the properties of the properties of

Activity coefficients at infinite dilution and physicochemical properties for byganic somesimuly catellinium fronthe Tark systems of 1-butanol with billing https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=654

Velocities of 3-Pentanone +
Ethymenhemeshing of pentanone +
ickymenhemeshing of pentanone ickymenhemeshing of pentanone ickymenhemeshing of pentanone ickymenhemeshing of pentanone by pentanone ickymenhemeshing of pentanone ickymenhemeshin បុរី អូលាន ក្រុមស្រួលខ្លែក្នុងក្រុមស្រាស ក្រុមវង្សាទេ based ក្រុមស្រួលក្រុមវិទ្ធាស្រ្តាស្រ្តាស្រ្តាស្រ្តាស្រ្តាស្រ្តាស្រ្ត

https://www.doi.org/10.1016/j.jct.2010.06.009

https://www.doi.org/10.1016/j.tca.2015.04.011

https://www.doi.org/10.1021/je200039y

https://www.doi.org/10.1016/j.fluid.2005.06.011

https://www.doi.org/10.1016/j.jct.2018.08.028

https://www.doi.org/10.1016/j.fluid.2005.09.012

http://pubs.acs.org/doi/abs/10.1021/ci990307l

https://www.doi.org/10.1016/j.jct.2012.05.017

https://www.doi.org/10.1021/je201053v

https://www.doi.org/10.1016/j.jct.2010.01.006

https://www.doi.org/10.1016/j.jct.2006.07.017

https://www.doi.org/10.1016/j.jct.2018.05.017

https://www.doi.org/10.1016/j.jct.2018.07.024

Measurements of activity coefficients at infinite dilution for organic solutes And with experimental entire distribution isomers rate only of the property of game Compounds in Four New Isomers with a property of seasons with a lonic the week of the property of separation, passed on activity of separation. ชื่อคาการคายสาราการคายกับเด็ก of 2.Methy solution of 1. Ethylbenzene + ผู้เห็นจะโรคเก็บ และการคาย เมื่อเก็บ เลือน เมื่อเก็บ เลือน เมื่อเก็บ เมื่อ and regression: Viscosity measurements of Viscosity measurements of ortho-xylene, meta-xylene, para-xylene Examinations in the Dynamic Viscosity Deviations in the Binary systems! Presentions in the Binary systems! Present in the Binary systems! Present in the Binary systems! Present in the Binary systems of the Binary systems [OMMIM][NTf2] ionic liquid and modelling of thermodynamic functions:

https://www.doi.org/10.1016/j.jct.2012.03.005 measurements of activity coefficients at infinite dilution for organic solutes and with coefficients and plants in the dilution of the properties for the many plants in the properties for the plants in the properties for the plants in the plants of the plants in the plants of the plants in the plants of the p https://www.doi.org/10.1016/j.jct.2011.04.018 https://www.doi.org/10.1016/j.fluid.2012.09.019 https://www.doi.org/10.1016/j.jct.2016.06.028 https://www.doi.org/10.1021/je301220s https://www.doi.org/10.1016/j.fluid.2017.06.001 https://www.doi.org/10.1021/je034204h https://www.doi.org/10.1016/j.fluid.2014.03.003 http://link.springer.com/article/10.1007/BF02311772 https://www.doi.org/10.1016/j.jct.2015.11.027 https://www.doi.org/10.1007/s10765-009-0622-2 https://www.doi.org/10.1016/j.fluid.2010.01.029 https://www.doi.org/10.1021/je1000582 https://www.doi.org/10.1016/j.jct.2005.04.010 https://www.doi.org/10.1021/je020181f https://www.doi.org/10.1016/j.tca.2009.07.017 https://www.doi.org/10.1016/j.jct.2014.04.024 https://www.doi.org/10.1021/je700221w
https://www.doi.org/10.1021/je700221w
https://www.doi.org/10.1021/je700221w
https://www.doi.org/10.1021/je060485s
https://www.doi.org/10.1021/je060485s
https://www.doi.org/10.1016/j.jct.2012.10.023
https://www.doi.org/10.1016/j.jct.2012.10.023 

Thermodynamics and activity coefficients at infinite dilution for biguid guidebaachtiagramachid polyfeltyleetalebaachtiagramachid polyfeltyleetalebaachtiagramachid polyfeltyleetalebaachtiagramachid polyfeltyleetalebaachtiagramachid properties from Solubilities:

Equation of the solubilities of the solution of the sol coefficients at infinite dilution for Separation of the association of Extense in arithes laylines in whenever of place of the standard of the standa MBABUSE THE TOTAL REGARDS Solutes and Walker William equilibria for mixtures of Material Reports in a granic solutes and water in the equilibria for mixtures of intervention of the entire of the xylenes from their mixtures with hexane:

https://www.doi.org/10.1016/j.fluid.2018.06.013 https://www.doi.org/10.1016/j.fluid.2015.08.022 https://www.doi.org/10.1021/je501140p https://www.doi.org/10.1021/je401057z https://www.doi.org/10.1021/je900838a https://www.doi.org/10.1021/je060005x https://www.doi.org/10.1016/j.fluid.2009.09.024 https://www.doi.org/10.1007/s10765-010-0768-y https://www.doi.org/10.1016/j.jct.2013.02.004 https://www.doi.org/10.1021/acs.jced.8b00487 https://www.doi.org/10.1016/j.jct.2011.10.027 https://www.doi.org/10.1016/j.jct.2018.09.003 https://www.doi.org/10.1016/j.fluid.2010.08.016 https://www.doi.org/10.1021/je100952p https://www.doi.org/10.1007/s10765-010-0717-9 https://www.doi.org/10.1016/j.jct.2013.07.004 https://www.doi.org/10.1016/j.jct.2017.10.003 https://www.doi.org/10.1016/j.fluid.2018.09.024 https://www.doi.org/10.1007/s10765-011-0997-8 https://www.doi.org/10.1021/je010317u https://www.doi.org/10.1021/je800043a https://www.doi.org/10.1021/je0341920 https://www.doi.org/10.1016/j.fluid.2008.03.004 https://www.doi.org/10.1021/je4001894 https://www.doi.org/10.1021/acs.jced.6b00324 https://www.doi.org/10.1021/je201129y https://www.doi.org/10.1021/je0341763 https://www.doi.org/10.1016/j.fluid.2011.04.001

High-pressure densities of https://www.doi.org/10.1016/j.fluid.2019.06.014 https://www.doi.org/10.1016/j.jct.2014.04.020 of organic solutes in the ionic liquid Measuring Surfamidension of legylds at High Temperature and Elevated Phesion of heavylds at High Temperature and activity https://www.doi.org/10.1021/je700578f https://www.doi.org/10.1016/j.jct.2011.06.007 coefficients at infinite dilution Melasuficanas y obmorgand sarces and leasuropine compressibilities of Ternary phase political phase in the compressibilities of Ternary phase political phase in the compression of the https://www.doi.org/10.1016/j.fluid.2009.02.010 Activity coefficients at infinite dilution of organic solutes in 1-hexyl-3-Measuraments in a continuous continuous in 1-hexyl-3-Measuraments in a continuous in a continuous in 1-hexyl-3-Measuraments in a continuous in a https://www.doi.org/10.1016/j.jct.2013.10.038 2-propanol, 2-methyl-1-propanol, and 2-propanol, 2-methyl-1-propanol, and 2-propanol https://www.doi.org/10.1016/j.jct.2017.01.016 https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=654 binary mixtures at different the property of the permitted of the permitte https://www.doi.org/10.1021/je060033f https://www.doi.org/10.1016/j.fluid.2013.11.034 Controller of the particle of the property of the particle of https://www.doi.org/10.1016/j.fluid.2016.10.009 https://www.doi.org/10.1021/je2009736 https://www.doi.org/10.1021/acs.jced.8b00891 https://www.doi.org/10.1021/je201310d https://www.doi.org/10.1016/j.fluid.2016.02.004 of Brigarians thronts and water in the property of the propert https://www.doi.org/10.1021/je7005665 https://www.doi.org/10.1021/je060041w Panaijies and yalumatzia properties of https://www.doi.org/10.1016/j.jct.2004.04.004 TEMPROPOSITION TO THE SOLUTION OF THE SOLUTION https://www.doi.org/10.1016/j.jct.2013.01.005 https://www.doi.org/10.1016/j.fluid.2012.05.006 ntips://www.doi.org/10.1016/j.jct.2011.02
ntaging a part of organic galates and ware sit in beasing a like in the situation of alkanes, alkenes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkenes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkenes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkenes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkenes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in antiwity professional factorial interior of alkanes, alkyl benzenes in the professional factorial interior of alkanes, alkyl benzenes in alkyl benz https://www.doi.org/10.1016/j.jct.2011.02.012 https://www.doi.org/10.1016/j.jct.2015.07.046 https://www.doi.org/10.1021/acs.jced.5b00980 https://www.doi.org/10.1016/j.jct.2017.07.012 https://www.doi.org/10.1016/j.jct.2015.05.022 https://www.doi.org/10.1016/j.jct.2009.06.011 https://www.doi.org/10.1016/j.fluid.2009.01.011 1-butyl-1-methylpyrrolidinium

trifluoromethanesulfonate using GLC:

```
Activity Coefficients at Infinite Dilution https://www.doi.org/10.1021/je9002724
        of Alkanes, Alkenes, and Alkyl
        Extraction in benzene, ethylbenzene,
                                                                                                                                                                                                                                                                                                 https://www.doi.org/10.1016/j.fluid.2014.07.034
    https://www.doi.org/10.1016/j.fluid.2014.07.034
https://www.doi.org/10.1016/j.fluid.2012.04.008
https://www.doi.org/10.1016/j.fluid.2012.04.008
https://www.doi.org/10.1016/j.fluid.2012.04.008
https://www.doi.org/10.1021/acs.jced.7b00244
https://www.doi.org/10.1021/acs.jced.7b00244
https://www.doi.org/10.1021/je060142u
https://www.doi.org/10.1021/je060142u
https://www.doi.org/10.1021/je060142u
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
https://www.doi.org/10.1016/j.fluid.2019.03.023
                                                                                                                                                                                                                                                                                                 https://www.doi.org/10.1016/j.fluid.2012.04.008
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1016/j.fluid.2019.03.023
The strike the sector to the strike the s
                                                                                                                                                                                                                                                                                                 http://webbook.nist.gov/cgi/cbook.cgi?ID=C95476&Units=SI
     https://www.doi.org/10.1016/j.jct.2018.0 https://www.doi.org/10.1016/j.jct.2018.0 https://www.doi.org/10.1016/j.jct.2018.0 https://www.doi.org/10.1016/j.jct.2018.0 https://www.doi.org/10.1016/j.jct.2018.0 https://www.doi.org/10.1021/je100517z https://www.doi.org/10.1021/je100517z https://www.doi.org/10.1016/j.fluid.2004. https://www.doi.org/10.1016/j.fluid.2004. https://www.doi.org/10.1016/j.fluid.2004. https://www.doi.org/10.1016/j.fluid.2004. https://www.doi.org/10.1021/je034128i https://www.doi.org/10.1021/je034128i https://www.doi.org/10.1021/je034128i https://www.doi.org/10.1016/j.fluid.2004. https://www.d
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1016/j.fluid.2004.10.027
                                                                                                                                                                                                                                                                                                 http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa
                                                                                                                                                                                                                                                                                                https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=654
       TigeDomethylbienzene + NMF, and 1.4tDynathylbienzenezoliMinfrom
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1016/j.fluid.2015.06.046
         Market Resident Spikaria Viscizacijon of
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1016/j.jct.2018.11.020
        Cimini mints us says a self of the says 
                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.fluid.2013.10.048
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1021/je200151j
    1-Hexyl-3-methylimidazole Nitrate and sobayic3/memylimidazole Nitrate and https://www.doi.org/10.1021/je3002283 https://www.doi.org/10.1021/je020145g
1-4-by/hetmyta/medazolioma kPa:
HeixitikoophicanitaitiinHyitocanitions: https://www.doi.org/10.1016/j.jct.2015.05.014 https://www.doi.org/10.1021/acs.jced.8b00348
Equilibrium Data for the Binary
Systems of Anisolo with Yylono
                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1021/acs.jced.8b00348
```

Systems of Anisole with Xylene

Isomers at 93.13 kPa:

```
Measurement and correlation of
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.jct.2014.09.003
    solubility of
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.fluid.2013.09.044
    Ploaneredzijšienia etheixankrobenzene
  https://www.doi.org/10.1021/je034279l
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.fluid.2010.05.017
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2015.02.023
 Activity of officients of the initial districts of organic solutes in the initial control of organic solutes in the initial control of organic solutes in the initial control of the in
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1021/je900890u
                                                                                                                                                                                                                                                                                                                https://www.doi.org/10.1016/j.jct.2005.02.012
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1021/acs.jced.6b00085
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2011.11.021
https://www.doi.org/10.1016/j.fluid.2008.

https://www.doi.org/10.1016/j.fluid.2008.

https://www.doi.org/10.1021/je7006549

https://www.doi.org/10.1021/je7006549

https://www.doi.org/10.1021/je101008y

https://www.doi.org/10.1021/je101008y

https://www.doi.org/10.1021/je800091s

https://www.doi.org/10.1016/j.jct.2013.09

https://www.doi.org/10.1016/j.jct.2013.09

https://www.doi.org/10.1016/j.jct.2013.09

https://www.doi.org/10.1016/j.jct.2013.09

https://www.doi.org/10.1016/j.jct.2005.0

https://www.doi.org/10.1016/j.jct.2005.0

https://www.doi.org/10.1016/j.jct.2013.09

http
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.fluid.2008.01.020
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2013.09.007
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2005.01.017
                                                                                                                                                                                                                                                                                                             http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt
  in the temperature range of (293.15 to the temperature range of (2
                                                                                                                                                                                                                                                                                                            https://www.doi.org/10.1016/j.jct.2006.09.007
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2019.05.011
  systems based on activity coefficients being he amurous priorite and property of the property 
    systems based on activity coefficients
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1021/je060395n
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.fluid.2009.12.002
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.tca.2007.12.006
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1021/je200974r
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2017.11.017
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1021/je200266f
  多時間が必用的を

Special Mana All Englishes All
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1021/je500050p
                                                                                                                                                                                                                                                                                                           https://www.doi.org/10.1016/j.fluid.2017.12.029
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2018.02.014
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2010.02.006
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.fluid.2014.06.021
 TEXENTIFIED HANDING CONTROL STUDY OF THE TRANSPORT OF THE
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.jct.2012.01.019
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2017.03.004
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.fluid.2018.07.028
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2016.07.021
https://www.doi.org/10.1021/acs.jced.5b.pitern.s.//www.doi.org/10.1021/acs.jced.5b.pitern.s.//www.doi.org/10.1021/je8005419
https://www.doi.org/10.1021/je8005419
https://www.doi.org/10.1021/je8005419
https://www.doi.org/10.1021/je8005419
https://www.doi.org/10.1021/je100019r
https://www.doi.org/10.1016/j.jct.2006.10
https://www.doi.org/10.1016/j.jct.2012.00
https://www.doi.org/10.1016/j.jct.2012.00
https://www.doi.org/10.1016/j.jct.2012.00
https://www.doi.org/10.1021/je900237e
https://www.doi.org/10.1021/je900237e
https://www.doi.org/10.1021/je900237e
https://www.doi.org/10.1016/j.jct.2012.00
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1021/acs.jced.5b00043
                                                                                                                                                                                                                                                                                                              https://www.doi.org/10.1016/j.jct.2006.11.003
                                                                                                                                                                                                                                                                                                             https://www.doi.org/10.1016/j.jct.2012.03.015
```

bis(trifluoromethylsulfonyl)-amide:

Activity coefficients at infinite dilution and physicochemical properties for Departies of nesdand way in and ionic https://www.doi.org/10.1021/je060170c https://www.doi.org/10.1021/je060170c https://www.doi.org/10.1021/je060170c https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1016/j.jct.2011.11.025 https://www.doi.org/10.1021/je060390q https://www.doi.org/10.1016/j.jct.2011.11.025 https://www.doi.org/10.1016/j.jct.2016.01.017 https://www.doi.org/10.1016/j.jct.2016.01.017 https://www.doi.org/10.1016/j.jct.2006.12.017 https://www.doi.org/10.1016/j.jct.2006.12.017 free energy of some binary mixtures for the type fire energy of some binary mixtures for and physicochemical properties for and physicochemical properties for Schlabitishings and water in the ionic Mathyldiphenylphosaphine Oxide in Straight Activity coefficients at initial dilution for hate: broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and water in the ionic broadly sometimes are in the ionic broadly sometimes and in the ionic broadly sometimes are in the ionic broadly sometimes and in the ionic broadly sometimes are in the ionic broadly sometimes and in the ionic broadly sometimes are in the ionic broadly sometimes and in the ionic broadly sometimes are in the ionic broadly sometimes and in the ionic broadly sometimes are in the ionic broadly sometimes and in the orgamic sources and water in the ichic notified acapte a methy in blandaring of the thermodynamic parameters of ionic liquid 1 คะบอง ราคา เมื่อเล่า เมล่า เมื่อเล่า เมล่า เมล่า เมื่อเล่า เมล่า เมล่า เมล่า เมล่า เมล่า เมล่า เมล Pressure: Thermodynamic Parameters of a New Thermodynamic Parameters of a New Synthesized Tricationic Ionic Liquid states and the states of the

https://www.doi.org/10.1016/j.jct.2012.08.016

https://www.doi.org/10.1021/je100734t

https://www.doi.org/10.1021/acs.jced.7b00971

https://www.doi.org/10.1016/j.jct.2013.05.008

https://www.doi.org/10.1021/je900277m

https://www.doi.org/10.1016/j.jct.2013.08.030

https://www.doi.org/10.1016/j.fluid.2013.10.012

https://www.doi.org/10.1016/j.jct.2018.09.023

https://www.doi.org/10.1016/j.jct.2014.06.006

https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure

https://www.doi.org/10.1021/acs.jced.8b00601

https://www.doi.org/10.1021/je049793l

https://www.doi.org/10.1021/je400592a

https://www.doi.org/10.1016/j.fluid.2009.11.017

https://www.doi.org/10.1021/je900194v

https://www.doi.org/10.1016/j.jct.2010.05.017

atispfiចៅក្លេ dilution at organic solutes ត្រីស្រាល់ដូច្នេក់ apor-Liquid Equilibria for the https://www.doi.org/10.1021/je050523s

### Legend

flu:

Por Nic Profesi dusing g.l.c.:

af: Acentric Factor affp: Proton affinity

Riperby Mirthern of Parrene with Bisky processes and

aigt: **Autoignition Temperature** 

basg: Gas basicity

chl: Standard liquid enthalpy of combustion

cpg: Ideal gas heat capacity

Liquid phase heat capacity cpl:

dm: **Dipole Moment** dvisc: Dynamic viscosity

ep: Protonation entropy at 298K fll: Lower Flammability Limit

Flash Point (Closed Cup Method) fpc: fpo: Flash Point (Open Cup Method)

Standard Gibbs free energy of formation gf:

**Upper Flammability Limit** 

Radius of Gyration gyrad:

hcg: Heat of Combustion, Gross form hcn: Heat of Combustion, Net Form

**hf:** Enthalpy of formation at standard conditions

hfl: Liquid phase enthalpy of formation at standard conditions

hfus: Enthalpy of fusion at standard conditions hfust: Enthalpy of fusion at a given temperature

hsubt: Enthalpy of sublimation at a given temperaturehvap: Enthalpy of vaporization at standard conditionshvapt: Enthalpy of vaporization at a given temperature

ie: Ionization energy

log10ws:Log10 of Water solubility in mol/llogp:Octanol/Water partition coefficientmcvol:McGowan's characteristic volume

nfpaf: NFPA Fire Rating
nfpah: NFPA Health Rating
pc: Critical Pressure
pvap: Vapor pressure
rfi: Refractive Index
rhoc: Critical density
rhol: Liquid Density

rinpol: Non-polar retention indices

ripol: Polar retention indices

**sfust:** Entropy of fusion at a given temperature **sg:** Molar entropy at standard conditions

**sl:** Liquid phase molar entropy at standard conditions

**speedsl:** Speed of sound in fluid

srf: Surface Tension

**tb:** Normal Boiling Point Temperature

tc: Critical Temperature

tcondl: Liquid thermal conductivitytf: Normal melting (fusion) pointtt: Triple Point Temperature

vc: Critical Volume

zc: Critical Compressibility
zra: Rackett Parameter

#### Latest version available from:

https://www.chemeo.com/cid/62-853-6/o-Xylene.pdf

Generated by Cheméo on 2025-12-24 01:26:45.250084052 +0000 UTC m=+6287802.780124707.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.