

Dodecanoic acid, 2,2,2-trichloroethyl ester

Other names:	2,2,2-Trichloroethyl dodecanoate
Inchi:	InChI=1S/C14H25Cl3O2/c1-2-3-4-5-6-7-8-9-10-11-13(18)19-12-14(15,16)17/h2-12H2,1H
InchiKey:	DZEDAIOKGLWUJP-UHFFFAOYSA-N
Formula:	C14H25Cl3O2
SMILES:	CCCCCCCCCCCC(=O)OCC(Cl)(Cl)Cl
Mol. weight [g/mol]:	331.71

Physical Properties

Property code	Value	Unit	Source
gf	-199.87	kJ/mol	Joback Method
hf	-633.06	kJ/mol	Joback Method
hfus	39.98	kJ/mol	Joback Method
hvap	67.77	kJ/mol	Joback Method
log10ws	-6.11		Crippen Method
logp	5.821		Crippen Method
mcvol	252.280	ml/mol	McGowan Method
pc	1470.23	kPa	Joback Method
rinpol	2014.00		NIST Webbook
rinpol	1977.00		NIST Webbook
rinpol	1977.00		NIST Webbook
rinpol	1977.00		NIST Webbook
rinpol	2014.00		NIST Webbook
rinpol	1976.00		NIST Webbook
rinpol	1974.00		NIST Webbook
ripol	2386.00		NIST Webbook
ripol	2349.00		NIST Webbook
ripol	2349.00		NIST Webbook
ripol	2326.00		NIST Webbook
ripol	2386.00		NIST Webbook
ripol	2365.00		NIST Webbook
ripol	2360.00		NIST Webbook
ripol	2337.00		NIST Webbook
ripol	2326.00		NIST Webbook
ripol	2338.00		NIST Webbook
tb	705.07	K	Joback Method
tc	893.91	K	Joback Method
tf	411.88	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	665.06	J/molxK	705.07	Joback Method
cpg	679.96	J/molxK	736.54	Joback Method
cpg	694.02	J/molxK	768.02	Joback Method
cpg	707.28	J/molxK	799.49	Joback Method
cpg	719.78	J/molxK	830.96	Joback Method
cpg	731.56	J/molxK	862.44	Joback Method
cpg	742.64	J/molxK	893.91	Joback Method
dvisc	0.0015087	Paxs	411.88	Joback Method
dvisc	0.0007429	Paxs	460.75	Joback Method
dvisc	0.0004190	Paxs	509.61	Joback Method
dvisc	0.0002613	Paxs	558.47	Joback Method
dvisc	0.0001758	Paxs	607.34	Joback Method
dvisc	0.0001254	Paxs	656.20	Joback Method
dvisc	0.0000938	Paxs	705.07	Joback Method

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=U360543&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

cpg: Ideal gas heat capacity

dvisc: Dynamic viscosity

gf: Standard Gibbs free energy of formation

hf: Enthalpy of formation at standard conditions

hfus: Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/63-934-5/Dodecanoic-acid-2-2-2-trichloroethyl-ester.pdf>

Generated by Cheméo on 2024-04-27 03:50:58.617258 +0000 UTC m=+16479107.537835328.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.