

# 6-epi-«alpha»-Bisabolol

|                      |                                                                                   |
|----------------------|-----------------------------------------------------------------------------------|
| Inchi:               | InChI=1S/C15H26O/c1-12(2)6-5-11-15(4,16)14-9-7-13(3)8-10-14/h6-7,14,16H,5,8-11H2, |
| InchiKey:            | RGZSQWQPBWRIAQ-GJZGRUSLSA-N                                                       |
| Formula:             | C15H26O                                                                           |
| SMILES:              | CC(C)=CCCC(C)(O)C1CC=C(C)CC1                                                      |
| Mol. weight [g/mol]: | 222.37                                                                            |

## Physical Properties

| Property code | Value   | Unit   | Source             |
|---------------|---------|--------|--------------------|
| hfus          | 22.84   | kJ/mol | Joback Method      |
| logp          | 4.230   |        | Crippen Method     |
| mcvol         | 208.620 | ml/mol | McGowan Method     |
| rinpol        | 1668.00 |        | NIST Webbook       |
| rinpol        | 1668.00 |        | NIST Webbook       |
| tb            | 564.91  | K      | Cheméo Relay (1.0) |
| tf            | 311.61  | K      | Cheméo Relay (1.0) |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 589.62 | J/mol×K | 659.28          | Joback Method |
| cpg           | 607.64 | J/mol×K | 692.25          | Joback Method |
| cpg           | 624.61 | J/mol×K | 725.22          | Joback Method |
| cpg           | 640.58 | J/mol×K | 758.19          | Joback Method |
| cpg           | 655.62 | J/mol×K | 791.16          | Joback Method |
| cpg           | 669.79 | J/mol×K | 824.13          | Joback Method |
| cpg           | 683.15 | J/mol×K | 857.10          | Joback Method |

## Sources

|                     |                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------|
| Crippen Method:     | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a> |
| Cheméo Relay (1.0): |                                                                                                                   |

**Cheméo Relay (1.0, beta):**

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=R198806&Units=SI>

**Joback Method:**

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

**McGowan Method:**

<http://link.springer.com/article/10.1007/BF02311772>

**Crippen Method:**

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

## Legend

|                |                                           |
|----------------|-------------------------------------------|
| <b>cpg:</b>    | Ideal gas heat capacity                   |
| <b>hfus:</b>   | Enthalpy of fusion at standard conditions |
| <b>logp:</b>   | Octanol/Water partition coefficient       |
| <b>mcvol:</b>  | McGowan's characteristic volume           |
| <b>rinpol:</b> | Non-polar retention indices               |
| <b>tb:</b>     | Normal Boiling Point Temperature          |
| <b>tf:</b>     | Normal melting (fusion) point             |

Latest version available from:

<https://www.chemeo.com/cid/64-585-2/6-epi-alpha-Bisabolol.pdf>

Generated by Cheméo on 2026-07-21 08:20:26.586161049 +0000 UTC m=+133122.428046421.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.