

# Phenol, 2,4-dimethyl-, acetate

|                             |   |
|-----------------------------|---|
| <b>Other names:</b>         | 2,4-Dimethylphenyl acetate                                  |
| <b>Inchi:</b>               | InChI=1S/C10H12O2/c1-7-4-5-10(8(2)6-7)12-9(3)11/h4-6H,1-3H3 |
| <b>InchiKey:</b>            | BNXJYMYPBQBNBW-UHFFFAOYSA-N                                 |
| <b>Formula:</b>             | C10H12O2  |
| <b>SMILES:</b>              | CC(=O)Oc1ccc(C)cc1C   |
| <b>Mol. weight [g/mol]:</b> | 164.20  |
| <b>CAS:</b>                 | 877-53-2  |

## Physical Properties

| Property code | Value   | Unit                 | Source         |
|---------------|---------|----------------------|----------------|
| gf            | -107.45 | kJ/mol               | Joback Method  |
| hf            | -280.94 | kJ/mol               | Joback Method  |
| hfus          | 17.71   | kJ/mol               | Joback Method  |
| hvap          | 50.61   | kJ/mol               | Joback Method  |
| log10ws       | -2.74   |                      | Crippen Method |
| logp          | 2.229   |                      | Crippen Method |
| mcvol         | 135.440 | ml/mol               | McGowan Method |
| pc            | 2982.79 | kPa                  | Joback Method  |
| rinpol        | 1217.00 |                      | NIST Webbook   |
| rinpol        | 1217.00 |                      | NIST Webbook   |
| tb            | 541.13  | K                    | Joback Method  |
| tc            | 756.04  | K                    | Joback Method  |
| tf            | 326.08  | K                    | Joback Method  |
| vc            | 0.511   | m <sup>3</sup> /kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 299.97 | J/molxK | 541.13          | Joback Method |
| cpg           | 312.92 | J/molxK | 576.95          | Joback Method |
| cpg           | 325.22 | J/molxK | 612.77          | Joback Method |
| cpg           | 336.88 | J/molxK | 648.58          | Joback Method |
| cpg           | 347.89 | J/molxK | 684.40          | Joback Method |
| cpg           | 358.27 | J/molxK | 720.22          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 368.03    | J/molxK | 756.04 | Joback Method |
| dvisc | 0.0013513 | Paxs    | 326.08 | Joback Method |
| dvisc | 0.0008436 | Paxs    | 361.92 | Joback Method |
| dvisc | 0.0005733 | Paxs    | 397.76 | Joback Method |
| dvisc | 0.0004153 | Paxs    | 433.61 | Joback Method |
| dvisc | 0.0003161 | Paxs    | 469.45 | Joback Method |
| dvisc | 0.0002500 | Paxs    | 505.29 | Joback Method |
| dvisc | 0.0002040 | Paxs    | 541.13 | Joback Method |

## Pressure Dependent Properties

| Property code | Value  | Unit | Pressure [kPa] | Source       |
|---------------|--------|------|----------------|--------------|
| tbrp          | 381.20 | K    | 1.70           | NIST Webbook |

## Sources

|                        |   |
|------------------------|---|
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                     |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                     |
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C877532&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C877532&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>                                 |
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                         |

## Legend

|                 |   |
|-----------------|---|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpola:</b> | Non-polar retention indices                     |

|              |                                   |
|--------------|-----------------------------------|
| <b>tb:</b>   | Normal Boiling Point Temperature  |
| <b>tbrp:</b> | Boiling point at reduced pressure |
| <b>tc:</b>   | Critical Temperature              |
| <b>tf:</b>   | Normal melting (fusion) point     |
| <b>vc:</b>   | Critical Volume                   |

Latest version available from:

<https://www.chemeo.com/cid/64-639-2/Phenol-2-4-dimethyl-acetate.pdf>

Generated by Cheméo on 2024-04-27 07:28:26.620832661 +0000 UTC m=+16492155.541409976.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.