

cis-Methyl isoeugenol

Other names:	(Z)-Methyl isoeugenol cis-Methyl eugenol (Z)-1,2-Dimethoxy-4-propenylbenzene (Z)-Methyl eugenol
Inchi:	InChI=1S/C11H14O2/c1-4-5-9-6-7-10(12-2)11(8-9)13-3/h4-8H,1-3H3/b5-4-
InchiKey:	NNWHUJCUHAELCL-PLNGDYQASA-N
Formula:	C11H14O2
SMILES:	CC=Cc1ccc(OC)c(OC)c1
Mol. weight [g/mol]:	178.23
CAS:	6380-24-1

Physical Properties

Property code	Value	Unit	Source
gf	5.11	kJ/mol	Joback Method
hf	-204.00	kJ/mol	Joback Method
hfus	20.09	kJ/mol	Joback Method
hvap	48.46	kJ/mol	Joback Method
log10ws	-2.95		Crippen Method
logp	2.737		Crippen Method
mcvol	149.530	ml/mol	McGowan Method
pc	2616.41	kPa	Joback Method
rinpol	1454.00		NIST Webbook
rinpol	1422.00		NIST Webbook
rinpol	1451.00		NIST Webbook
rinpol	1433.00		NIST Webbook
rinpol	1422.00		NIST Webbook
rinpol	1420.00		NIST Webbook
rinpol	1460.80		NIST Webbook
rinpol	1494.00		NIST Webbook
rinpol	1454.00		NIST Webbook
rinpol	1409.00		NIST Webbook
rinpol	1500.00		NIST Webbook
rinpol	1450.00		NIST Webbook
rinpol	1452.00		NIST Webbook
rinpol	1452.00		NIST Webbook
rinpol	1461.00		NIST Webbook
rinpol	1460.00		NIST Webbook

rinpol	1456.00		NIST Webbook
ripol	2059.00		NIST Webbook
ripol	2008.00		NIST Webbook
ripol	2008.00		NIST Webbook
ripol	2070.00		NIST Webbook
ripol	2059.00		NIST Webbook
tb	536.72	K	Joback Method
tc	746.85	K	Joback Method
tf	304.57	K	Joback Method
vc	0.559	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	333.08	J/mol×K	536.72	Joback Method
cpg	347.28	J/mol×K	571.74	Joback Method
cpg	360.80	J/mol×K	606.76	Joback Method
cpg	373.65	J/mol×K	641.78	Joback Method
cpg	385.84	J/mol×K	676.80	Joback Method
cpg	397.38	J/mol×K	711.82	Joback Method
cpg	408.27	J/mol×K	746.85	Joback Method
dvisc	0.0010229	Pa×s	304.57	Joback Method
dvisc	0.0005877	Pa×s	343.26	Joback Method
dvisc	0.0003778	Pa×s	381.95	Joback Method
dvisc	0.0002634	Pa×s	420.64	Joback Method
dvisc	0.0001952	Pa×s	459.34	Joback Method
dvisc	0.0001515	Pa×s	498.03	Joback Method
dvisc	0.0001220	Pa×s	536.72	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C6380241&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/65-519-4/cis-Methyl-isoeugenol.pdf>

Generated by Cheméo on 2025-12-24 00:47:29.696733476 +0000 UTC m=+6285447.226774141.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.