

3,4-DIETHYLHEXANE

Other names:	3,3-Diethylhexane 3,4-Diethyl hexane Hexane, 3,4-diethyl-
Inchi:	InChI=1S/C10H22/c1-5-9(6-2)10(7-3)8-4/h9-10H,5-8H2,1-4H3
InchiKey:	VBZCRMTUDYIWIH-UHFFFAOYSA-N
Formula:	C10H22
SMILES:	CCC(CC)C(CC)CC
Mol. weight [g/mol]:	142.29
CAS:	19398-77-7

Physical Properties

Property code	Value	Unit	Source
af	0.4076		Cheméo Relay (1.0)
gf	28.44	kJ/mol	Joback Method
hf	-244.43	kJ/mol	Cheméo Relay (1.0)
hfus	14.61	kJ/mol	Joback Method
hvap	47.70	kJ/mol	NIST Webbook
ie	9.12	eV	Cheméo Relay (1.0)
log10ws	-5.25		Cheméo Relay (1.0)
logp	3.859		Crippen Method
mcvol	151.760	ml/mol	McGowan Method
pc	2139.38	kPa	Joback Method
rinpol	979.00		NIST Webbook
rinpol	946.00		NIST Webbook
rinpol	937.00		NIST Webbook
rinpol	939.50		NIST Webbook
rinpol	937.00		NIST Webbook
rinpol	979.00		NIST Webbook
rinpol	954.00		NIST Webbook
rinpol	946.00		NIST Webbook
rinpol	954.00		NIST Webbook
rinpol	946.00		NIST Webbook
rinpol	937.00		NIST Webbook
rinpol	946.00		NIST Webbook
rinpol	945.80		NIST Webbook
tb	430.70 ± 2.00	K	NIST Webbook
tb	435.90 ± 1.50	K	NIST Webbook

tc	608.59	K	Cheméo Relay (1.0)
tf	195.37	K	Cheméo Relay (1.0)
vc	0.538	m3/kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	315.26	J/mol×K	427.32	Joback Method
cpg	401.95	J/mol×K	596.92	Joback Method
cpg	388.93	J/mol×K	568.65	Joback Method
cpg	375.35	J/mol×K	540.39	Joback Method
cpg	361.21	J/mol×K	512.12	Joback Method
cpg	346.50	J/mol×K	483.85	Joback Method
cpg	331.18	J/mol×K	455.59	Joback Method
dvisc	0.0008129	Pa×s	299.89	Joback Method
dvisc	0.0002171	Pa×s	427.32	Joback Method
dvisc	0.0003059	Pa×s	384.84	Joback Method
dvisc	0.0004693	Pa×s	342.37	Joback Method
dvisc	0.0214146	Pa×s	172.46	Joback Method
dvisc	0.0016877	Pa×s	257.41	Joback Method
dvisc	0.0046771	Pa×s	214.94	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	9.81423e+01
Coeff. B	-8.91376e+03
Coeff. C	-1.22589e+01
Coeff. D	7.37011e-06
Temperature range (K), min.	319.15
Temperature range (K), max.	618.80

Sources

Cheméo Relay (1.0):

KDB: <https://www.cheric.org/files/research/kdb/mol/mol144.mol>

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C19398777&Units=SI>

Joback Method: https://en.wikipedia.org/wiki/Joback_method

Cheméo Relay (1.0, beta):

KDB Vapor Pressure Data: <https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=144>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

Legend

af:	Acentric Factor
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/66-056-7/3-4-DIETHYLHEXANE.pdf>

Generated by Cheméo on 2026-07-22 00:10:17.734355132 +0000 UTC m=+190113.576240496.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.