Cyclohexane

Other names:	Benzene, hexahydro-
	Cicloesano
	Cykloheksan
	Hexahydrobenzene
	Hexamethylene
	Hexanaphthene
	NSC 406835
	Rcra waste number U056
	UN 1145
Inchi:	InChI=1S/C6H12/c1-2-4-6-5-3-1/h1-6H2
InchiKey:	XDTMQSROBMDMFD-UHFFFAOYSA-N
Formula:	C6H12
SMILES:	C1CCCCC1
Mol. weight [g/mol]:	84.16
CAS:	110-82-7

Physical Properties

Property code	Value	Unit	Source
af	0.2120		KDB
affp	686.90	kJ/mol	NIST Webbook
aigt	543.15	K	KDB
ap	304.150	K	KDB
basg	666.90	kJ/mol	NIST Webbook
chl	-3935.30	kJ/mol	NIST Webbook
chl	-3947.00	kJ/mol	NIST Webbook
chl	-3918.60 ± 0.70	kJ/mol	NIST Webbook
chl	-3918.00 ± 0.75	kJ/mol	NIST Webbook
chl	-3918.40 ± 1.00	kJ/mol	NIST Webbook
chl	-3919.90 ± 0.71	kJ/mol	NIST Webbook
chl	-3919.60 ± 1.30	kJ/mol	NIST Webbook
dm	0.30	debye	KDB
dvisc	0.0008920	Pa×s	Densities and Viscosities of Ternary Mixtures of Cyclohexane + Cyclohexanone + Some Alkyl Acetates at 298.15 K
fll	1.33	% in Air	KDB
flu	8.35	% in Air	KDB

fpo	253.15	K	KDB
gf	31.78	kJ/mol	KDB
gyrad	3.2610		KDB
hcg	3919.82	kJ/mol	KDB
hcn	3655.770	kJ/mol	KDB
hf	-123.20	kJ/mol	KDB
hf	-123.30	kJ/mol	NIST Webbook
hf	-123.10 ± 0.79	kJ/mol	NIST Webbook
hf	-124.60	kJ/mol	NIST Webbook
hfl	-156.40 ± 1.30	kJ/mol	NIST Webbook
hfl	-157.70 ± 1.80	kJ/mol	NIST Webbook
hfl	-156.20 ± 0.79	kJ/mol	NIST Webbook
hfus	2.06	kJ/mol	Joback Method
hvap	32.90	kJ/mol	NIST Webbook
hvap	33.00 ± 0.10	kJ/mol	NIST Webbook
hvap	30.10	kJ/mol	NIST Webbook
hvap	33.04	kJ/mol	NIST Webbook
hvap	33.00	kJ/mol	NIST Webbook
hvap	33.50	kJ/mol	NIST Webbook
hvap	33.50	kJ/mol	NIST Webbook
hvap	33.00 ± 0.10	kJ/mol	NIST Webbook
hvap	33.00	kJ/mol	NIST Webbook
hvap	32.79 ± 0.14	kJ/mol	NIST Webbook
hvap	33.00 ± 0.10	kJ/mol	NIST Webbook
hvap	33.10	kJ/mol	NIST Webbook
hvap	32.90 ± 0.30	kJ/mol	NIST Webbook
hvap	33.03	kJ/mol	NIST Webbook
hvap	33.00	kJ/mol	NIST Webbook
hvap	33.10	kJ/mol	NIST Webbook
hvap	33.30 ± 0.10	kJ/mol	NIST Webbook
hvap	30.20 ± 0.30	kJ/mol	NIST Webbook
hvap	33.12	kJ/mol	NIST Webbook
hvap	33.00 ± 0.02	kJ/mol	NIST Webbook
hvap	33.00	kJ/mol	NIST Webbook
ie	9.87	eV	NIST Webbook
ie	9.88	eV	NIST Webbook
ie	9.88 ± 0.02	eV	NIST Webbook
ie	9.88	eV	NIST Webbook
ie	9.88 ± 0.10	eV	NIST Webbook
ie	9.82	eV	NIST Webbook
ie	10.00 ± 0.03	eV	NIST Webbook
ie	9.80 ± 0.05	eV	NIST Webbook
ie	9.88 ± 0.03	eV	NIST Webbook
ie	9.84	eV	NIST Webbook

ie	9.89 ± 0.01	eV	NIST Webbook
ie	9.88 ± 0.01	eV	NIST Webbook
ie	9.89	eV	NIST Webbook
ie	9.81	eV	NIST Webbook
ie	9.79	eV	NIST Webbook
ie	9.88 ± 0.02	eV	NIST Webbook
ie	11.00 ± 0.20	eV	NIST Webbook
ie	10.32	eV	NIST Webbook
ie	10.30 ± 0.10	eV	NIST Webbook
ie	10.30	eV	NIST Webbook
ie	9.83 ± 0.05	eV	NIST Webbook
ie	9.88 ± 0.01	eV	NIST Webbook
log10ws	-3.10		Estimated Solubility Method
log10ws	-3.10		Aqueous Solubility Prediction Method
logp	2.341		Crippen Method
mcvol	84.540	ml/mol	McGowan Method
nfpaf	%!d(float64=3)		KDB
nfpah	%!d(float64=1)		KDB
pc	4060.00	kPa	Critical Point Measurements for Five n-Alkylcyclohexanes (C6 to C10) by the Pulse-Heating Method
pc	4080.00	kPa	KDB
pc	4036.70 ± 39.99	kPa	NIST Webbook
pc	4200.00	kPa	Critical Properties of the Reacting Mixture in the Selective Oxidation of Cyclohexane by Oxygen in the Presence of Carbon Dioxide
pc	4080.00 ± 30.00	kPa	NIST Webbook
pc	4075.00 ± 2.00	kPa	NIST Webbook
pc	4097.00 ± 10.34	kPa	NIST Webbook
pc	4033.30 ± 10.67	kPa	NIST Webbook
pc	4036.00 ± 60.00	kPa	NIST Webbook
pc	4110.76 ± 101.32	kPa	NIST Webbook
pc	4071.00 ± 20.00	kPa	NIST Webbook
pt	5.40	kPa	KDB
rhoc	273.27 ± 5.05	kg/m3	NIST Webbook
rhoc	273.52 ± 1.68	kg/m3	NIST Webbook
rhoc	271.84 ± 3.37	kg/m3	NIST Webbook
rhoc	274.36 ± 5.89	kg/m3	NIST Webbook
rhoc	272.68 ± 2.52	kg/m3	NIST Webbook
rinpol	654.00		NIST Webbook
rinpol	670.00		NIST Webbook

rinpol	658.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	648.95	NIST Webbook
rinpol	654.90	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	651.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	651.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	625.00	NIST Webbook
rinpol	619.00	NIST Webbook
rinpol	665.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	660.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	685.00	NIST Webbook
rinpol	680.00	NIST Webbook
rinpol	673.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	648.90	NIST Webbook
rinpol	665.00	NIST Webbook
rinpol	650.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	658.10	NIST Webbook
rinpol	656.24	NIST Webbook
rinpol	653.15	NIST Webbook
rinpol	652.19	NIST Webbook
rinpol	650.41	NIST Webbook
rinpol	647.36	NIST Webbook
rinpol	656.40	NIST Webbook
rinpol	657.30	NIST Webbook
rinpol	660.80	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	651.00	NIST Webbook
rinpol	651.14	NIST Webbook
rinpol	651.09	NIST Webbook
rinpol	651.00	NIST Webbook
rinpol	651.24	NIST Webbook
rinpol	651.20	NIST Webbook
rinpol	654.90	NIST Webbook

rinpol	656.20	NIST Webbook
rinpol	657.60	NIST Webbook
rinpol	656.20	NIST Webbook
rinpol	655.40	NIST Webbook
rinpol	654.60	NIST Webbook
rinpol	657.60	NIST Webbook
rinpol	656.20	NIST Webbook
rinpol	655.40	NIST Webbook
rinpol	654.90	NIST Webbook
rinpol	656.20	NIST Webbook
rinpol	648.22	NIST Webbook
rinpol	647.56	NIST Webbook
rinpol	655.80	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	657.80	NIST Webbook
rinpol	678.00	NIST Webbook
rinpol	650.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	688.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	689.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	660.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	656.00	NIST Webbook
rinpol	672.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	688.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	700.00	NIST Webbook
rinpol	662.00	NIST Webbook

rinpol	674.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	663.80	NIST Webbook
rinpol	672.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	665.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	683.00	NIST Webbook
rinpol	674.00	NIST Webbook
rinpol	682.00	NIST Webbook
rinpol	675.70	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	689.00	NIST Webbook
rinpol	674.00	NIST Webbook
rinpol	667.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	674.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	660.00	NIST Webbook
rinpol	671.00	NIST Webbook
rinpol	675.60	NIST Webbook
rinpol	667.80	NIST Webbook
rinpol	668.80	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	674.00	NIST Webbook
rinpol	662.78	NIST Webbook
rinpol	663.90	NIST Webbook
rinpol	662.70	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	690.00	NIST Webbook
rinpol	668.10	NIST Webbook
rinpol	669.20	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	668.80	NIST Webbook
rinpol	666.10	NIST Webbook
rinpol	663.60	NIST Webbook
rinpol	661.30	NIST Webbook

rinpol	659.10	NIST Webbook
rinpol	657.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	670.30	NIST Webbook
rinpol	667.40	NIST Webbook
rinpol	664.70	NIST Webbook
rinpol	685.00	NIST Webbook
rinpol	662.10	NIST Webbook
rinpol	659.60	NIST Webbook
rinpol	657.20	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	680.00	NIST Webbook
rinpol	639.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	683.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	664.20	NIST Webbook
rinpol	663.70	NIST Webbook
rinpol	677.30	NIST Webbook
rinpol	674.40	NIST Webbook
rinpol	671.70	NIST Webbook
rinpol	669.20	NIST Webbook
rinpol	666.80	NIST Webbook
rinpol	664.50	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	665.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	660.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	656.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	673.60	NIST Webbook
rinpol	680.00	NIST Webbook
rinpol	659.00	NIST Webbook
rinpol	697.90	NIST Webbook
rinpol	688.30	NIST Webbook
rinpol	660.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	669.00	NIST Webbook

rinpol	663.00	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	677.00	NIST Webbook
rinpol	657.00	NIST Webbook
rinpol	696.00	NIST Webbook
rinpol	700.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	657.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	649.00	NIST Webbook
rinpol	649.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	650.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	677.00	NIST Webbook
rinpol	666.00	NIST Webbook
rinpol	645.00	NIST Webbook
rinpol	665.50	NIST Webbook
rinpol	661.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	663.20	NIST Webbook
rinpol	660.90	NIST Webbook
rinpol	658.70	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	680.00	NIST Webbook
rinpol	674.00	NIST Webbook
rinpol	671.10	NIST Webbook
rinpol	666.40	NIST Webbook
rinpol	662.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	667.10	NIST Webbook
rinpol	662.70	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	664.00	NIST Webbook
rinpol	660.60	NIST Webbook
rinpol	665.60	NIST Webbook

rinpol	660.60	NIST Webbook
rinpol	694.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	675.00	NIST Webbook
rinpol	669.00	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	648.95	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	663.00	NIST Webbook
rinpol	654.90	NIST Webbook
rinpol	655.40	NIST Webbook
rinpol	651.20	NIST Webbook
rinpol	651.00	NIST Webbook
rinpol	649.00	NIST Webbook
rinpol	647.36	NIST Webbook
rinpol	658.10	NIST Webbook
rinpol	650.00	NIST Webbook
rinpol	665.00	NIST Webbook
rinpol	692.80	NIST Webbook
rinpol	655.70	NIST Webbook
rinpol	658.00	NIST Webbook
rinpol	664.10	NIST Webbook
rinpol	660.10	NIST Webbook
rinpol	665.70	NIST Webbook
rinpol	662.30	NIST Webbook
rinpol	661.20	NIST Webbook
rinpol	661.90	NIST Webbook
rinpol	662.90	NIST Webbook
rinpol	681.00	NIST Webbook
rinpol	676.00	NIST Webbook
rinpol	667.14	NIST Webbook
rinpol	667.02	NIST Webbook
rinpol	667.46	NIST Webbook
rinpol	656.80	NIST Webbook
rinpol	662.20	NIST Webbook
rinpol	693.60	NIST Webbook
rinpol	663.35	NIST Webbook
rinpol	668.00	NIST Webbook
rinpol	649.00	NIST Webbook
rinpol	650.00	NIST Webbook
rinpol	672.00	NIST Webbook
rinpol	665.60	NIST Webbook
rinpol	688.00	NIST Webbook

ripol	729.00		NIST Webbook
ripol	752.00		NIST Webbook
ripol	712.00		NIST Webbook
ripol	765.00		NIST Webbook
ripol	742.00		NIST Webbook
ripol	740.00		NIST Webbook
ripol	766.00		NIST Webbook
ripol	748.00		NIST Webbook
ripol	757.00		NIST Webbook
ripol	740.00		NIST Webbook
ripol	735.00		NIST Webbook
ripol	742.00		NIST Webbook
ripol	766.00		NIST Webbook
ripol	726.00		NIST Webbook
ripol	732.00		NIST Webbook
ripol	738.00		NIST Webbook
ripol	752.00		NIST Webbook
ripol	722.00		NIST Webbook
ripol	722.00		NIST Webbook
ripol	723.00		NIST Webbook
ripol	732.00		NIST Webbook
ripol	741.70		NIST Webbook
ripol	734.00		NIST Webbook
ripol	735.50		NIST Webbook
ripol	737.00		NIST Webbook
ripol	723.00		NIST Webbook
ripol	737.00		NIST Webbook
ripol	722.00		NIST Webbook
ripol	726.00		NIST Webbook
ripol	723.00		NIST Webbook
ripol	729.00		NIST Webbook
ripol	756.00		NIST Webbook
ripol	722.00		NIST Webbook
ripol	765.00		NIST Webbook
ripol	717.00		NIST Webbook
sg	298.19	J/mol×K	NIST Webbook
sl	204.35	J/mol×K	NIST Webbook
sl	205.90	J/mol×K	NIST Webbook
sl	203.89	J/mol×K	NIST Webbook
tb	353.84 ± 0.10	K	NIST Webbook
tb	354.00 ± 1.00	K	NIST Webbook
tb	353.81 ± 0.15	K	NIST Webbook
tb	353.90 ± 0.08	K	NIST Webbook
tb	353.88 ± 0.20	K	NIST Webbook

tb	353.95 ± 0.10	K	NIST Webbook
tb	353.85 ± 0.20	K	NIST Webbook
tb	353.93 ± 0.10	K	NIST Webbook
tb	353.90	K	Isobaric Vapor-Liquid Equilibria for (Acetic Acid + Cyclohexane) and (Cyclohexane + Acetylacetone) at a Pressure of 101.3 kPa and for (Acetic Acid + Acetylacetone) at a Pressure of 60.0 kPa
tb	353.73	K	Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures with Cyclohexane, Cyclohexene, and 2-Methoxyethanol at 100 kPa
tb	353.73	K	Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures with Cyclohexane, Cyclohexene, and Methyl Isobutyl Ketone at 100 kPa
tb	353.78	K	Vapor-Liquid Equilibria of the Binary System 1-Pentanol + Anisole and the Quaternary System Benzene+Cyclohexane+1-Pentanol+Anisc at 101.32 kPa
tb	353.82	K	A New Test System for Distillation Efficiency Experiments at Elevated Liquid Viscosities: Vapor-Liquid Equilibrium and Liquid Viscosity Data for Cyclopentanol + Cyclohexanol
tb	353.85	K	Vapor Liquid Equilibrium Data for Binary Systems of N,N-Dimethylacetamide with Cyclohexene, Cyclohexane, and Benzene Separately at Atmospheric Pressure
tb	353.82	K	A new analysis method for improving collection of vapor-liquid equilibrium (VLE) data of binary mixtures using differential scanning calorimetry (DSC)
tb	353.95	K	Excess volumes, densities, speeds of sound and viscosities for the binary systems of diisopropyl ether with hydrocarbons at 303.15K

tb	353.94	K	Isobaric vapor-liquid equilibrium of three binary systems containing dimethyl succinate, dimethyl glutarate and dimethyl adipate at 2, 5.2 and 8.3 kPa
tb	353.70	K	Excess molar volumes of the ternary system {methylcyclohexane (1) + cyclohexane (2) + n-alkanes (3)} at T = 298.15 K
tb	355.00	K	The role of organic diluents in the aspects of equilibrium, kinetics and thermodynamic model for silver ion extraction using an extractant D2EHPA
tb	353.78	K	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tb	353.70	K	Isobaric vapor-liquid equilibrium for the binary mixtures of nonane with cyclohexane, toluene, m-xylene, or p-xylene at 101.3 kPa
tb	353.73	K	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
tb	353.73	K	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
tb	358.70 ± 3.33	K	NIST Webbook
tb	345.20 ± 8.00	K	NIST Webbook
tb	354.00 ± 1.50	K	NIST Webbook
tb	354.00 ± 2.00	K	NIST Webbook
tb	354.15 ± 0.30	K	NIST Webbook
tb	353.00 ± 2.00	K	NIST Webbook
tb	342.10 ± 0.20	K	NIST Webbook
tb	356.65 ± 0.50	K	NIST Webbook
tb	356.40 ± 2.00	K	NIST Webbook
tb	354.55 ± 0.20	K	NIST Webbook
tb	354.00 ± 0.50	K	NIST Webbook
tb	354.55 ± 0.30	K	NIST Webbook
tb	354.00 ± 1.00	K	NIST Webbook

tb	353.87 ± 0.10	K	NIST Webbook
tb	353.95 ± 0.10	K	NIST Webbook
tb	354.15 ± 0.30	K	NIST Webbook
tb	353.90 ± 0.50	K	NIST Webbook
tb	353.90 ± 0.30	K	NIST Webbook
tb	353.65 ± 0.60	K	NIST Webbook
tb	354.15 ± 1.50	K	NIST Webbook
tb	354.07 ± 0.30	K	NIST Webbook
tb	353.95 ± 0.40	K	NIST Webbook
tb	354.05 ± 0.30	K	NIST Webbook
tb	353.00 ± 3.00	K	NIST Webbook
tb	354.40 ± 1.00	K	NIST Webbook
tb	353.95 ± 0.20	K	NIST Webbook
tb	354.05 ± 0.40	K	NIST Webbook
tb	354.10 ± 0.60	K	NIST Webbook
tb	353.95 ± 0.20	K	NIST Webbook
tb	353.96 ± 0.10	K	NIST Webbook
tb	353.75 ± 0.40	K	NIST Webbook
tb	353.89 ± 0.10	K	NIST Webbook
tb	353.95 ± 0.30	K	NIST Webbook
tb	353.89 ± 0.05	K	NIST Webbook
tb	353.15 ± 0.50	K	NIST Webbook
tb	354.10 ± 0.40	K	NIST Webbook
tb	353.70 ± 1.00	K	NIST Webbook
tb	353.90 ± 1.00	K	NIST Webbook
tb	353.88 ± 0.01	K	NIST Webbook
tb	353.80 ± 0.50	K	NIST Webbook
tb	353.90 ± 0.30	K	NIST Webbook
tb	353.95 ± 0.30	K	NIST Webbook
tb	354.00 ± 0.50	K	NIST Webbook
tb	354.00 ± 0.30	K	NIST Webbook
tb	353.87 ± 0.15	K	NIST Webbook
tb	353.80 ± 0.30	K	NIST Webbook
tb	353.80 ± 0.50	K	NIST Webbook
tb	352.35 ± 1.50	K	NIST Webbook
tb	353.81 ± 0.20	K	NIST Webbook
tb	353.95 ± 0.30	K	NIST Webbook
tb	353.15 ± 1.00	K	NIST Webbook
tb	353.80 ± 0.50	K	NIST Webbook
tb	353.89 ± 0.15	K	NIST Webbook
tb	353.00 ± 3.00	K	NIST Webbook
tb	354.00 ± 0.30	K	NIST Webbook
tb	353.90 ± 0.50	K	NIST Webbook
tb	353.95 ± 0.25	K	NIST Webbook

tb	354.15 ± 0.40	K	NIST Webbook
tb	354.08 ± 0.20	K	NIST Webbook
tb	353.72 ± 0.30	K	NIST Webbook
tb	353.90 ± 0.50	K	NIST Webbook
tb	353.90 ± 0.50	K	NIST Webbook
tb	353.90 ± 0.30	K	NIST Webbook
tb	353.70 ± 2.00	K	NIST Webbook
tb	353.89 ± 0.40	K	NIST Webbook
tb	353.95 ± 0.50	K	NIST Webbook
tb	353.55 ± 0.30	K	NIST Webbook
tb	353.93 ± 0.30	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	353.88	K	KDB
tb	353.85 ± 0.20	K	NIST Webbook
tb	354.15 ± 1.50	K	NIST Webbook
tb	353.85 ± 0.20	K	NIST Webbook
tb	353.89 ± 0.15	K	NIST Webbook
tb	353.88 ± 0.20	K	NIST Webbook
tb	353.70 ± 1.00	K	NIST Webbook
tb	354.00 ± 0.20	K	NIST Webbook
tb	353.89 ± 0.20	K	NIST Webbook
tb	353.87 ± 0.20	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	353.70 ± 0.10	K	NIST Webbook
tb	353.87 ± 0.01	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	353.90 ± 0.40	K	NIST Webbook
tb	353.40 ± 0.50	K	NIST Webbook
tb	353.95 ± 0.50	K	NIST Webbook
tb	353.85 ± 0.20	K	NIST Webbook
tb	353.91 ± 0.15	K	NIST Webbook
tb	353.95 ± 0.20	K	NIST Webbook
tb	354.00 ± 0.30	K	NIST Webbook
tb	353.25 ± 0.30	K	NIST Webbook
tb	353.90 ± 0.30	K	NIST Webbook
tb	354.00 ± 0.40	K	NIST Webbook
tb	353.25 ± 0.15	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	353.84 ± 0.20	K	NIST Webbook
tb	353.90 ± 0.40	K	NIST Webbook
tb	353.95 ± 0.20	K	NIST Webbook
tb	354.60 ± 0.30	K	NIST Webbook
tb	353.90	K	NIST Webbook

tb	353.88 ± 0.10	K	NIST Webbook
tb	353.25 ± 0.50	K	NIST Webbook
tb	353.25 ± 0.50	K	NIST Webbook
tb	353.25 ± 0.30	K	NIST Webbook
tb	353.90	K	NIST Webbook
tb	353.70 ± 0.30	K	NIST Webbook
tb	353.85 ± 0.30	K	NIST Webbook
tb	355.00 ± 3.00	K	NIST Webbook
tc	553.70 ± 0.60	K	NIST Webbook
tc	553.80	K	KDB
tc	553.60	K	Measurement of critical properties for binary and ternary mixtures containing potential gasoline additive diethyl carbonate (DEC)
tc	554.10	K	Measurement of critical temperatures and critical pressures for binary mixtures of methyl tert-butyl ether (MTBE) + alcohol and MTBE + alkane
tc	553.61	K	Experimental determination of critical data of multi-component mixtures containing potential gasoline additives 2-butanol by a flow-type apparatus
tc	553.60	K	Gas-Liquid Critical Temperatures of Some Alkenes, Amines, and Cyclic Hydrocarbons
tc	553.80 ± 0.20	K	NIST Webbook
tc	553.90 ± 0.40	K	NIST Webbook
tc	553.40 ± 0.60	K	NIST Webbook
tc	553.40	K	NIST Webbook
tc	553.64 ± 0.03	K	NIST Webbook
tc	553.00 ± 0.30	K	NIST Webbook
tc	555.10 ± 0.50	K	NIST Webbook
tc	553.40 ± 0.60	K	NIST Webbook
tc	553.35 ± 0.10	K	NIST Webbook
tc	553.40 ± 0.60	K	NIST Webbook
tc	553.45 ± 0.15	K	NIST Webbook
tc	554.15 ± 1.50	K	NIST Webbook
tc	552.97 ± 0.10	K	NIST Webbook
tc	553.90 ± 0.20	K	NIST Webbook
tc	554.20 ± 1.00	K	NIST Webbook
tc	553.00 ± 2.00	K	NIST Webbook
tc	553.20 ± 0.60	K	NIST Webbook

tf	277.70 ± 1.00	K	NIST Webbook
tf	280.10	K	Phase diagrams of binary systems containing n-alkanes, or cyclohexane, or 1-alkanols and 2,3-pentanedione at atmospheric and high pressure
tf	280.00	K	Determination of thermophysical properties of cyclopentane hydrate using a stirred calorimetric cell
tf	279.95	K	Liquid-Liquid-Solid Equilibria in the Ternary System Water-Phosphoric Acid-Cyclohexane at 25 and 35 deg.C: Stability Domain of Hemihydrate and Anhydrous Phosphoric Acid
tf	279.70 ± 0.20	K	NIST Webbook
tf	279.96	K	Solid-Liquid Equilibria for Binary Organic Systems Containing 1-Methoxy-2-propanol and 2-Butoxy Ethanol
tf	278.70 ± 2.77	K	NIST Webbook
tf	277.90 ± 0.60	K	NIST Webbook
tf	279.60 ± 2.00	K	NIST Webbook
tf	279.65 ± 0.50	K	NIST Webbook
tf	278.65 ± 0.20	K	NIST Webbook
tf	279.55 ± 0.20	K	NIST Webbook
tf	279.55 ± 0.40	K	NIST Webbook
tf	279.70	K	KDB
tf	279.55 ± 0.20	K	NIST Webbook
tf	279.40 ± 0.60	K	NIST Webbook
tf	279.35 ± 0.50	K	NIST Webbook
tf	279.15 ± 0.50	K	NIST Webbook
tf	279.40 ± 1.00	K	NIST Webbook
tf	279.00 ± 1.50	K	NIST Webbook
tf	279.55 ± 0.10	K	NIST Webbook
tf	277.15 ± 1.00	K	NIST Webbook
tf	266.75 ± 1.50	K	NIST Webbook
tf	279.96	K	Aqueous Solubility Prediction Method
tf	279.55 ± 0.50	K	NIST Webbook
tf	279.55 ± 0.20	K	NIST Webbook
tf	279.65 ± 0.10	K	NIST Webbook
tf	279.51 ± 0.06	K	NIST Webbook
tf	279.30 ± 0.80	K	NIST Webbook
tf	279.69 ± 0.01	K	NIST Webbook

tf	279.50 ± 0.07	K	NIST Webbook
tf	279.57 ± 0.06	K	NIST Webbook
tf	279.55 ± 0.20	K	NIST Webbook
tf	279.62 ± 0.20	K	NIST Webbook
tf	279.65 ± 0.30	K	NIST Webbook
tf	279.65 ± 0.10	K	NIST Webbook
tf	279.70 ± 0.30	K	NIST Webbook
tf	280.15 ± 1.00	K	NIST Webbook
tf	279.22 ± 0.10	K	NIST Webbook
tf	279.69 ± 0.10	K	NIST Webbook
tf	279.75 ± 0.30	K	NIST Webbook
tf	279.58 ± 0.10	K	NIST Webbook
tf	279.70 ± 0.03	K	NIST Webbook
tf	279.72 ± 0.04	K	NIST Webbook
tf	279.73 ± 0.15	K	NIST Webbook
tf	280.69 ± 0.05	K	NIST Webbook
tf	279.70 ± 0.05	K	NIST Webbook
tf	279.87 ± 0.01	K	NIST Webbook
tf	279.74 ± 0.02	K	NIST Webbook
tf	279.74 ± 0.08	K	NIST Webbook
tf	279.66 ± 0.10	K	NIST Webbook
tf	279.55 ± 0.20	K	NIST Webbook
tf	279.73 ± 0.01	K	NIST Webbook
tt	279.83 ± 0.02	K	NIST Webbook
tt	279.90 ± 3.00	K	NIST Webbook
tt	279.84 ± 0.02	K	NIST Webbook
tt	279.82 ± 0.05	K	NIST Webbook
tt	279.40 ± 0.20	K	NIST Webbook
tt	279.78 ± 0.06	K	NIST Webbook
tt	186.18	K	Development of a certified reference material for calibration of DSC and DTA below room temperature: NMIJ CRM 5401-a, Cyclohexane for Thermal Analysis
tt	279.83	K	KDB
tt	279.30 ± 0.20	K	NIST Webbook
tt	279.70 ± 0.10	K	NIST Webbook
vc	0.308	m3/kmol	KDB
vc	0.308	m3/kmol	NIST Webbook
vc	0.309 ± 0.003	m3/kmol	NIST Webbook
volm	1.09e-04	m3/mol	Excess Gibbs energies and volumes of the ternary system chloroform + tetrahydrofuran + cyclohexane at 298.15 K

volm	1.09e-04	m3/mol	Thermodynamic study of (perfluoroalkane + alkane) mixtures: Excess and solvation enthalpies
volm	1.09e-04	m3/mol	Excess Gibbs Energies of the Ternary System 2-Methoxyethanol + Tetrahydrofuran + Cyclohexane and Other Relevant Binaries at 298.15 K
zc	0.2729110		KDB
zra	0.27		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	174.50 ± 1.70	J/mol×K	460.00	NIST Webbook
cpg	206.30 ± 2.10	J/mol×K	544.00	NIST Webbook
cpg	196.70 ± 2.10	J/mol×K	521.00	NIST Webbook
cpg	189.50 ± 2.10	J/mol×K	495.00	NIST Webbook
cpg	161.80 ± 1.70	J/mol×K	428.00	NIST Webbook
cpg	153.97	J/mol×K	410.00	NIST Webbook
cpg	146.44	J/mol×K	390.00	NIST Webbook
cpg	138.07	J/mol×K	370.00	NIST Webbook
cpg	143.10 ± 1.30	J/mol×K	384.00	NIST Webbook
cpl	176.10	J/mol×K	298.00	NIST Webbook
cpl	156.50	J/mol×K	298.15	NIST Webbook
cpl	155.96	J/mol×K	298.15	NIST Webbook
cpl	156.20	J/mol×K	298.15	NIST Webbook
cpl	154.81	J/mol×K	293.15	NIST Webbook
cpl	156.40	J/mol×K	298.15	NIST Webbook
cpl	156.00	J/mol×K	298.15	NIST Webbook
cpl	155.85	J/mol×K	298.15	NIST Webbook
cpl	156.15	J/mol×K	298.15	NIST Webbook
cpl	156.20	J/mol×K	298.15	Excess Heat Capacities of Binary and Ternary Mixtures Containing 1-Ethyl-3-methylimidazolium Tetrafluoroborate and Anilines
cpl	156.40	J/mol×K	298.15	NIST Webbook
cpl	156.35	J/mol×K	298.15	NIST Webbook
cpl	156.70	J/mol×K	298.00	NIST Webbook
cpl	156.12	J/mol×K	298.15	NIST Webbook

cpl	156.12	J/mol×K	298.15	NIST Webbook
cpl	156.07	J/mol×K	298.15	NIST Webbook
cpl	156.07	J/mol×K	298.15	NIST Webbook
cpl	154.80	J/mol×K	293.15	NIST Webbook
cpl	157.06	J/mol×K	298.15	NIST Webbook
cpl	156.90	J/mol×K	298.15	NIST Webbook
cpl	155.13	J/mol×K	293.15	NIST Webbook
cpl	154.32	J/mol×K	298.15	NIST Webbook
cpl	155.96	J/mol×K	298.15	NIST Webbook
cpl	159.60	J/mol×K	298.15	NIST Webbook
cpl	143.90	J/mol×K	326.50	NIST Webbook
cpl	156.00	J/mol×K	298.15	NIST Webbook
cpl	143.90	J/mol×K	298.90	NIST Webbook
cpl	155.20	J/mol×K	298.15	NIST Webbook
cpl	155.50	J/mol×K	298.00	NIST Webbook
cpl	152.93	J/mol×K	298.00	NIST Webbook
cpl	155.31	J/mol×K	298.00	NIST Webbook
cpl	153.75	J/mol×K	293.15	Excess Heat Capacities of Binary and Ternary Mixtures Containing 1-Ethyl-3-methylimidazolium Tetrafluoroborate and Anilines
cpl	154.20	J/mol×K	300.00	NIST Webbook
cpl	155.85	J/mol×K	295.00	NIST Webbook
cpl	156.31	J/mol×K	298.15	NIST Webbook
cpl	100.40	J/mol×K	304.20	NIST Webbook
cpl	155.20	J/mol×K	311.00	NIST Webbook
cpl	158.95	J/mol×K	303.15	Excess Heat Capacities of Binary and Ternary Mixtures Containing 1-Ethyl-3-methylimidazolium Tetrafluoroborate and Anilines
dvisc	0.0006040	Pa×s	323.15	Densities, viscosities, and excess properties of (N-methylmorpholine + cyclohexane, + benzene, and + toluene) at T = (298.15, 303.15, 313.15, 323.15) K

dvisc	0.0006850	Pa×s	313.15	Density, Viscosity, and Speed of Sound of (Methyl Benzoate + Cyclohexane), (Methyl Benzoate + n-Hexane), (Methyl Benzoate + Heptane), and (Methyl Benzoate + Octane) at Temperatures of (303.15, 308.15, and 313.15) K
dvisc	0.0007720	Pa×s	308.15	Density, Viscosity, and Speed of Sound of (Methyl Benzoate + Cyclohexane), (Methyl Benzoate + n-Hexane), (Methyl Benzoate + Heptane), and (Methyl Benzoate + Octane) at Temperatures of (303.15, 308.15, and 313.15) K
dvisc	0.0008230	Pa×s	303.15	Density, Viscosity, and Speed of Sound of (Methyl Benzoate + Cyclohexane), (Methyl Benzoate + n-Hexane), (Methyl Benzoate + Heptane), and (Methyl Benzoate + Octane) at Temperatures of (303.15, 308.15, and 313.15) K
dvisc	0.0008160	Pa×s	303.15	Dynamic Viscosities of the Binary Systems Cyclohexane and Cyclopentane with Acetone, Butanone, or 2-Pentanone at Three Temperatures T) (293.15, 298.15, and 303.15) K

dvisc	0.0005978	Pa×s	323.15	Density and Viscosity of Decalin, Cyclohexane, and Toluene Binary Mixtures at (283.15, 293.15, 303.15, 313.15, and 323.15) K
dvisc	0.0007061	Pa×s	313.15	Density and Viscosity of Decalin, Cyclohexane, and Toluene Binary Mixtures at (283.15, 293.15, 303.15, 313.15, and 323.15) K
dvisc	0.0008295	Pa×s	303.15	Density and Viscosity of Decalin, Cyclohexane, and Toluene Binary Mixtures at (283.15, 293.15, 303.15, 313.15, and 323.15) K
dvisc	0.0009847	Pa×s	293.15	Density and Viscosity of Decalin, Cyclohexane, and Toluene Binary Mixtures at (283.15, 293.15, 303.15, 313.15, and 323.15) K
dvisc	0.0011802	Pa×s	283.15	Density and Viscosity of Decalin, Cyclohexane, and Toluene Binary Mixtures at (283.15, 293.15, 303.15, 313.15, and 323.15) K
dvisc	0.0009030	Pa×s	298.15	Densities and Viscosities of Binary Mixtures of Tris(2-ethylhexyl) Phosphate + Cyclohexane or n-Hexane at T) (293.15, 298.15, and 303.15) K and p) 0.1 MPa

dvisc	0.0009840	Pa×s	293.15	Densities and Viscosities of Binary Mixtures of Tris(2-ethylhexyl) Phosphate + Cyclohexane or n-Hexane at T) (293.15, 298.15, and 303.15) K and p) 0.1 MPa
dvisc	0.0007640	Pa×s	308.15	Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T) (288.15, 293.15, 298.15, 303.15, and 308.15) K
dvisc	0.0008300	Pa×s	303.15	Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T) (288.15, 293.15, 298.15, 303.15, and 308.15) K
dvisc	0.0009030	Pa×s	298.15	Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T) (288.15, 293.15, 298.15, 303.15, and 308.15) K
dvisc	0.0009840	Pa×s	293.15	Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T) (288.15, 293.15, 298.15, 303.15, and 308.15) K
dvisc	0.0010770	Pa×s	288.15	Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T) (288.15, 293.15, 298.15, 303.15, and 308.15) K

dvisc	0.0008160	Pa×s	303.15	Viscosities, Densities, and Speed of Sound of the Cycloalkanes with Secondary Alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO Interaction Parameters
dvisc	0.0008870	Pa×s	298.15	Viscosities, Densities, and Speed of Sound of the Cycloalkanes with Secondary Alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO Interaction Parameters
dvisc	0.0009680	Pa×s	293.15	Viscosities, Densities, and Speed of Sound of the Cycloalkanes with Secondary Alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO Interaction Parameters
dvisc	0.0008870	Pa×s	298.15	Dynamic Viscosities of the Binary Systems Cyclohexane and Cyclopentane with Acetone, Butanone, or 2-Pentanone at Three Temperatures T) (293.15, 298.15, and 303.15) K
dvisc	0.0009680	Pa×s	293.15	Dynamic Viscosities of the Binary Systems Cyclohexane and Cyclopentane with Acetone, Butanone, or 2-Pentanone at Three Temperatures T) (293.15, 298.15, and 303.15) K

dvisc	0.0005195	Pa×s	333.15	Thermodynamic Properties of Binary Mixtures of p-Xylene with Cyclohexane, Heptane, Octane, and N-Methyl-2-pyrrolidone at Several Temperatures
dvisc	0.0006963	Pa×s	313.15	Thermodynamic Properties of Binary Mixtures of p-Xylene with Cyclohexane, Heptane, Octane, and N-Methyl-2-pyrrolidone at Several Temperatures
dvisc	0.0008205	Pa×s	303.15	Thermodynamic Properties of Binary Mixtures of p-Xylene with Cyclohexane, Heptane, Octane, and N-Methyl-2-pyrrolidone at Several Temperatures
dvisc	0.0009027	Pa×s	298.15	Thermodynamic Properties of Binary Mixtures of p-Xylene with Cyclohexane, Heptane, Octane, and N-Methyl-2-pyrrolidone at Several Temperatures
dvisc	0.0007637	Pa×s	308.15	Thermophysical Properties of Binary Mixtures of Cyclohexane + Nitrobenzene, Cyclohexanone + Nitrobenzene, and Cyclohexane + Cyclohexanone at (298.15, 303.15, and 308.15) K
dvisc	0.0008284	Pa×s	303.15	Thermophysical Properties of Binary Mixtures of Cyclohexane + Nitrobenzene, Cyclohexanone + Nitrobenzene, and Cyclohexane + Cyclohexanone at (298.15, 303.15, and 308.15) K

dvisc	0.0008945	Pa×s	298.15	Thermophysical Properties of Binary Mixtures of Cyclohexane + Nitrobenzene, Cyclohexanone + Nitrobenzene, and Cyclohexane + Cyclohexanone at (298.15, 303.15, and 308.15) K
dvisc	0.0007490	Pa×s	308.15	Densities, Excess Molar Volumes, Viscosities, Speeds of Sound, Excess Isentropic Compressibilities, and Relative Permittivities for CmH2m+1(OCH2CH2)nOH (m) 1 or 2 or 4 andn) 1) + Benzene, + Toluene, + (o-, m-, and p-) Xylenes, + Ethylbenzene, and + Cyclohexane
dvisc	0.0008980	Pa×s	298.15	Densities, Excess Molar Volumes, Viscosities, Speeds of Sound, Excess Isentropic Compressibilities, and Relative Permittivities for CmH2m+1(OCH2CH2)nOH (m) 1 or 2 or 4 andn) 1) + Benzene, + Toluene, + (o-, m-, and p-) Xylenes, + Ethylbenzene, and + Cyclohexane
dvisc	0.0006980	Pa×s	313.15	Densities, viscosities, and excess properties of (N-methylmorpholine + cyclohexane, + benzene, and + toluene) at T = (298.15, 303.15, 313.15, 323.15) K

dvisc	0.0008210	Pa×s	303.15	Thermodynamic properties of binary mixtures of N-methyl-2-pyrrolidinone with cyclohexane, benzene, toluene at (303.15 to 353.15) K and atmospheric pressure
dvisc	0.0006960	Pa×s	313.15	Thermodynamic properties of binary mixtures of N-methyl-2-pyrrolidinone with cyclohexane, benzene, toluene at (303.15 to 353.15) K and atmospheric pressure
dvisc	0.0005980	Pa×s	323.15	Thermodynamic properties of binary mixtures of N-methyl-2-pyrrolidinone with cyclohexane, benzene, toluene at (303.15 to 353.15) K and atmospheric pressure
dvisc	0.0005200	Pa×s	333.15	Thermodynamic properties of binary mixtures of N-methyl-2-pyrrolidinone with cyclohexane, benzene, toluene at (303.15 to 353.15) K and atmospheric pressure
dvisc	0.0009680	Pa×s	293.15	Dynamic viscosities of binary mixtures of cycloalkanes with primary alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO interaction parameters

dvisc	0.0008870	Pa×s	298.15	Dynamic viscosities of binary mixtures of cycloalkanes with primary alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO interaction parameters
dvisc	0.0008160	Pa×s	303.15	Dynamic viscosities of binary mixtures of cycloalkanes with primary alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO interaction parameters
dvisc	0.0009040	Pa×s	298.15	Densities, viscosities, and excess properties of (N-methylmorpholine + cyclohexane, + benzene, and + toluene) at T = (298.15, 303.15, 313.15, 323.15) K
dvisc	0.0008090	Pa×s	303.15	Densities, viscosities, and excess properties of (N-methylmorpholine + cyclohexane, + benzene, and + toluene) at T = (298.15, 303.15, 313.15, 323.15) K
dvisc	0.0005984	Pa×s	323.15	Thermodynamic Properties of Binary Mixtures of p-Xylene with Cyclohexane, Heptane, Octane, and N-Methyl-2-pyrrolidone at Several Temperatures

dvisc	0.0008300	Pa×s	303.15	Densities and Viscosities of Binary Mixtures of Tris(2-ethylhexyl) Phosphate + Cyclohexane or n-Hexane at T) (293.15, 298.15, and 303.15) K and p) 0.1 MPa
hfust	6.74	kJ/mol	186.10	NIST Webbook
hfust	2.68	kJ/mol	279.80	NIST Webbook
hfust	2.68	kJ/mol	279.80	NIST Webbook
hsubt	46.60	kJ/mol	186.00	NIST Webbook
hsubt	27.60	kJ/mol	251.50	NIST Webbook
hsubt	36.50	kJ/mol	274.00	NIST Webbook
hsubt	37.70	kJ/mol	248.00	NIST Webbook
hsubt	37.20	kJ/mol	273.00	NIST Webbook
hvapt	31.10 ± 0.10	kJ/mol	333.00	NIST Webbook
hvapt	29.60	kJ/mol	521.00	NIST Webbook
hvapt	29.60	kJ/mol	451.50	NIST Webbook
hvapt	32.83	kJ/mol	298.00	Enthalpies of Vaporization and Vapor Pressures of Some Deuterated Hydrocarbons. Liquid-Vapor Pressure Isotope Effects
hvapt	30.10 ± 0.10	kJ/mol	354.00	NIST Webbook
hvapt	30.60 ± 0.10	kJ/mol	343.00	NIST Webbook
hvapt	32.90	kJ/mol	324.00	NIST Webbook
hvapt	32.30 ± 0.10	kJ/mol	313.00	NIST Webbook
hvapt	31.20 ± 0.10	kJ/mol	333.00	NIST Webbook
hvapt	31.00 ± 0.10	kJ/mol	338.00	NIST Webbook
hvapt	30.40 ± 0.10	kJ/mol	348.00	NIST Webbook
hvapt	30.90	kJ/mol	383.50	NIST Webbook
hvapt	30.00	kJ/mol	355.00	NIST Webbook
hvapt	30.30	kJ/mol	345.00	NIST Webbook
hvapt	30.10 ± 0.10	kJ/mol	353.00	NIST Webbook
hvapt	32.50	kJ/mol	323.00	NIST Webbook
hvapt	32.30	kJ/mol	314.00	NIST Webbook
hvapt	32.20	kJ/mol	415.00	NIST Webbook
hvapt	31.90	kJ/mol	324.50	NIST Webbook
hvapt	32.70	kJ/mol	322.50	NIST Webbook
hvapt	33.10	kJ/mol	324.50	NIST Webbook
hvapt	33.33	kJ/mol	298.15	NIST Webbook
hvapt	29.97	kJ/mol	353.90	NIST Webbook

hvapt	29.96	kJ/mol	353.90	KDB
hvapt	32.90	kJ/mol	323.00	NIST Webbook
hvapt	32.80	kJ/mol	335.00	NIST Webbook
hvapt	31.40 ± 0.10	kJ/mol	324.00	NIST Webbook
hvapt	30.40 ± 0.10	kJ/mol	346.00	NIST Webbook
hvapt	30.10	kJ/mol	354.00	NIST Webbook
hvapt	32.20 ± 0.10	kJ/mol	313.00	NIST Webbook
hvapt	31.90 ± 0.10	kJ/mol	323.00	NIST Webbook
hvapt	31.10	kJ/mol	332.00	NIST Webbook
pvap	86.49	kPa	348.65	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	61.40	kPa	338.06	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	61.39	kPa	338.06	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	62.63	kPa	338.65	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	62.64	kPa	338.67	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	63.95	kPa	339.29	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	65.29	kPa	339.92	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	66.63	kPa	340.54	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	67.95	kPa	341.12	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	69.29	kPa	341.72	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	70.65	kPa	342.32	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	71.93	kPa	342.88	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	72.60	kPa	343.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	73.25	kPa	343.43	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	74.73	kPa	344.05	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	75.96	kPa	344.55	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	77.27	kPa	345.08	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	78.76	kPa	345.69	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	80.00	kPa	346.18	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	81.25	kPa	346.67	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	82.56	kPa	347.18	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	82.57	kPa	347.18	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	59.96	kPa	337.36	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	83.89	kPa	347.69	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	85.23	kPa	348.19	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	87.93	kPa	349.19	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	89.43	kPa	349.72	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	90.64	kPa	350.18	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	90.87	kPa	350.25	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	92.07	kPa	350.67	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	93.27	kPa	351.10	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	94.63	kPa	351.57	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	95.92	kPa	352.01	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	97.23	kPa	352.45	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	98.57	kPa	352.90	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	99.31	kPa	353.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	38.19	kPa	324.72	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa

pvap	38.28	kPa	324.73	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	50.00	kPa	332.08	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	53.30	kPa	333.96	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	60.49	kPa	337.59	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	69.95	kPa	341.96	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	74.01	kPa	343.68	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	80.00	kPa	346.13	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa

pvap	81.20	kPa	346.58	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	95.17	kPa	351.72	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	101.30	kPa	353.73	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	102.34	kPa	354.11	Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.3, 80.0 and 53.3 kPa
pvap	40.00	kPa	325.65	Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling components
pvap	53.33	kPa	333.77	Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling components
pvap	66.66	kPa	340.43	Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling components

pvap	79.99	kPa	346.11	Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling components
pvap	93.32	kPa	351.12	Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling components
pvap	24.95	kPa	313.40	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	27.43	kPa	315.76	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	29.95	kPa	318.05	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	32.46	kPa	320.11	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa

pvap	34.90	kPa	322.06	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	37.43	kPa	323.92	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	39.94	kPa	325.66	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	42.42	kPa	327.32	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	44.91	kPa	328.90	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	47.45	kPa	330.44	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa

pvap	49.92	kPa	331.94	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	52.43	kPa	333.33	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	54.76	kPa	334.60	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	57.44	kPa	335.99	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	59.98	kPa	337.31	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	62.44	kPa	338.50	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa

pvap	64.86	kPa	339.65	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	67.47	kPa	340.81	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	69.94	kPa	341.92	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	72.45	kPa	342.99	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	74.96	kPa	344.05	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	75.07	kPa	344.09	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa

pvap	77.54	kPa	345.11	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	79.92	kPa	346.07	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	57.19	kPa	335.95	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	85.03	kPa	348.01	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	87.27	kPa	348.86	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	89.99	kPa	349.84	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa

pvap	92.48	kPa	350.73	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	94.84	kPa	351.55	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	101.33	kPa	353.73	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	101.30	kPa	353.70	Isobaric vapor-liquid equilibrium for the binary mixtures of nonane with cyclohexane, toluene, m-xylene, or p-xylene at 101.3 kPa
pvap	61.50	kPa	338.15	Phase equilibria and excess molar enthalpies study of the binary systems (pyrrole + hydrocarbon, or an alcohol) and modeling
pvap	84.70	kPa	348.15	Phase equilibria and excess molar enthalpies study of the binary systems (pyrrole + hydrocarbon, or an alcohol) and modeling

pvap	6.39	kPa	283.32	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	8.20	kPa	288.28	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	10.42	kPa	293.27	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	13.17	kPa	298.25	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	16.45	kPa	303.27	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction

pvap	24.97	kPa	313.24	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	36.72	kPa	323.21	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	52.48	kPa	333.21	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	72.98	kPa	343.18	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction
pvap	99.11	kPa	353.14	Isothermal vapour pressures and thermodynamic excess properties of 3,5- and 2,6-dimethylpyridine with cyclohexane. Measurements and prediction

pvap	6.39	kPa	283.32	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	
pvap	8.20	kPa	288.28	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	
pvap	10.42	kPa	293.27	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	
pvap	13.17	kPa	298.25	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	
pvap	16.45	kPa	303.27	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	
pvap	24.97	kPa	313.24	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions	

pvap	36.72	kPa	323.21	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions
pvap	52.48	kPa	333.21	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions
pvap	72.98	kPa	343.18	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions
pvap	99.11	kPa	353.14	Isothermal vapor-liquid equilibria and excess molar enthalpy of 2-methylpyrazine (2MP) containing binary mixtures. Comparison with DISQUAC predictions
pvap	3.73	kPa	273.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	6.35	kPa	283.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	10.36	kPa	293.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}

pvap	16.26	kPa	303.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	24.65	kPa	313.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	36.24	kPa	323.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	51.85	kPa	333.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	72.40	kPa	343.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	98.87	kPa	353.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	132.35	kPa	363.15	Excess properties and vapour pressure of {3-diethylaminopropylamine + cyclohexane}
pvap	3.73	kPa	273.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	6.35	kPa	283.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	10.36	kPa	293.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane

pvap	13.04	kPa	298.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	16.26	kPa	303.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	24.65	kPa	313.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	36.24	kPa	323.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	51.85	kPa	333.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	72.39	kPa	343.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	98.87	kPa	353.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	132.35	kPa	363.15	Excess properties and vapour pressure of 2-diethylaminoethylamine + cyclohexane
pvap	101.30	kPa	353.94	Isobaric vapor-liquid equilibrium of three binary systems containing dimethyl succinate, dimethyl glutarate and dimethyl adipate at 2, 5.2 and 8.3 kPa

pvap	101.30	kPa	353.82	A new analysis method for improving collection of vapor-liquid equilibrium (VLE) data of binary mixtures using differential scanning calorimetry (DSC)
pvap	101.33	kPa	353.85	Vapor Liquid Equilibrium Data for Binary Systems of N,N-Dimethylacetamide with Cyclohexene, Cyclohexane, and Benzene Separately at Atmospheric Pressure
pvap	16.40	kPa	303.15	Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K
pvap	24.70	kPa	313.15	Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K
pvap	36.40	kPa	323.15	Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K

pvap	52.00	kPa	333.15	Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K
pvap	72.50	kPa	343.15	Bubble Pressure Measurement and Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Binary Mixtures from 303.15 to 393.15 K
pvap	101.30	kPa	353.82	A New Test System for Distillation Efficiency Experiments at Elevated Liquid Viscosities: Vapor-Liquid Equilibrium and Liquid Viscosity Data for Cyclopentanol + Cyclohexanol
pvap	16.06	kPa	302.92	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	16.95	kPa	304.19	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	19.05	kPa	306.91	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	20.16	kPa	308.27	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	21.56	kPa	309.90	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water

pvap	24.61	kPa	313.16	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	30.03	kPa	318.19	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	36.23	kPa	323.14	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	43.51	kPa	328.16	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	49.68	kPa	331.90	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	51.90	kPa	333.16	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	51.90	kPa	333.17	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	61.56	kPa	338.16	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	72.53	kPa	343.16	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	77.94	kPa	345.42	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water
pvap	84.73	kPa	348.05	Vapor-Liquid Equilibrium in a Ternary System Cyclohexane + Ethanol + Water

pvap	19.80	kPa	308.15	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	29.70	kPa	318.30	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	39.70	kPa	325.95	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	49.70	kPa	332.10	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	59.70	kPa	337.45	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	69.80	kPa	342.05	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	79.90	kPa	346.25	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	90.05	kPa	350.00	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol
pvap	101.75	kPa	354.05	VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water + Cyclohexanol

pvap	2.08	kPa	263.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)	
pvap	3.73	kPa	273.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)	
pvap	6.36	kPa	283.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)	
pvap	10.37	kPa	293.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)	

pvap	13.04	kPa	298.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	16.26	kPa	303.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	24.65	kPa	313.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	36.24	kPa	323.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	51.85	kPa	333.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)

pvap	72.39	kPa	343.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	98.85	kPa	353.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	132.33	kPa	363.15	Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)
pvap	362.80	kPa	403.15	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	20.00	kPa	308.07	Isobaric Vapor Liquid Equilibrium for Binary Systems of Toluene + Acrylic Acid, Toluene + Acetic Acid, and Cyclohexane + Acrylic Acid at 20 kPa

pvap	24.63	kPa	313.15	Vapor-Liquid Equilibria of Binary Mixtures Containing 1-Butanol and Hydrocarbons at 313.15 K
pvap	24.62	kPa	313.15	Vapor Liquid Equilibria of Binary Mixtures Containing 2-Butanol and Hydrocarbons at 313.15 K
pvap	29.77	kPa	317.95	Determination and Prediction of Vapor Liquid Equilibria for a System Containing Water + Butyl Acetate + Cyclohexane + Ethanol
pvap	58.85	kPa	336.85	Determination and Prediction of Vapor Liquid Equilibria for a System Containing Water + Butyl Acetate + Cyclohexane + Ethanol
pvap	87.65	kPa	349.15	Determination and Prediction of Vapor Liquid Equilibria for a System Containing Water + Butyl Acetate + Cyclohexane + Ethanol
pvap	11.15	kPa	295.42	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	11.16	kPa	295.45	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	11.17	kPa	295.46	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	11.33	kPa	295.72	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	11.35	kPa	295.75	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	11.63	kPa	296.22	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	12.15	kPa	297.08	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	12.16	kPa	297.13	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	12.17	kPa	297.13	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	12.61	kPa	297.86	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	12.71	kPa	297.99	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	13.23	kPa	298.83	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	13.80	kPa	299.75	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	13.81	kPa	299.77	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	14.52	kPa	300.85	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	15.71	kPa	302.63	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	16.03	kPa	303.02	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	16.11	kPa	303.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	17.04	kPa	304.38	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	17.05	kPa	304.40	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	17.07	kPa	304.42	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	18.33	kPa	306.05	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	18.60	kPa	306.40	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	19.40	kPa	307.45	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	19.91	kPa	308.06	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	21.12	kPa	309.50	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	22.47	kPa	310.98	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	23.89	kPa	312.48	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	24.56	kPa	313.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	25.25	kPa	313.84	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	26.47	kPa	315.01	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	26.67	kPa	315.26	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	27.88	kPa	316.32	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	29.23	kPa	317.51	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	30.09	kPa	318.31	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	30.56	kPa	318.67	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	31.93	kPa	319.81	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	33.27	kPa	320.87	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	34.59	kPa	321.91	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	34.69	kPa	321.99	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	35.95	kPa	322.94	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	36.27	kPa	323.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	36.59	kPa	323.44	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	37.23	kPa	323.88	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	37.33	kPa	323.95	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	38.56	kPa	324.83	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	40.45	kPa	326.12	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	41.25	kPa	326.68	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	42.68	kPa	327.61	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	43.97	kPa	328.43	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	45.40	kPa	329.32	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	45.43	kPa	329.35	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	46.59	kPa	330.05	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	48.07	kPa	330.94	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	49.32	kPa	331.68	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	49.89	kPa	332.02	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	50.60	kPa	332.41	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	51.87	kPa	333.11	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	51.92	kPa	333.15	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	53.15	kPa	333.83	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	53.19	kPa	333.86	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	54.47	kPa	334.53	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	55.85	kPa	335.26	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols

pvap	56.56	kPa	335.64	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	82.52	kPa	347.06	Isobaric vapor liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 60 and 101.3 kPa
pvap	58.63	kPa	336.70	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
pvap	99.95	kPa	353.36	Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Alcohols
rfi	1.42354		298.15	KDB
rfi	1.42050		308.15	Topological and thermodynamic investigations of molecular interactions in binary mixtures: Molar excess volumes and molar excess enthalpies
rfi	1.42350		298.15	Activity coefficients in binary mixtures formed by cyclohexanone with a variety of compounds at 94.7 kPa
rfi	1.42650		293.15	Vapour liquid equilibrium of carboxylic acid systems: Propionic acid + valeric acid and isobutyric acid + valeric acid

rfi	1.42350	298.15	Vapor liquid equilibrium for binary system of diethyl sulfide + cyclohexane at 353.15 and 343.15 K and diethyl sulfide + 2-ethoxy-2-methylpropane at 343.15 and 333.15 K
rfi	1.42378	298.15	Liquid liquid equilibria of lactam containing binary systems
rfi	1.42508	298.15	Vapor liquid equilibria and interfacial tensions for the ternary system acetone + 2,2 -oxybis[propane] + cyclohexane and its constituent binary systems
rfi	1.42360	298.15	Density, Speed of Sound, and Refractive Index of the Binary Systems Cyclohexane (1) or Methylcyclohexane (1) or Cyclo-octane (1) with Benzene (2), Toluene (2), and Ethylbenzene (2) at Two Temperatures
rfi	1.42508	298.15	Phase equilibria and interfacial tensions in the systems methyl tert-butyl ether + acetone + cyclohexane, methyl tert-butyl ether + acetone and methyl tert-butyl ether + cyclohexane
rfi	1.42350	298.15	Phase equilibria on four binary systems containing 3-methylthiophene

rfi	1.42630	293.20	Liquid phase equilibria for mixtures of (an aliphatic hydrocarbon + toluene + gamma-butyrolactone)
rfi	1.42360	298.15	Experimental data, correlation and prediction of the extraction of benzene from cyclic hydrocarbons using [Epy][ESO4] ionic liquid
rfi	1.42320	298.15	Azeotropic behaviour of (benzene + cyclohexane + chlorobenzene) ternary mixture using chlorobenzene as entrainer at 101.3 kPa
rfi	1.42633	293.15	Mixing properties of binary mixtures presenting azeotropes at several temperatures
rfi	1.42354	298.15	Mixing properties of binary mixtures presenting azeotropes at several temperatures
rfi	1.42073	303.15	Mixing properties of binary mixtures presenting azeotropes at several temperatures
rfi	1.42403	298.15	(Liquid + liquid) equilibria of [C8mim][NTf2] ionic liquid with a sulfur-component and hydrocarbons

rfi	1.42360	298.15	Separation of toluene from cyclic hydrocarbons using 1-butyl-3-methylimidazolium methylsulfate ionic liquid at T = 298.15 K and atmospheric pressure
rfi	1.42360	298.15	(Liquid + liquid) equilibrium data for the ternary systems (cycloalkane + ethylbenzene + 1-ethyl-3-methylimidazolium ethylsulfate) at T = 298.15 K and atmospheric pressure
rfi	1.42350	293.15	Solubility Data for Roflumilast and Maraviroc in Various Solvents between T = (278.2-323.2) K
rfi	1.42350	298.15	Bubble Temperature Measurements on Binary Mixtures Formed by Cyclohexane at 94.7 kPa
rfi	1.42350	298.15	Bubble-Temperature Measurements on Some Binary Mixtures Formed by Tetrahydrofuran or Amyl Alcohol with Hydrocarbons, Chlorohydrocarbons, or Butanols at (94.6 or 95.8) kPa
rfi	1.42360	298.15	Solubility of -Carotene in Binary Solvents Formed by Some Hydrocarbons with Dibutyl Ether and 1,2-Dimethoxyethane

rfi	1.42360	298.15	Solubility of a-Carotene in Binary Solvents Formed by Some Hydrocarbons with tert-Butyl Methyl Ether and with tert-Amyl Methyl Ether
rfi	1.42690	293.20	Phase Equilibria for the Ternary Liquid Systems of (Water + Tetrahydrofurfuryl Alcohol + Cyclic Solvent) at 298.2 K
rfi	1.42360	298.15	Solubility of a-Carotene in Binary Solvents Formed by Some Hydrocarbons with 2,5,8-Trioxanonane, 2-Propanone, and Cyclohexanone
rfi	1.42660	293.15	Solubilities of Phosphorus-Containing Compounds in Selected Solvents
rfi	1.42360	298.15	Liquid Extraction of Benzene from Its Mixtures Using 1-Ethyl-3-methylimidazolium Ethylsulfate as a Solvent
rfi	1.42590	293.15	Liquid-Liquid Equilibrium of (Water + Pentane-2,4-dione + Ethyl Ethanoate) and (Water + Pentane-2,4-dione + Cyclohexane) at (298.15 and 313.15) K
rfi	1.42360	298.15	Liquid Liquid Extraction of Aromatic Compounds from Cycloalkanes Using 1-Butyl-3-methylimidazolium Methylsulfate Ionic Liquid

rfi	1.42650	298.15	Vapor Liquid Equilibrium for Ternary and Binary Mixtures of Tetrahydrofuran, Cyclohexane, and 1,2-Propanediol at 101.3 kPa
rfi	1.42403	298.15	Liquid-Liquid Equilibria for Systems Composed by 1-Methyl-3-octylimidazolium Tetrafluoroborate Ionic Liquid, Thiophene, and n-Hexane or Cyclohexane
rfi	1.43193	283.15	Density, Speed of Sound, and Refractive Index of the Binary Systems Cyclohexane (1) or Methylcyclohexane (1) or Cyclo-octane (1) with Benzene (2), Toluene (2), and Ethylbenzene (2) at Two Temperatures
rfi	1.42360	298.15	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at T = (298.15 and 313.15) K
rfi	1.41516	313.15	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at T = (298.15 and 313.15) K

rfi	1.42350		298.15	Densities, Viscosities, and Refractive Indices of Mixtures of Hexane with Cyclohexane, Decane, Hexadecane, and Squalane at 298.15K	
rfi	1.42356		298.15	Application of [HMim][NTf2], [HMim][TfO] and [BMim][TfO] ionic liquids on the extraction of toluene from alkanes: Effect of the anion and the alkyl chain length of the cation on the LLE	
rhol	778.70	kg/m3	293.15	Densities and Kinematic Viscosities of One Quinary Regular Liquid System and Its Five Quaternary Sub-Systems at Temperatures (293.15 and 298.15) K	
rhol	773.90	kg/m3	298.15	Densities and Kinematic Viscosities of One Quinary Regular Liquid System and Its Five Quaternary Sub-Systems at Temperatures (293.15 and 298.15) K	
rhol	778.70	kg/m3	293.15	Densities and Kinematic Viscosities of a Quinary Regular Liquid System and Its Five Quaternary Subsystems at 293.15A K and 298.15A K	

rhol	773.90	kg/m3	298.15	Densities and Kinematic Viscosities of a Quinary Regular Liquid System and Its Five Quaternary Subsystems at 293.15A K and 298.15A K
rhol	773.70	kg/m3	298.15	Fluid Phase Topology of Benzene + Cyclohexane + 1-Propanol at 101.3 kPa
rhol	773.65	kg/m3	298.15	Experimental and predicted vapour liquid equilibrium of 1,4-dioxane with cycloalkanes and benzene
rhol	773.88	kg/m3	298.10	Excess enthalpies of binary mixtures of 2-ethoxyethanol with four hydrocarbons at 298.15, 308.15, and 318.15K An experimental and theoretical study
rhol	773.86	kg/m3	298.15	Thermodynamic study of 1,1,2,2-tetrachloroethane + hydrocarbon mixtures I. Excess and solvation enthalpies
rhol	778.54	kg/m3	293.00	Volumetric behavior of the binary systems benzene + cyclohexane and benzene + 2,2,4-trimethyl-pentane at temperatures 293.15-323.15K
rhol	769.13	kg/m3	303.00	Volumetric behavior of the binary systems benzene + cyclohexane and benzene + 2,2,4-trimethyl-pentane at temperatures 293.15-323.15K

rhol	759.60	kg/m3	313.00	Volumetric behavior of the binary systems benzene + cyclohexane and benzene + 2,2,4-trimethyl-pentane at temperatures 293.15-323.15K
rhol	749.94	kg/m3	323.00	Volumetric behavior of the binary systems benzene + cyclohexane and benzene + 2,2,4-trimethyl-pentane at temperatures 293.15-323.15K
rhol	773.81	kg/m3	298.15	Volumetric investigation of the ternary system ethanol + dimethylformamide + cyclohexane at 298.15 K
rhol	759.41	kg/m3	313.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements
rhol	754.60	kg/m3	318.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements
rhol	749.76	kg/m3	323.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements
rhol	776.11	kg/m3	298.15	Quaternary isothermal vapor-liquid equilibrium of the model biofuel 2-butanone + n-heptane + tetrahydrofuran + cyclohexane using Raman spectroscopic characterization

rhol	778.50	kg/m3	293.15	Partial molar volume of paracetamol in water, 0.1 M HCl and 0.154 M NaCl at T = (298.15, 303.15, 308.15 and 310.65) K and at 101.325 kPa
rhol	773.96	kg/m3	298.15	Thermodynamics of mixtures containing amines. XI. Liquid + liquid equilibria and molar excess enthalpies at 298.15 K for N-methylaniline + hydrocarbon systems. Characterization in terms of DISQUAC and ERAS models
rhol	773.86	kg/m3	298.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K
rhol	769.12	kg/m3	303.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K
rhol	764.35	kg/m3	308.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K

rhol	759.56	kg/m3	313.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K
rhol	754.74	kg/m3	318.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K
rhol	749.88	kg/m3	323.15	Volumetric and acoustic properties of binary mixtures of tri-n-butyl phosphate with n-hexane, cyclohexane, and n-heptane from T = (298.15 to 323.15) K
rhol	778.41	kg/m3	293.15	Isothermal (vapour + liquid) equilibria for binary mixtures of diisopropyl ether with (methanol, or ethanol, or 1-butanol): Experimental data, correlations, and predictions
rhol	773.88	kg/m3	298.15	Quaternary (liquid + liquid) equilibrium data for the extraction of toluene from alkanes using the ionic liquid [EMim][MSO4]

rhol	773.94	kg/m3	298.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures
rhol	769.21	kg/m3	303.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures
rhol	764.45	kg/m3	308.15	Excess molar volumes and excess isentropic compressibilities of binary and ternary mixtures of o-chlorotoluene with cyclic ether and amides or cyclohexane at different temperatures
rhol	773.50	kg/m3	298.15	Measurements and modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)
rhol	773.87	kg/m3	298.15	Volumetric, acoustic, and refractometric properties of (thiophene + hexane/cyclohexane) solutions in the presence of some imidazolium based ionic liquids at T = 298.15 K

rhol	773.88	kg/m3	298.15	(Liquid + liquid) equilibrium of ternary and quaternary systems containing heptane, cyclohexane, toluene and the ionic liquid [EMim][N(CN)2]. Experimental data and correlation	
rhol	779.00	kg/m3	293.15	Thermophysical approach to understand the nature of molecular interactions and structural factor between methyl isobutyl ketone and organic solvents mixtures	
rhol	769.00	kg/m3	303.15	Thermophysical approach to understand the nature of molecular interactions and structural factor between methyl isobutyl ketone and organic solvents mixtures	
rhol	760.00	kg/m3	313.15	Thermophysical approach to understand the nature of molecular interactions and structural factor between methyl isobutyl ketone and organic solvents mixtures	
rhol	778.00	kg/m3	293.15	Thermophysical approach to understand the nature of molecular interactions and structural factor between methyl isobutyl ketone and organic solvents mixtures	

rhol	759.00	kg/m3	313.15	Thermophysical approach to understand the nature of molecular interactions and structural factor between methyl isobutyl ketone and organic solvents mixtures
rhol	783.00	kg/m3	288.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	779.00	kg/m3	293.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	774.00	kg/m3	298.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	769.00	kg/m3	303.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	760.00	kg/m3	313.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume

rhol	751.00	kg/m3	323.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	741.00	kg/m3	333.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	731.00	kg/m3	343.15	Effect of temperature on intermolecular interactions between the organic solvents: Insights from density and excess volume
rhol	773.78	kg/m3	298.15	Densities, isobaric thermal compressibilities and derived thermodynamic properties of the binary systems of cyclohexane with allyl methacrylate, butyl methacrylate, methacrylic acid, and vinyl acetate at t = (298.15 and 308.15)K
rhol	764.30	kg/m3	308.15	Densities, isobaric thermal compressibilities and derived thermodynamic properties of the binary systems of cyclohexane with allyl methacrylate, butyl methacrylate, methacrylic acid, and vinyl acetate at t = (298.15 and 308.15)K

rhol	769.10	kg/m3	303.15	Studies of partial molar volumes of alkylamine in non-electrolyte solvents I. Alkylamines in hydrocarbons at 303.15 and 313.15K
rhol	759.52	kg/m3	313.15	Studies of partial molar volumes of alkylamine in non-electrolyte solvents I. Alkylamines in hydrocarbons at 303.15 and 313.15K
rhol	773.94	kg/m3	298.15	Topological and thermodynamic investigations of binary mixtures: Molar excess volumes, molar excess enthalpies and isentropic compressibility changes of mixing
rhol	769.12	kg/m3	303.15	Volumetric and transport properties of ternary mixtures containing 1-propanol + ethyl ethanoate + cyclohexane or benzene at 303.15 K: Experimental data, correlation and prediction by ERAS model
rhol	779.00	kg/m3	293.00	KDB
rhol	773.94	kg/m3	298.15	Excess molar volumes and isentropic compressibilities changes of mixing of tetrahydropyran + benzene + cyclo or n-alkanes ternary mixtures at 308.15 K

rhol	759.80	kg/m3	313.15	Excess Molar Volumes for Three and Four Component Mixtures Simulating the Binary Mixture (Cyclohexane+ Hexadecane)
rhol	779.00	kg/m3	298.15	Liquid Liquid Equilibrium data for the ternary systems of Water, Isopropyl alcohol, and selected entrainers
rhol	768.80	kg/m3	303.15	Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure
rhol	764.00	kg/m3	308.15	Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure
rhol	759.30	kg/m3	313.15	Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure

rhol	754.40	kg/m3	318.15	Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure
rhol	749.50	kg/m3	323.15	Densities and Dynamic Viscosities of Alicyclic Cyclohexane with Toluene, o-Xylene, and Mesitylene at T = (303.15 to 323.15) K and Atmospheric Pressure
rhol	765.00	kg/m3	308.15	Total Pressure Phase Equilibrium Measurements for the Binary Systems of n-Pentane + Cyclohexane and 1-Hexene + 2-Propanol
rhol	775.00	kg/m3	298.15	Isothermal Vapor-Liquid Equilibrium Data for the Binary Systems Consisting of 1,1,2,3,3,3-Hexafluoro-1-propene and Either Methylcyclohexane, Cyclohexane, n-Hexane, 2-Methyltetrahydrofuran, or 2,2,3,3,4,4,4-Heptafluoro-1-butanol
rhol	773.80	kg/m3	298.15	Viscosities of Dimethyl Carbonate or Diethyl Carbonate with Alkanes at Four Temperatures. New UNIFAC-VISCO Parameters

rhol	778.56	kg/m3	293.15	Excess Molar Enthalpies for Binary Mixtures of Ethanol + Acetone, + Octane, + Cyclohexane and 1-Propanol + Acetone, + Octane, + Heptane at 323.15
rhol	773.92	kg/m3	298.15	Excess Enthalpies of the Ternary Mixtures: Tetrahydrofuran + (Hexane or Cyclohexane) + Decane at 298.15K
rhol	773.98	kg/m3	298.15	Vapor-Liquid Equilibria and Excess Enthalpies for Binary Systems of Dimethoxymethane with Hydrocarbons
rhol	773.93	kg/m3	298.15	Viscosities and Excess Molar Volumes of the Ternary System Toluene (1) + Cyclohexane (2) + Pentane (3) at 298.15 K
rhol	778.20	kg/m3	293.10	Vapor-Liquid Equilibrium for Binary Systems of Cyclohexane + Cyclohexanone and + Cyclohexanol at Temperatures from (414.0 to 433.7) K
rhol	778.80	kg/m3	293.15	Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K and Pressures from (0.1 to 40) MPa

rhol	773.90	kg/m3	298.15	Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K and Pressures from (0.1 to 40) MPa
rhol	769.30	kg/m3	303.15	Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K and Pressures from (0.1 to 40) MPa
rhol	764.50	kg/m3	308.15	Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K and Pressures from (0.1 to 40) MPa
rhol	759.70	kg/m3	313.15	Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K and Pressures from (0.1 to 40) MPa

rhol	773.85	kg/m3	298.20	Apparent and Partial Molar Volumes at Infinite Dilution and Solid Liquid Equilibria of Dibenzothiophene + Alkane Systems
rhol	778.71	kg/m3	293.15	Thermodynamics of Mixtures Containing Amines. XII. Volumetric and Speed of Sound Data at (293.15, 298.15, and 303.15) K for N-Methylaniline + Hydrocarbon Systems
rhol	774.02	kg/m3	298.15	Thermodynamics of Mixtures Containing Amines. XII. Volumetric and Speed of Sound Data at (293.15, 298.15, and 303.15) K for N-Methylaniline + Hydrocarbon Systems
rhol	769.30	kg/m3	303.15	Thermodynamics of Mixtures Containing Amines. XII. Volumetric and Speed of Sound Data at (293.15, 298.15, and 303.15) K for N-Methylaniline + Hydrocarbon Systems
rhol	778.51	kg/m3	293.15	Excess Molar Volume along with Viscosity and Refractive Index for Binary Systems of Tricyclo[5.2.1.0(2.6)]decane with Five Cycloalkanes
rhol	773.84	kg/m3	298.15	Excess Molar Volume along with Viscosity and Refractive Index for Binary Systems of Tricyclo[5.2.1.0(2.6)]decane with Five Cycloalkanes

rhol	769.11	kg/m3	303.15	Excess Molar Volume along with Viscosity and Refractive Index for Binary Systems of Tricyclo[5.2.1.0(2.6)]decane with Five Cycloalkanes
rhol	764.36	kg/m3	308.15	Excess Molar Volume along with Viscosity and Refractive Index for Binary Systems of Tricyclo[5.2.1.0(2.6)]decane with Five Cycloalkanes
rhol	759.57	kg/m3	313.15	Excess Molar Volume along with Viscosity and Refractive Index for Binary Systems of Tricyclo[5.2.1.0(2.6)]decane with Five Cycloalkanes
rhol	788.30	kg/m3	287.00	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	763.70	kg/m3	305.90	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	752.10	kg/m3	324.90	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	731.80	kg/m3	351.00	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure

rhol	704.30	kg/m3	375.00	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	686.70	kg/m3	394.80	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	666.50	kg/m3	416.60	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	646.20	kg/m3	431.90	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	620.20	kg/m3	452.40	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	595.50	kg/m3	475.10	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	573.50	kg/m3	488.40	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure

rhol	546.30	kg/m3	504.40	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	527.50	kg/m3	513.90	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	510.30	kg/m3	522.60	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	487.00	kg/m3	531.90	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	454.50	kg/m3	543.00	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	426.20	kg/m3	553.20	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	365.60	kg/m3	561.70	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure

rhol	259.50	kg/m3	572.10	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	187.00	kg/m3	584.20	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	167.00	kg/m3	592.50	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	149.30	kg/m3	603.60	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	133.00	kg/m3	618.80	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	118.30	kg/m3	635.00	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	109.80	kg/m3	654.20	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure

rhol	96.50	kg/m3	672.30	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	92.00	kg/m3	687.50	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	89.90	kg/m3	698.50	Design of a Gamma Densitometer for Hydrocarbon Fuel at High Temperature and Supercritical Pressure
rhol	773.92	kg/m3	298.15	Binary Liquid Liquid Equilibria of ?-Valerolactone with Some Hydrocarbons
rhol	774.00	kg/m3	298.15	Liquid-Liquid Equilibrium for 2,2,2-Trifluoroethanol + Ethanol + Cyclohexane from (288.15 to 308.15) K
rhol	774.00	kg/m3	298.15	Liquid-Liquid Equilibrium of (Cyclohexane + 2,2,2-Trifluoroethanol) and (Cyclohexane + Methanol) from (278.15 to 318.15) K
rhol	774.00	kg/m3	298.15	Effect of Temperature on Phase Equilibrium of the Mixed-Solvent System of (2,2,2-Trifluoroethanol + Methanol + Cyclohexane)

rhol	768.90	kg/m3	303.15	Volumetric Behavior of the Binary Mixtures of Methyl Ethyl Ketone with n-Hexane, Cyclohexane, and Benzene at T) (303.15, 313.15, and 323.15) K
rhol	759.20	kg/m3	313.15	Volumetric Behavior of the Binary Mixtures of Methyl Ethyl Ketone with n-Hexane, Cyclohexane, and Benzene at T) (303.15, 313.15, and 323.15) K
rhol	773.80	kg/m3	298.15	Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes and Aromatic Compounds at T = 313.15 K
rhol	769.12	kg/m3	303.15	Volumetric and transport properties of ternary mixtures containing 1-alkanol + ethyl ethanoate + cyclohexane at 303.15 K: Experimental data, correlation and prediction by ERAS model
rhol	748.70	kg/m3	323.15	Volumetric Behavior of the Binary Mixtures of Methyl Ethyl Ketone with n-Hexane, Cyclohexane, and Benzene at T) (303.15, 313.15, and 323.15) K
sdco	0.00	m2/s	308.16	Viscous Calibration Liquids for Self-diffusion Measurements

sdco	0.00	m2/s	328.15	Viscous Calibration Liquids for Self-diffusion Measurements
sdco	0.00	m2/s	328.13	Viscous Calibration Liquids for Self-diffusion Measurements
sdco	0.00	m2/s	318.25	Viscous Calibration Liquids for Self-diffusion Measurements
sdco	0.00	m2/s	318.22	Viscous Calibration Liquids for Self-diffusion Measurements
sdco	0.00	m2/s	308.17	Viscous Calibration Liquids for Self-diffusion Measurements
sfust	36.20	J/mol×K	186.10	NIST Webbook
sfust	9.57	J/mol×K	279.80	NIST Webbook
speedsl	1327.80	m/s	283.15	Speeds of Sound and Isentropic Compressibilities for Binary Mixtures of a Cyclic Diether with a Cyclic Compound at Three Temperatures
speedsl	1205.10	m/s	308.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
speedsl	1181.00	m/s	313.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K

speedsl	1157.30	m/s	318.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
speedsl	1133.70	m/s	323.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
speedsl	1254.00	m/s	298.15	Densities, Speeds of Sound, Excess Molar Volumes, and Excess Isentropic Compressibilities at T = (298.15 and 308.15) K for Methyl Methacrylate + 1-Alkanols (1-Butanol, 1-Pentanol, and 1-Heptanol) + Cyclohexane, + Benzene, + Toluene, + p-Xylene, and + Ethylbenzene
speedsl	1212.00	m/s	308.15	Densities, Speeds of Sound, Excess Molar Volumes, and Excess Isentropic Compressibilities at T = (298.15 and 308.15) K for Methyl Methacrylate + 1-Alkanols (1-Butanol, 1-Pentanol, and 1-Heptanol) + Cyclohexane, + Benzene, + Toluene, + p-Xylene, and + Ethylbenzene

speedsl	1133.73	m/s	323.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1157.29	m/s	318.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1181.03	m/s	313.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1205.05	m/s	308.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1229.34	m/s	303.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1253.86	m/s	298.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K
speedsl	1278.55	m/s	293.15	Volumetric and Acoustic Properties of Binary Mixtures of Cyclohexane + Benzene and + Benzaldehyde at (293.15 to 323.15) K

speedsl	1229.30	m/s	303.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
speedsl	1212.00	m/s	308.15	Thermodynamic and topological investigations of molecular interactions in binary and ternary mixtures containing 1-methyl pyrrolidin-2-one at T = 308.15 K
speedsl	1255.00	m/s	298.15	Thermodynamic and topological investigations of molecular interactions in binary and ternary mixtures containing 1-methyl pyrrolidin-2-one at T = 308.15 K
speedsl	1279.00	m/s	293.15	Acoustic and Thermophysical Properties of Binary Liquid Mixtures of Primary Butanols with Hexane and Cyclohexane at 293.15 K
speedsl	1181.10	m/s	313.15	Speeds of Sound and Isentropic Compressibilities for Binary Mixtures of a Cyclic Diether with a Cyclic Compound at Three Temperatures
speedsl	1254.40	m/s	298.15	Speeds of Sound and Isentropic Compressibilities for Binary Mixtures of a Cyclic Diether with a Cyclic Compound at Three Temperatures

speedsl	1278.60	m/s	293.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
speedsl	1253.90	m/s	298.15	Temperature dependence of densities, speeds of sound, and derived properties of cyclohexylamine + cyclohexane or benzene in the range (293.15 to 323.15) K
srf	0.02	N/m	303.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.03	N/m	282.82	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	279.33	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.02	N/m	313.15	Thermophysical study of 1,4-dioxane with cycloalkane mixtures
srf	0.02	N/m	298.15	Thermophysical study of 1,4-dioxane with cycloalkane mixtures
srf	0.03	N/m	283.15	Thermophysical study of 1,4-dioxane with cycloalkane mixtures
srf	0.02	N/m	297.82	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	287.81	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	293.20	KDB

srf	0.02	N/m	317.86	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.02	N/m	327.88	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.02	N/m	337.93	Surface Tension of Pure Liquids and Binary Liquid Mixtures
srf	0.03	N/m	293.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.02	N/m	298.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.02	N/m	308.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.02	N/m	313.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.02	N/m	318.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.02	N/m	323.15	Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol
srf	0.03	N/m	288.15	Interfacial Tensions of Imidazolium-Based Ionic Liquids with N-Alkanes and Cyclohexane
srf	0.02	N/m	298.15	Interfacial Tensions of Imidazolium-Based Ionic Liquids with N-Alkanes and Cyclohexane
srf	0.02	N/m	308.15	Interfacial Tensions of Imidazolium-Based Ionic Liquids with N-Alkanes and Cyclohexane

srf	0.02	N/m	318.15	Interfacial Tensions of Imidazolium-Based Ionic Liquids with N-Alkanes and Cyclohexane
srf	0.02	N/m	328.15	Interfacial Tensions of Imidazolium-Based Ionic Liquids with N-Alkanes and Cyclohexane
srf	0.03	N/m	293.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	298.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	303.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	308.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	318.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	323.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
srf	0.02	N/m	307.86	Surface Tension of Pure Liquids and Binary Liquid Mixtures

srf	0.02	N/m	313.15	Surface Tension of Dilute Solutions of Alkanes in Cyclohexanol at Different Temperatures
svapt	111.80	J/mol×K	298.15	NIST Webbook
tcondl	0.12	W/m×K	281.00	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	295.53	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	295.70	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	295.83	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons

tcondl	0.12	W/m×K	300.84	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	301.00	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	301.14	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.11	W/m×K	318.66	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	281.15	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons

tcondl	0.11	W/m×K	318.82	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.11	W/m×K	318.95	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons
tcondl	0.12	W/m×K	280.83	Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids: Alkenes, Cyclic (Alkanes, Alkenes, Alkadienes, Aromatics), and Deuterated Hydrocarbons

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbp	312.78	K	24.08	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	318.96	K	30.70	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures

tbp	325.07	K	38.72	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	330.32	K	46.85	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	335.01	K	55.20	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	338.21	K	61.52	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	341.67	K	69.06	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	345.37	K	77.87	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures
tbp	348.28	K	85.44	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures

tbp	350.53	K	91.68	A novel dynamic recirculating apparatus for vapour-liquid equilibrium measurements at moderate pressures and temperatures

Correlations

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/(T + C)
Coeff. A	1.38484e+01
Coeff. B	-2.76500e+03
Coeff. C	-5.43350e+01
Temperature range (K), min.	258.23
Temperature range (K), max.	378.22

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/T + C*ln(T) + D*T^2
Coeff. A	7.56506e+01
Coeff. B	-6.35490e+03
Coeff. C	-9.20098e+00
Coeff. D	7.37481e-06
Temperature range (K), min.	279.69
Temperature range (K), max.	553.54

Datasets

Viscosity, Pa*s

Temperature, K - Liquid	Pressure, kPa - Liquid	Viscosity, Pa*s - Liquid
303.10	2930.00	0.0008520
305.20	140.00	0.0007960

305.10	960.00	0.0008010
305.20	1960.00	0.0008190
305.20	3940.00	0.0008390
313.80	2920.00	0.0007210
323.70	150.00	0.0006010
324.00	1020.00	0.0006160
323.70	1990.00	0.0006140
323.70	4000.00	0.0006310
348.90	140.00	0.0004320
348.90	990.00	0.0004400
348.90	2080.00	0.0004450
348.90	3030.00	0.0004510
348.90	3930.00	0.0004490
373.70	970.00	0.0003310
373.70	2020.00	0.0003360
373.70	2930.00	0.0003400
373.70	3960.00	0.0003460
398.20	960.00	0.0002580
398.10	2000.00	0.0002620
398.20	2940.00	0.0002660
398.10	4010.00	0.0002700
422.40	960.00	0.0002040
422.50	1970.00	0.0002090
422.50	2960.00	0.0002140
422.50	3960.00	0.0002160
447.50	1010.00	0.0001650
447.60	2040.00	0.0001650
447.70	3010.00	0.0001700
447.70	4000.00	0.0001740
473.40	1930.00	0.0001310
473.30	3000.00	0.0001380
473.40	3930.00	0.0001390
498.20	3020.00	0.0001060
497.90	3050.00	0.0001060
498.10	3980.00	0.0001100
498.30	4020.00	0.0001100
523.00	3050.00	0.0000791
523.00	3970.00	0.0000856

Reference *https://www.doi.org/10.1021/acs.jced.5b00270*

Pressure, kPa	Temperature, K	Viscosity, Pa*s
690.00	313.20	0.0007230

690.00	333.20	0.0005400
690.00	353.20	0.0004240
690.00	373.20	0.0003230
690.00	393.20	0.0002480
5000.00	313.20	0.0007720
5000.00	333.20	0.0005760
5000.00	353.20	0.0004500
5000.00	373.20	0.0003490
5000.00	393.20	0.0002620
10000.00	313.20	0.0008250
10000.00	333.20	0.0006160
10000.00	353.20	0.0004800
10000.00	373.20	0.0003710
10000.00	393.20	0.0002840
20000.00	313.20	0.0009260
20000.00	333.20	0.0006920
20000.00	353.20	0.0005400
20000.00	373.20	0.0004200
20000.00	393.20	0.0003290
30000.00	313.20	0.0010180
30000.00	333.20	0.0007620
30000.00	353.20	0.0005970
30000.00	373.20	0.0004610
30000.00	393.20	0.0003690
40000.00	313.20	0.0011110
40000.00	333.20	0.0008370
40000.00	353.20	0.0006510
40000.00	373.20	0.0005040
40000.00	393.20	0.0004140
50000.00	313.20	0.0012400
50000.00	333.20	0.0009120
50000.00	353.20	0.0007030
50000.00	373.20	0.0005570
50000.00	393.20	0.0004530
60000.00	313.20	0.0013470
60000.00	333.20	0.0009940
60000.00	353.20	0.0007520
60000.00	373.20	0.0006080
60000.00	393.20	0.0004920

Reference *https://www.doi.org/10.1021/je800882f*

Temperature, K	**Pressure, kPa**	**Viscosity, Pa*s**

298.15	100.00	0.0008880
298.15	4000.00	0.0009030
298.15	7600.00	0.0009620
298.15	13700.00	0.0010370
298.15	20900.00	0.0011290
298.15	27700.00	0.0012220
298.15	34700.00	0.0013090
318.15	6895.00	0.0006710
318.15	13790.00	0.0007260
318.15	20680.00	0.0007850
318.15	27580.00	0.0008390
318.15	34470.00	0.0009060
318.15	41370.00	0.0009740
318.15	48260.00	0.0010490
318.15	55160.00	0.0011490
318.15	62050.00	0.0012160
323.15	100.00	0.0006060
323.15	7200.00	0.0006670
323.15	14200.00	0.0007210
323.15	21100.00	0.0007760
323.15	27700.00	0.0008350
323.15	40000.00	0.0009520
323.15	48200.00	0.0010350
323.15	50900.00	0.0010610
323.15	52300.00	0.0010720
323.15	54300.00	0.0010910
323.15	55000.00	0.0009150
333.15	100.00	0.0005120
333.15	3800.00	0.0005380
333.15	6895.00	0.0005460
333.15	7300.00	0.0005630
333.15	13790.00	0.0005950
333.15	14100.00	0.0006090
333.15	20600.00	0.0006570
333.15	20680.00	0.0006420
333.15	27580.00	0.0006980
333.15	27800.00	0.0007090
333.15	34470.00	0.0007500
333.15	34700.00	0.0007570
333.15	41370.00	0.0008080
333.15	42000.00	0.0008150
333.15	48260.00	0.0008550
333.15	49000.00	0.0008760
333.15	53500.00	0.0009040

333.15	55160.00	0.0009160
333.15	62050.00	0.0009510
348.15	6895.00	0.0004580
348.15	13790.00	0.0004950
348.15	20680.00	0.0005360
348.15	27580.00	0.0005790
348.15	34470.00	0.0006240
348.15	41370.00	0.0006700
348.15	48260.00	0.0007170
348.15	55160.00	0.0007690
348.15	62050.00	0.0008140
363.15	6895.00	0.0003860
363.15	13790.00	0.0004200
363.15	20680.00	0.0004550
363.15	27580.00	0.0004930
363.15	34470.00	0.0005300
363.15	41370.00	0.0005680
363.15	48260.00	0.0006180
363.15	55160.00	0.0006580
363.15	62050.00	0.0006990
388.15	6895.00	0.0003010
388.15	13790.00	0.0003280
388.15	20680.00	0.0003560
388.15	27580.00	0.0003840
388.15	34470.00	0.0004120
388.15	41370.00	0.0004410
388.15	48260.00	0.0004690
388.15	55160.00	0.0004980
388.15	62050.00	0.0005280
413.15	6895.00	0.0002450
413.15	13790.00	0.0002730
413.15	20680.00	0.0002930
413.15	27580.00	0.0003160
413.15	34470.00	0.0003420
413.15	41370.00	0.0003670
413.15	48260.00	0.0003960
413.15	55160.00	0.0004150
413.15	62050.00	0.0004380

Reference *https://www.doi.org/10.1021/je9000262*

Mass density, kg/m3

Temperature, K - Liquid	Pressure, kPa - Liquid	Mass density, kg/m3 - Liquid
298.15	100.00	773.6

Reference *https://www.doi.org/10.1016/j.fluid.2019.02.006*

Temperature, K	Pressure, kPa	Mass density, kg/m3
293.15	99.46	778.632
293.15	1102.03	779.471
293.15	2002.37	780.22
293.15	4003.86	781.856
293.15	6003.84	783.454
293.15	8003.30	785.025
293.15	10042.20	786.595
293.15	12045.50	788.105
293.15	13918.70	789.495
293.15	15982.40	790.995
293.15	17946.40	792.401
293.15	20017.10	793.855
313.15	102.48	759.667
313.15	1139.02	760.675
313.15	2012.18	761.509
313.15	4102.38	763.47
313.15	5932.83	765.157
313.15	7910.50	766.936
313.15	10017.50	768.784
313.15	12069.20	770.545
313.15	13964.70	772.137
313.15	15901.80	773.737
313.15	17955.80	775.394
313.15	20142.40	777.123
333.15	1112.41	741.367
333.15	2043.58	742.401
333.15	3987.96	744.517
333.15	5966.83	746.613
333.15	8141.84	748.853
333.15	10007.20	750.72
333.15	11993.60	752.664
333.15	14092.70	754.666
333.15	15962.90	756.414

333.15	17994.70	758.261
333.15	19860.60	759.929
353.15	1109.91	721.547
353.15	1973.18	722.669
353.15	4000.02	725.242
353.15	6001.27	727.698
353.15	8046.51	730.125
353.15	10046.10	732.423
353.15	11820.50	734.413
353.15	13860.00	736.633
353.15	15939.70	738.835
353.15	18023.40	740.978
353.15	20002.80	742.965
373.15	1115.51	701.065
373.15	1950.06	702.346
373.15	4154.07	705.638
373.15	6126.03	708.455
373.15	8029.39	711.079
373.15	9951.24	713.63
373.15	12097.10	716.383
373.15	13877.00	718.592
373.15	16148.10	721.319
373.15	18077.70	723.568
373.15	19877.00	725.607
393.15	1162.91	679.792
393.15	1960.31	681.265
393.15	3901.42	684.723
393.15	5983.91	688.253
393.15	7986.39	691.487
393.15	9903.28	694.452
393.15	11974.70	697.527
393.15	13821.00	700.163
393.15	16029.30	703.195
393.15	18027.30	705.845
393.15	20003.70	708.371
413.15	1196.72	657.32
413.15	2172.63	659.527
413.15	4146.43	663.767
413.15	6122.26	667.756
413.15	8132.63	671.583
413.15	10013.20	674.989
413.15	11993.30	678.397
413.15	14003.50	681.703
413.15	16052.90	684.936

413.15	18098.20	688.022
413.15	19934.80	690.694
433.15	1086.72	632.817
433.15	2070.58	635.63
433.15	4050.34	640.931
433.15	6077.00	645.937
433.15	8181.71	650.742
433.15	10076.70	654.811
433.15	12111.10	658.913
433.15	13890.30	662.325
433.15	15958.80	666.096
433.15	18073.30	669.76
433.15	20009.80	672.969
453.15	2100.81	609.942
453.15	4117.30	616.844
453.15	6121.33	623.004
453.15	8117.44	628.596
453.15	9915.40	633.254
453.15	11931.40	638.115
453.15	13934.70	642.628
453.15	15959.00	646.918
453.15	18103.10	651.206
453.15	19890.50	654.601
473.15	2403.47	582.448
473.15	3924.93	589.431
473.15	6045.23	597.933
473.15	8093.25	605.148
473.15	9884.30	610.832
473.15	11911.40	616.733
473.15	13942.60	622.171
473.15	16018.50	627.319
473.15	18132.60	632.216
473.15	20025.00	636.335

Reference *https://www.doi.org/10.1016/j.jct.2010.08.010*

Temperature, K	Pressure, kPa	Mass density, kg/m3
288.15	100.00	782.7
288.15	1000.00	783.7
288.15	5000.00	787.0
288.15	10000.00	790.7
288.15	15000.00	794.1
298.15	100.00	773.2

298.15	1000.00	774.0
298.15	5000.00	777.6
298.15	10000.00	781.8
298.15	15000.00	785.6
298.15	20000.00	789.3
298.15	25000.00	792.9
298.15	30000.00	796.8
298.15	35000.00	799.7
308.15	100.00	763.6
308.15	1000.00	764.5
308.15	5000.00	768.2
308.15	10000.00	772.6
308.15	15000.00	776.8
308.15	20000.00	780.8
308.15	25000.00	784.6
308.15	30000.00	788.3
308.15	35000.00	791.8
308.15	40000.00	795.2
318.15	100.00	754.0
318.15	1000.00	755.0
318.15	5000.00	759.0
318.15	10000.00	763.7
318.15	15000.00	767.9
318.15	20000.00	772.4
318.15	25000.00	776.4
318.15	30000.00	780.3
318.15	35000.00	784.1
318.15	40000.00	787.7
318.15	45000.00	791.1
318.15	50000.00	794.4
328.15	100.00	744.4
328.15	1000.00	745.4
328.15	5000.00	749.7
328.15	10000.00	754.7
328.15	15000.00	759.5
328.15	20000.00	764.0
328.15	25000.00	768.2
328.15	30000.00	772.3
328.15	35000.00	776.1
328.15	40000.00	779.9
328.15	45000.00	783.5
328.15	50000.00	787.0
338.15	100.00	734.5
338.15	1000.00	735.6

338.15	5000.00	740.2
338.15	10000.00	745.7
338.15	15000.00	750.7
338.15	20000.00	755.5
338.15	25000.00	760.0
338.15	30000.00	764.3
338.15	35000.00	768.4
338.15	40000.00	772.3
338.15	45000.00	776.0
338.15	50000.00	779.7
338.15	55000.00	783.2
348.15	100.00	724.6
348.15	1000.00	725.7
348.15	5000.00	730.8
348.15	10000.00	736.5
348.15	15000.00	741.9
348.15	20000.00	747.0
348.15	25000.00	751.7
348.15	30000.00	756.2
348.15	35000.00	760.5
348.15	40000.00	764.6
348.15	45000.00	768.6
348.15	50000.00	772.3
348.15	55000.00	776.0
358.15	100.00	714.3
358.15	1000.00	715.6
358.15	5000.00	720.9
358.15	10000.00	727.2
358.15	15000.00	732.9
358.15	20000.00	738.3
358.15	25000.00	743.3
358.15	30000.00	748.1
358.15	35000.00	752.6
358.15	40000.00	757.0
358.15	45000.00	761.1
358.15	50000.00	765.0
358.15	55000.00	768.9

Reference *https://www.doi.org/10.1016/j.jct.2011.02.008*

Temperature, K	Pressure, kPa	Mass density, kg/m3
283.15	100.00	788.0
283.15	1000.00	788.7

283.15	2000.00	789.5
283.15	5000.00	791.8
293.15	100.00	778.8
293.15	1000.00	779.5
293.15	2000.00	780.4
293.15	5000.00	782.8
293.15	10000.00	786.6
293.15	15000.00	790.4
293.15	20000.00	793.9
313.15	100.00	759.8
313.15	1000.00	760.6
313.15	2000.00	761.5
313.15	5000.00	764.4
313.15	10000.00	768.7
313.15	15000.00	772.9
313.15	20000.00	776.9
333.15	100.00	740.5
333.15	1000.00	741.5
333.15	2000.00	742.6
333.15	5000.00	745.8
333.15	10000.00	750.9
333.15	15000.00	755.6
333.15	20000.00	760.1

Reference *https://www.doi.org/10.1016/j.jct.2012.07.018*

Temperature, K	Pressure, kPa	Mass density, kg/m3
293.15	100.00	778.4
293.15	1000.00	779.1
293.15	2000.00	779.9
293.15	5000.00	782.4
293.15	10000.00	786.3
293.15	15000.00	789.9
293.15	20000.00	793.4
303.15	100.00	769.0
303.15	1000.00	769.8
303.15	2000.00	770.7
303.15	5000.00	773.3
303.15	10000.00	777.5
303.15	15000.00	781.3
303.15	20000.00	785.1
303.15	30000.00	792.1
303.15	40000.00	798.5

313.15	100.00	759.7
313.15	1000.00	760.3
313.15	2000.00	761.2
313.15	5000.00	764.0
313.15	10000.00	768.4
313.15	15000.00	772.6
313.15	20000.00	776.6
313.15	30000.00	784.1
313.15	40000.00	790.9
323.15	100.00	750.1
323.15	1000.00	750.8
323.15	2000.00	751.8
323.15	5000.00	754.8
323.15	10000.00	759.5
323.15	15000.00	763.9
323.15	20000.00	768.2
323.15	30000.00	776.1
323.15	40000.00	783.2
333.15	100.00	740.3
333.15	1000.00	741.1
333.15	2000.00	742.2
333.15	5000.00	745.5
333.15	10000.00	750.5
333.15	15000.00	755.3
333.15	20000.00	759.7
333.15	30000.00	768.1
333.15	40000.00	775.6

Reference *https://www.doi.org/10.1016/j.jct.2014.01.020*

Temperature, K	Pressure, kPa	Mass density, kg/m3
318.15	6895.00	761.5
318.15	13789.00	767.7
318.15	20684.00	773.8
318.15	27579.00	779.0
318.15	34474.00	784.1
318.15	41369.00	788.7
318.15	48263.00	793.4
318.15	55158.00	797.4
318.15	62053.00	801.4
333.15	6895.00	747.3
333.15	13789.00	754.1
333.15	20684.00	760.5

333.15	27579.00	766.5
333.15	34474.00	772.0
333.15	41369.00	777.0
333.15	48263.00	781.7
333.15	55158.00	786.3
333.15	62053.00	790.7
348.15	6895.00	733.6
348.15	13789.00	741.2
348.15	20684.00	748.2
348.15	27579.00	754.5
348.15	34474.00	760.5
348.15	41369.00	766.1
348.15	48263.00	771.4
348.15	55158.00	776.2
348.15	62053.00	781.1
363.15	6895.00	719.6
363.15	13789.00	727.9
363.15	20684.00	735.7
363.15	27579.00	742.8
363.15	34474.00	749.1
363.15	41369.00	755.3
363.15	48263.00	760.7
363.15	55158.00	765.8
363.15	62053.00	771.0
388.15	6895.00	694.7
388.15	13789.00	705.0
388.15	20684.00	713.9
388.15	27579.00	721.9
388.15	34474.00	729.2
388.15	41369.00	736.0
388.15	48263.00	742.2
388.15	55158.00	747.8
388.15	62053.00	753.2
413.15	6895.00	669.7
413.15	13789.00	682.1
413.15	20684.00	692.5
413.15	27579.00	701.8
413.15	34474.00	710.1
413.15	41369.00	717.7
413.15	48263.00	724.9
413.15	55158.00	731.2
413.15	62053.00	737.2

Reference *https://www.doi.org/10.1021/je0605036*

Sources

Isothermal vapour pressures and thermodynamic excess properties of 2,5- and 1,6-dimethylpyrazine with Cyclohexane + Cyclohexanol	https://www.doi.org/10.1016/j.fluid.2014.04.004
Determination and Correlation for the Solubility of Glutaric Acid in Cyclohexane: Measurements and Prediction	https://www.doi.org/10.1021/acs.jced.6b00325
Density, Speed of Sound, and Refractive Index for Binary Mixtures Containing Cycloalkanes with o-Xylene, m-Xylene, p-Xylene, and Mesitylene at Temperatures between (293.15 and 318.15) K	https://www.doi.org/10.1021/je901020a
Thermodynamic Properties of Mixtures Containing Ionic Liquids: Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Organic Compounds in 1-Propyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide, or 1-Propyl-3-methylimidazolium Bromide	https://www.doi.org/10.1021/je060033f
Separation of binary mixtures based on gamma-infinity data using Bromide Acid-3-Alkylimidazolium Ionic Liquid	https://www.doi.org/10.1021/je900686n
Bis(trifluoromethylsulfonyl)imide, or 1-Propyl-3-methylimidazolium Bromide	https://www.doi.org/10.1016/j.jct.2018.09.003
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Organic Compounds in 1-Propyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide, or 1-Propyl-3-methylimidazolium Bromide	https://www.doi.org/10.1016/j.jct.2016.10.041
Gas−Liquid Partition Chromatography: Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Organic Compounds in 1-Butyl-3-methylimidazolium Dibutylphosphate Using Gas−Liquid Chromatography	https://www.doi.org/10.1021/je201310d
Extraction of Low Concentration Cyclohexane from Hexane and Cyclohexene from Benzene in Ionic Liquids: Liquid−Liquid Equilibrium Data and Process Simulation	https://www.doi.org/10.1021/acs.jced.7b00312
Activity Coefficients at Infinite Dilution of Organic Compounds in 1-Butyl-3-methylimidazolium Dibutylphosphate Using Gas−Liquid Chromatography	https://www.doi.org/10.1016/j.fluid.2016.08.008
Separation of hexane/cyclohexane and cyclohexane/cyclohexene mixtures by ionic liquids: Ternary liquid–liquid equilibrium data and interfacial tensions in the systems methyl tert-butyl ether + acetone + cyclohexane, methyl tert-butyl ether + acetone + cyclohexene, and methyl tert-butyl ether + hexane/hex-1-ene	https://www.doi.org/10.1016/j.fluid.2008.08.012
Activity Coefficients at Infinite Dilution of Organic Compounds in 1-Butyl-3-methylimidazolium Tetrafluoroborate Using Inverse Gas Chromatography	https://www.doi.org/10.1021/je800658v
Experimental solubility data of various n-alkane/cyclohexane and n-alkane/benzene systems based on gamma-infinity data measurements.	https://www.doi.org/10.1016/j.jct.2017.11.017
Liquid–liquid equilibria for mixtures of n-heptane + toluene + benzene + sulfolane at 298.15 K	https://www.doi.org/10.1016/j.fluid.2004.10.021
Effect of the alkane chain length on solubility of alkane chain in ionic liquids: Experimental and molecular simulation	https://www.doi.org/10.1016/j.jct.2010.10.003
Densities, Speeds of Sound, Excess Molar Volumes, and Excess Isentropic Compressibilities at T = (298.15, 308.15, and 318.15) K.	https://www.doi.org/10.1021/je100652b
Activity coefficients at infinite dilution and physicochemical properties for 1-alkanols (1-butanol, 1-pentanol, and 1-hexanol) + 1-ethyl-3-methylimidazolium ethylsulfate	https://www.doi.org/10.1016/j.jct.2015.02.024
Comparison of the influence of ionic liquid cations and anions on lactic acid with 1-butanol and 1-hexanol	https://www.doi.org/10.1021/je900446d
THERMODYNAMIC MIXTURES OF 1-METHYL-2-PYRROLIDINONE, CONTAINING ALKOXYETHANOLS. XXVIII. LIQUID–LIQUID EQUILIBRIA	https://www.doi.org/10.1016/j.tca.2011.04.012
Activity coefficients based on mixing and excess Gibbs energy models for [HMIM][NTf2] + 1-alkanol + n-alkane mixtures	https://www.doi.org/10.1016/j.fluid.2017.12.029
Liquid-phase equilibria for mixtures of 1-methylimidazole + 1-butanol + n-alkane and modelling of thermodynamic functions.	https://www.doi.org/10.1016/j.fluid.2009.09.019
Liquid–liquid equilibrium data for the ternary systems of Water, Isopropyl alcohol, and selected cetanes.	https://www.doi.org/10.1021/acs.jced.5b00542
Experimental liquid–liquid equilibria of 1-methylimidazole with hydrocarbons and ethers.	https://www.doi.org/10.1016/j.fluid.2005.09.021
An apparatus for the on-line GC determination of hydrocarbon solubility in water, benzene and cyclohexane from 10 °C to 195 °C	https://www.doi.org/10.1021/je025609p
Activity coefficients at infinite dilution of hydrocarbons in glycols: Experimental data and thermodynamic modeling with the GC-UNIFAC EoS	https://www.doi.org/10.1016/j.jct.2016.10.013
Effect of 1-butyl-3-octylimidazolium thiocyanate on vapor−liquid equilibria of binary mixtures of hydrocarbons: (Cyclohexane + Dimethyl Sulfoxide + Cyclohexanone) and (Cyclohexane + Cyclohexanol) at T = 308.2 K	https://www.doi.org/10.1016/j.fluid.2012.08.004
Experimental Measurements and Correlations of Excess Molar Enthalpy for the Binary and Ternary Mixtures of (Cyclohexane, 1,4-Dioxane and Hydrocarbon) at 308.15 K and Atmospheric Pressure: Cyclohexane methanol liquid mixture from shear viscosity measurements: thermodynamic phase behavior of ionic liquids.	https://www.doi.org/10.1021/je900549r
Effect of Temperature on Phase Equilibrium of the Mixed-Solvent System of 2,2,2-Trifluoroethanol + Methanol + Cyclohexane.	https://www.doi.org/10.1021/je500088z
Liquid−Liquid Equilibria for Benzene + Cyclohexane + 1-Butyl-3-methylimidazolium Tetrafluoroborate at 303.15 K	https://www.doi.org/10.1016/j.jct.2010.03.023
Viscosities of liquid cyclohexane and decane at temperatures between (303 and 598)K and pressures up to 4 MPa measured in a dual capillary viscometer	https://www.doi.org/10.1016/j.jct.2014.05.020
Solubility Measurement and Correlation of Fosfomycin Sodium in Six Organic Solvents at Temperatures between 283.15 and 323.15 K	https://www.doi.org/10.1016/j.fluid.2014.10.013
Viscosities, Densities, and Speeds of Sound of Cycloalkanes with Secondary Alcohols at T = (293.15, 298.15, and 303.15) K: New UNIFAC-VISCO Interaction Parameters:	https://www.doi.org/10.1016/j.tca.2006.06.018
	https://www.doi.org/10.1021/je8002964
	https://www.doi.org/10.1021/je901024t
	https://www.doi.org/10.1021/je900324s
	https://www.doi.org/10.1021/acs.jced.5b00270
	https://www.doi.org/10.1021/acs.jced.7b00638
	https://www.doi.org/10.1021/je050540h

Isobaric Vapor Liquid Liquid Equilibrium for Water + Cyclohexane + Acrylic Acid at 200 mmHg:	https://www.doi.org/10.1021/acs.jced.5b00500
Gas-liquid chromatography measurements of activity coefficients at infinite dilution of hydrocarbons and alkanols in 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide ionic liquids:	https://www.doi.org/10.1016/j.fluid.2010.08.016
Measurement and Prediction of Vapor-Liquid Equilibria in Ternary Systems Containing Organic Solvent, Cyclohexylamine and Cyclohexanol:	https://www.doi.org/10.1021/acs.jced.7b00721
Isothermal Vapor-Liquid Equilibria and Hydrocarbons: Component Selection for Benzene/Cyclohexane Separation in Extractive Distillation:	https://www.doi.org/10.1016/j.jct.2007.06.016
Surface Tension and Interfacial Tension of Binary Organic Liquid Mixtures:	https://www.doi.org/10.1016/j.fluid.2015.03.033
Activity Coefficients at Infinite Dilution of Organic Compounds in Trioctylphosphine Oxide using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je100081v
Solubility of Propyl 4-hydroxybenzoate, Methylparaben, 4-Aminobenzoic Acid, and 3,5-Dinitro-2-methylbenzoic Acid in 13 Pure Solvents from 288.15 to 333.15 K:	https://www.doi.org/10.1021/je034062r
Activity coefficients at infinite dilution for solutes in the ionic liquid trioctylmethylammonium bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je800754w
Solubility of Methane in Heptane + Toluene and Heptane + Ethanol at Elevated Pressures:	https://www.doi.org/10.1021/je500625r
Binary Mixtures of Cyclohexane + Benzene and Benzaldehyde at 293.15 and 323.15 K:	https://www.doi.org/10.1021/je060376d
Solubilities of the Gaseous and Liquid Solutes and Thermodynamics of Solution of Gases, Liquids, and Solids in Ionic Liquids:	https://www.doi.org/10.1021/je049752p
Pure and critical pressures for binary mixtures of methyl tert-butyl ether (MTBE) + alkane and MTBE + alkane:	https://www.doi.org/10.1021/acs.jced.9b00497
Determination and Study on the Solubility of Methane in Heptane + Toluene and Heptane + Ethanol at Elevated Pressures:	https://www.doi.org/10.1016/j.jct.2013.03.002
Binary Mixtures of Cyclohexane + Benzene and Benzaldehyde at 293.15 and 323.15 K:	https://www.doi.org/10.1016/j.jct.2009.08.012
Solubilities of the Gaseous and Liquid Solutes and Thermodynamics of Solution of Gases, Liquids, and Solids in Ionic Liquids:	https://www.doi.org/10.1021/je034138j
Effect of temperature on intermolecular interactions between the organic solvent and ionic liquid at infinite dilution: gas density and virial coefficient:	https://www.doi.org/10.1016/j.tca.2012.04.002
Activity coefficients at infinite dilution for organic compounds Dissolved in 1-Alkyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je300692s
Key-compounds as reference material for calibration of DSC and DTA below room temperature: new CRM 5494-a: Cyclohexane for thermal analysis:	https://www.doi.org/10.1021/je700297c
Activity coefficients at infinite dilution of organic solutes in the ionic liquid trihexyltetradecylphosphonium chloride:	https://www.doi.org/10.1016/j.jct.2017.07.035
VLE and LLE Data for the System Cyclohexane + Cyclohexene + Water at Elevated Pressures:	https://www.doi.org/10.1016/j.tca.2013.05.039
Quaternary liquid + liquid equilibrium data for the extraction of toluene from alkanes using the ionic liquid [EMIM][MSO4]:	https://www.doi.org/10.1016/j.fluid.2007.03.029
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-Ethyl-3-methylimidazolium tetrafluoroborate and Anilines:	https://www.doi.org/10.1016/j.jct.2012.01.004
Correlation, and Molecular Interactions of 1-Alkyl-3-methylimidazole in Different Solvents:	https://www.doi.org/10.1021/je049902w
Azeotropic and Heats of Mixing Data for Several Binary Organic Systems from 273.15 to 328.15 K:	https://www.doi.org/10.1016/j.jct.2014.03.008
Excess Heat Capacities of Binary and Ternary Mixtures Containing 1-Ethyl-3-methylimidazolium tetrafluoroborate and Anilines:	https://www.doi.org/10.1021/acs.jced.8b01256
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid trihexyl-tetradecyl-phosphonium methanesulfonate:	https://www.doi.org/10.1016/j.jct.2018.01.003
Correlation, and Solvent Effect in the Determination and Prediction of Vapor-Liquid Equilibria for a System Containing Water + Butyl Acetate + 2-Methoxyethanol:	https://www.doi.org/10.1021/je060026r
Activity coefficients at infinite dilution of organic solutes in methylphosphonate based ionic liquids using gas-liquid chromatography:	https://www.doi.org/10.1021/je401098b
Correlation, and Solvent Effect Analysis:	https://www.doi.org/10.1016/j.jct.2015.02.023
Thermodynamics of mixtures containing alkanes. XI. Solubility and solution thermodynamics of 1-Ethyl-3-methylimidazolium tetrafluoroborate + benzene, + toluene, + ethylbenzene, + cumene, and + sulfolane at 298.15 K:	https://www.doi.org/10.1021/acs.jced.9b00243
Liquid-Liquid Equilibria of Ternary and Six-Component Systems Including Methanol, Benzene, Toluene, Ethylbenzene, Cumene, and Sulfolane at 298.15 K:	https://www.doi.org/10.1021/je100508y
Isobaric vapor-liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 40, and 50 kPa:	https://www.doi.org/10.1016/j.jct.2012.07.006
Liquid-liquid equilibria for mixtures of ethylene carbonate + aromatic hydrocarbon + cyclohexane:	https://www.doi.org/10.1016/j.jct.2016.10.037
VLE and LLE in ternary systems of two associating components (water, amine, and cyclohexylamine) and a hydrocarbon (cyclohexane or methylcyclohexane):	https://www.doi.org/10.1021/je060153n
Measurements and modeling of LLE and HE for (methanol + toluene) + methanol + 2,4,4-trimethyl-1-pentene:	https://www.doi.org/10.1021/je020089j
Solubility measurement and correlation of N-Formylmorpholine with toluene, benzene, and sulfolane solvents at elevated temperatures:	https://www.doi.org/10.1016/j.fluid.2008.12.007
Isobaric vapor-liquid equilibrium for binary mixtures of 1-hexene + n-hexane and cyclohexane + cyclohexene at 30, 40, and 50 kPa:	https://www.doi.org/10.1016/j.tca.2006.03.012
VLE and LLE for (methanol + hydrocarbon) systems, and LLE for (water + methanol + hydrocarbon) systems:	https://www.doi.org/10.1016/j.fluid.2014.02.023
Activity coefficients at infinite dilution of organic solutes in 1-alkylpyridinium solvents at elevated temperatures:	https://www.doi.org/10.1016/j.jct.2015.01.013
Solubility and Thermodynamic Functions of Gases in 1-Butyl-3-methylpyridinium bis(trifluoromethylsulfonyl)imide ([CnPY][NTf2], n = 2, 4, 5) using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2016.10.040
	https://www.doi.org/10.1016/j.jct.2010.06.009

Isothermal (vapour + liquid) equilibria for binary mixtures of diisopropyl ether with (methanol, or ethanol, or 2-propanol) at 298.15 K: Experimental data, correlations, and predictions.	https://www.doi.org/10.1016/j.jct.2012.11.005
Solubilities of Adipic Acid in Cyclohexanol, Cyclohexanone, Cyclohexane Mixtures.	https://www.doi.org/10.1021/acs.jced.5b00880
Solubility of Gastrodin in Pure and Mixed Solvents at 273.15-313.15 K and Thermodynamic Models.	https://www.doi.org/10.1021/acs.jced.9b00286
Isomerization with Different Cyclohexane Mixtures:	https://www.doi.org/10.1016/j.jct.2017.01.013
Activity coefficients at infinite dilution of organic solutes in diethylene glycol and triethylene glycol from gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2013.05.011
Isobaric vapor-liquid-liquid equilibrium for water + cyclohexane + acetic acid at 101.3 kPa.	https://www.doi.org/10.1016/j.fluid.2013.04.011
(liquid + liquid) equilibria of (heptane, or hexane, or cyclohexane + toluene + 1,3-dimethyl-2-imidazolidinone) ternary systems at T = 298.15 K.	https://www.doi.org/10.1016/j.jct.2009.11.009
Thermodynamic characterization of second generation biofuels:	https://www.doi.org/10.1016/j.fluid.2012.01.007
Isothermal Vapor-Liquid Equilibrium Data for the Binary Systems Consisting of Alcohols + Hydrocarbons.	https://www.doi.org/10.1021/acs.jced.9b00441
Excess Molar Enthalpies for the Binary 1-Pentanol + Cyclohexane or n-Heptane and Ternary Mixtures Containing Cyclohexane,	https://www.doi.org/10.1021/je900347f
Phase Behavior of Cyclohexane, n-Hexane and Piperidine at 298.15 K.	https://www.doi.org/10.1016/j.fluid.2006.07.005
2-Methoxyethyl-3-methyl imidazolium acetate ionic liquid for olefin/paraffin separation: Diffusion coefficients and solubilities.	https://www.doi.org/10.1021/je900890u
Thermodynamic properties and dilution behaviour of ionic liquids with alcohols, water, ketones and hydrocarbons. The	https://www.doi.org/10.1016/j.jct.2013.01.005
Experimental and theoretical study on infinite dilution activity coefficients of alkanes, alkenes, alkyl benzenes in dimethylphosphate based ionic liquids	https://www.doi.org/10.1016/j.jct.2015.07.046
Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol	https://www.doi.org/10.1021/je050159x
Isobaric Vapor-Liquid-Liquid Equilibrium and Vapor-Liquid Equilibrium for the Quaternary System Water + Ethanol + Cyclohexane + Isooctane at 101.3 kPa.	https://www.doi.org/10.1021/je900604a
Solubility of elemental sulfur in pure organic solvents and organic solvent + ionic liquid mixtures from 293.15 to 393.15 K.	https://www.doi.org/10.1016/j.fluid.2011.09.012
Densities, Viscosities, and Refractive Indices of Mixtures of Hexane with Cyclohexane, Decane, Hexadecane,	https://www.doi.org/10.1007/s10765-005-5572-8
Viscosities and Interfacial Properties of 1-Methyl-3-butylimidazolium Hexafluorophosphate and	https://www.doi.org/10.1021/je0604277
Dissolution properties of 5-phenyltetrazole in 1-butyl-3-methylimidazolium tetrafluoroborate ionic liquids:	https://www.doi.org/10.1016/j.jct.2017.04.019
Thermodynamic analysis of the solubilities of (methanol + ethyl acetate) at elevated temperatures.	https://www.doi.org/10.1016/j.fluid.2010.03.031
Determination of Activity Coefficients at Infinite Dilution of Organic Solutes in the Ionic Liquid	https://www.doi.org/10.1021/acs.jced.8b00080
Liquid-Liquid Equilibrium of (Water + Pentane + 2,4-dione + Ethyl Ethanoate) mixtures.	https://www.doi.org/10.1021/je100704j
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography at T = (313.15, 328.15, and 343.15) K:	https://www.doi.org/10.1016/j.jct.2010.12.019
Activity coefficients at infinite dilution in the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography at T = (313.15, 328.15, and 343.15) K: aspects of equilibrium, kinetics and	https://www.doi.org/10.1016/j.fluid.2014.12.033
Excess Molar Enthalpies for Binary Mixtures of Ethanol + Acetone + 2-Octanone, + Cyclohexane and 1-Propanol	https://www.doi.org/10.1021/je020149l
Studies of partial molar volumes of alkylamine in non-electrolyte solvents I. Activity coefficients at infinite dilution of alkylamines in hydrocarbons at 303.15 and 313.15K.	https://www.doi.org/10.1016/j.tca.2005.08.012
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2010.02.006
Measurements of activity coefficients at infinite dilution for organic solutes in 1-butyl-3-methylimidazolium tetracyanoborate [BMIM][TCB] using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2013.02.004
Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling	https://www.doi.org/10.1016/j.fluid.2007.01.042
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Decyl-3-methylimidazolium tetrafluoroborate Using Gas-Liquid	https://www.doi.org/10.1021/je100952p
Chromatography.	https://www.doi.org/10.1016/j.jct.2012.03.015
Activity coefficients at infinite dilution and physicochemical properties for 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate using gas-liquid	https://www.doi.org/10.1016/j.jct.2008.12.018
Measurements of activity coefficients at infinite dilution of aliphatic and chlorinated hydrocarbons in the ionic liquid	https://www.doi.org/10.1016/j.tca.2011.05.017
Phase diagrams for the aqueous solutions of diisopropyl ether, and 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate ionic liquid	https://www.doi.org/10.1021/acs.jced.6b00761
Measurement and correlation of the solubility of benzene and 20 non-aqueous organic solvents at temperatures ranging from 278.15 to 318.15 K.	https://www.doi.org/10.1016/j.jct.2012.01.019
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2005.03.008
1-(2-Methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate.	https://www.doi.org/10.1016/j.jct.2014.12.014
Activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate.	https://www.doi.org/10.1016/j.jct.2013.08.030
Measurement and correlation of the solubility of genistin in eleven organic solvents at T = (288.15 to 323.15) K.	https://www.doi.org/10.1016/j.jct.2015.05.019
Phase Equilibria, Physicochemical Properties, and Excess Enthalpies of Binary and Ternary Mixtures Containing Chlorinated Hydrocarbons, Esters, Cyclohexane, and	https://www.doi.org/10.1021/je7007523
Heptane or 1-Hexene at T = 313.15 K.	https://www.doi.org/10.1007/s10765-006-0063-0
The effect of the naphthenic ring on the VLE of (carbon dioxide + alkane) mixtures:	https://www.doi.org/10.1016/j.jct.2015.07.018
Solubilities of Adipic Acid in Cyclohexanol, Cyclohexanone, Cyclohexane Mixtures.	https://www.doi.org/10.1021/acs.jced.5b00880
Solubility of Gastrodin in Pure and Mixed Solvents at 273.15-313.15 K and Thermodynamic Models.	https://www.doi.org/10.1021/acs.jced.9b00286
Isomerization with Different Cyclohexane Mixtures:	https://www.doi.org/10.1016/j.jct.2017.01.013
Activity coefficients at infinite dilution of organic solutes in diethylene glycol and triethylene glycol from gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2013.05.011
Isobaric vapor-liquid-liquid equilibrium for water + cyclohexane + acetic acid at 101.3 kPa.	https://www.doi.org/10.1016/j.fluid.2013.04.011
(liquid + liquid) equilibria of (heptane, or hexane, or cyclohexane + toluene + 1,3-dimethyl-2-imidazolidinone) ternary systems at T = 298.15 K.	https://www.doi.org/10.1016/j.jct.2009.11.009
Thermodynamic characterization of second generation biofuels:	https://www.doi.org/10.1016/j.fluid.2012.01.007
Isothermal Vapor-Liquid Equilibrium Data for the Binary Systems Consisting of Alcohols + Hydrocarbons.	https://www.doi.org/10.1021/acs.jced.9b00441
Excess Molar Enthalpies for the Binary 1-Pentanol + Cyclohexane or n-Heptane and Ternary Mixtures Containing Cyclohexane,	https://www.doi.org/10.1021/je900347f
Phase Behavior of Cyclohexane, n-Hexane and Piperidine at 298.15 K.	https://www.doi.org/10.1016/j.fluid.2006.07.005
2-Methoxyethyl-3-methyl imidazolium acetate ionic liquid for olefin/paraffin separation: Diffusion coefficients and solubilities.	https://www.doi.org/10.1021/je900890u
Thermodynamic properties and dilution behaviour of ionic liquids with alcohols, water, ketones and hydrocarbons. The	https://www.doi.org/10.1016/j.jct.2013.01.005
Experimental and theoretical study on infinite dilution activity coefficients of alkanes, alkenes, alkyl benzenes in dimethylphosphate based ionic liquids	https://www.doi.org/10.1016/j.jct.2015.07.046
Surface Properties of Dilute Solutions of Alkanes in Benzyl Alcohol	https://www.doi.org/10.1021/je050159x
Isobaric Vapor-Liquid-Liquid Equilibrium and Vapor-Liquid Equilibrium for the Quaternary System Water + Ethanol + Cyclohexane + Isooctane at 101.3 kPa.	https://www.doi.org/10.1021/je900604a
Solubility of elemental sulfur in pure organic solvents and organic solvent + ionic liquid mixtures from 293.15 to 393.15 K.	https://www.doi.org/10.1016/j.fluid.2011.09.012
Densities, Viscosities, and Refractive Indices of Mixtures of Hexane with Cyclohexane, Decane, Hexadecane,	https://www.doi.org/10.1007/s10765-005-5572-8
Viscosities and Interfacial Properties of 1-Methyl-3-butylimidazolium Hexafluorophosphate and	https://www.doi.org/10.1021/je0604277
Dissolution properties of 5-phenyltetrazole in 1-butyl-3-methylimidazolium tetrafluoroborate ionic liquids:	https://www.doi.org/10.1016/j.jct.2017.04.019
Thermodynamic analysis of the solubilities of (methanol + ethyl acetate) at elevated temperatures.	https://www.doi.org/10.1016/j.fluid.2010.03.031
Determination of Activity Coefficients at Infinite Dilution of Organic Solutes in the Ionic Liquid	https://www.doi.org/10.1021/acs.jced.8b00080
Liquid-Liquid Equilibrium of (Water + Pentane + 2,4-dione + Ethyl Ethanoate) mixtures.	https://www.doi.org/10.1021/je100704j
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography at T = (313.15, 328.15, and 343.15) K:	https://www.doi.org/10.1016/j.jct.2010.12.019
Activity coefficients at infinite dilution in the ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography at T = (313.15, 328.15, and 343.15) K: aspects of equilibrium, kinetics and	https://www.doi.org/10.1016/j.fluid.2014.12.033
Excess Molar Enthalpies for Binary Mixtures of Ethanol + Acetone + 2-Octanone, + Cyclohexane and 1-Propanol	https://www.doi.org/10.1021/je020149l
Studies of partial molar volumes of alkylamine in non-electrolyte solvents I. Activity coefficients at infinite dilution of alkylamines in hydrocarbons at 303.15 and 313.15K.	https://www.doi.org/10.1016/j.tca.2005.08.012
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2010.02.006
Measurements of activity coefficients at infinite dilution for organic solutes in 1-butyl-3-methylimidazolium tetracyanoborate [BMIM][TCB] using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2013.02.004
Determination and correlation of vapor liquid equilibrium for binary systems consisting of close-boiling	https://www.doi.org/10.1016/j.fluid.2007.01.042
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Decyl-3-methylimidazolium tetrafluoroborate Using Gas-Liquid	https://www.doi.org/10.1021/je100952p
Chromatography.	https://www.doi.org/10.1016/j.jct.2012.03.015
Activity coefficients at infinite dilution and physicochemical properties for 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate using gas-liquid	https://www.doi.org/10.1016/j.jct.2008.12.018
Measurements of activity coefficients at infinite dilution of aliphatic and chlorinated hydrocarbons in the ionic liquid	https://www.doi.org/10.1016/j.tca.2011.05.017
Phase diagrams for the aqueous solutions of diisopropyl ether, and 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate ionic liquid	https://www.doi.org/10.1021/acs.jced.6b00761
Measurement and correlation of the solubility of benzene and 20 non-aqueous organic solvents at temperatures ranging from 278.15 to 318.15 K.	https://www.doi.org/10.1016/j.jct.2012.01.019
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2005.03.008
1-(2-Methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate.	https://www.doi.org/10.1016/j.jct.2014.12.014
Activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-(2-methoxyethyl)-1-methylpyrrolidinium tetrafluoroborate.	https://www.doi.org/10.1016/j.jct.2013.08.030
Measurement and correlation of the solubility of genistin in eleven organic solvents at T = (288.15 to 323.15) K.	https://www.doi.org/10.1016/j.jct.2015.05.019
Phase Equilibria, Physicochemical Properties, and Excess Enthalpies of Binary and Ternary Mixtures Containing Chlorinated Hydrocarbons, Esters, Cyclohexane, and	https://www.doi.org/10.1021/je7007523
Heptane or 1-Hexene at T = 313.15 K.	https://www.doi.org/10.1007/s10765-006-0063-0
The effect of the naphthenic ring on the VLE of (carbon dioxide + alkane) mixtures:	https://www.doi.org/10.1016/j.jct.2015.07.018

Isobaric Vapor-Liquid Equilibrium for the Binary Systems 1-Pentanol + Cyclohexane and 1-Pentanol + 1-Octanol at Low Pressures:	https://www.doi.org/10.1021/je700285j
Excess Molar Volume along with Viscosity and Refractive Index for Binary Mixtures of Cyclohexane + 1-Decanol with Five Cycloalkanes:	https://www.doi.org/10.1021/je400529k
Solubilities of evodiamine in twelve organic solvents from T = (283.2 to 328.2) K:	https://www.doi.org/10.1016/j.jct.2012.11.021
Solubilities of Betulin in Fourteen Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je700069g
Vapor-Liquid Equilibria and Excess Enthalpies for Binary Systems of Dimethoxymethane with Hydrocarbons:	https://www.doi.org/10.1021/je049681u
Measurement and Correlation of the Solubilities of Sulfur S8 in 10 Solvents:	https://www.doi.org/10.1021/acs.jced.7b00699
Deuterium isotope effects in liquid liquid phase diagrams of aniline + cyclohexane mixtures:	https://www.doi.org/10.1016/j.fluid.2005.10.002
Tetramethylammonium chloride + glycerol deep eutectic solvent as separation agent for organic liquid mixtures:	https://www.doi.org/10.1016/j.fluid.2018.06.003
Dynamic viscosities of binary mixtures of cycloalkanes with primary alcohols at pressures up to 100 MPa:	https://www.doi.org/10.1016/j.jct.2006.06.008
Binary Liquid−Solid Equilibrium of Resveratrol + Nicotinamide:	https://www.doi.org/10.1021/je501074b
Experimental limiting activity coefficients for 2-propanol + 2-methylpentane + 2,2,4-trimethylpentane at (298.15 to 328.15) K:	https://www.doi.org/10.1016/j.jct.2006.10.008
Vapor−Liquid Equilibria for (Acetic Acid + Cyclohexane) and (Cyclohexane + Acetylacetone) at Pressure of 101.3 kPa and for (Acetic Acid + Acetylacetone) at Pressure of 50 kPa:	https://www.doi.org/10.1021/je900669t
Measurement and correlation of vapor pressure of benzene and thiophene with binary n-butyl acetate mixtures at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2008.09.018
Activity Coefficients at Infinite Dilution of Organic Solvents from (283.2 to 323.2) K:	https://www.doi.org/10.1021/je4001334
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide:	https://www.doi.org/10.1016/j.fluid.2009.01.011
Determination of Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquid 1-Butyl-3-methylimidazolium Octyl Sulfate Using Gas−Liquid Chromatography:	https://www.doi.org/10.1021/je0500375
Determination of activity coefficients at infinite dilution of organic solutes in 1-Butyl-3-methylimidazolium methylsulfate using GLC:	https://www.doi.org/10.1016/j.fluid.2005.04.021
Binary equilibria study of the 2-Methoxyethanol/n-butylamine/n-octane/n-octylisothiocyanate system at 328.15 K:	https://www.doi.org/10.1016/j.jct.2013.04.011
Vapor−Liquid Equilibrium Measurements of Ethyl Propanoate + Benzene + Ethanol at 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2012.01.010
Infinite Dilution Activity Coefficients of Solutes Dissolved in Two Tetraalkylammonium Ionic Liquids:	https://www.doi.org/10.1021/je400704a
Measurement of Diffusion Coefficients in Thermodynamically Nonideal Systems:	https://www.doi.org/10.1021/je500050p
Extractions of volatile organic compounds with the ionic liquids 1-butyl-1-methylpyrrolidinium dicyanamide:	https://www.doi.org/10.1021/je0497303
Liquid−Liquid Equilibria for Benzene(Thiophene) + Ethanol + Hydrocarbon mixtures in trucks and buses. Excess Molar Data and Correlation:	https://www.doi.org/10.1016/j.jct.2012.09.017
Binary mixtures containing diisopropyl ether (DIPE) or 1-butanol and 1-hexene or 1-octene:	https://www.doi.org/10.1021/acs.jced.9b00313
Apparatus for the Determination of Activity Coefficients at Infinite Dilution:	https://www.doi.org/10.1016/j.fluid.2011.11.005
Thermodynamic properties of Mixtures containing Alkylimidazolium Cations. 8. Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquids 1-Ethyl-3-methylimidazolium Ethylsulfate and 1-Butyl-3-methylimidazolium Methylsulfate:	https://www.doi.org/10.1016/j.jct.2014.12.023
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide:	https://www.doi.org/10.1021/acs.jced.8b00353
Measurement and Correlation of Activity Coefficients at Infinite Dilution for Organic Solutes in Ionic Liquids 1-Butyl-3-methylimidazolium Methylsulfate and 1-Butyl-1-methylpyrrolidinium Methylsulfate:	https://www.doi.org/10.1021/je0502041
Activity coefficients at infinite dilution for organic solutes in 1-butyl-3-methylimidazolium methylsulfate:	https://www.doi.org/10.1016/j.jct.2013.01.007
Gas−Liquid Chromatography at T = (298.15 and 318.15) K: Activity Coefficients at Infinite Dilution for Alkanes in Methyl Decanoate + Methyl Dodecanoate:	https://www.doi.org/10.1016/j.fluid.2008.06.006
Vapor−Liquid Equilibria for three binaries, ethanol + 1-propanol + 2-methylpropan-2-ol, at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2015.11.035
Activity coefficients at infinite dilution for organic solutes in 1-butyl-1-methylpyrrolidinium dicyanamide:	https://www.doi.org/10.1016/j.fluid.2018.11.011
Separation of binary mixtures n-hexane/benzene by ionic liquids [DBA][BF4] and [DDA][BF4]:	https://www.doi.org/10.1016/j.jct.2017.03.004
Solid−Liquid Equilibria of Cyclohexane/cyclohexene and Ethylbenzene/Tetralin Mixtures:	https://www.doi.org/10.1021/je700234e
Dibenzothiophene and Benzothiophene Solubilities in Organic Solvents:	https://www.doi.org/10.1016/j.jct.2012.04.015
Effect of the anion and the alkyl chain length of the cation on the extraction of toluene from alkanes: Effect of the anion and the alkyl chain length of the cation on investigation of limiting activity coefficients:	https://www.doi.org/10.1021/je020145g
New ionic liquid [P444 4 4][NTf2] in bio-butanol extraction of aromatics: Effect of the anion and the alkyl chain length of the cation on investigation of limiting activity coefficients:	https://www.doi.org/10.1016/j.fluid.2018.07.028
Densities and Viscosities of Binary Mixtures of Tri-n-butyl Phosphate + Cyclohexane, + n-Heptane at T = (288.15, 293.15, 298.15, 303.15, and 308.15) K:	https://www.doi.org/10.1021/je8003707
Solubility of 2-Ethylanthraquinone in Binary Mixtures of Oligooxymethylene Dimethyl Ethers with Benzyl Alcohol or Benzyl Ether:	https://www.doi.org/10.1021/acs.jced.6b00334
Enthalpies of Vaporization and Vapor Pressures of Some Deuterated Cyclopentanes and 4 from 293.15 to 348.15 K:	https://www.doi.org/10.1021/je800091s
Experimental Mutual Solubility Data for Cyclohexane and Water in Aqueous Solutions of Diethanolamine:	https://www.doi.org/10.1021/acs.jced.8b01179

Selective Separation of Aromatics from Paraffins and Cycloalkanes Using Morpholinium-Based Ionic Liquid:	https://www.doi.org/10.1021/je501008b
Solubility of Carotene in Binary Solvents Formed by Some Hydrocarbons with Dibutyl Ether and 1,2-Dimethoxyethane:	https://www.doi.org/10.1021/je030165y
Solubilities of Phosphorus-Containing Compounds in Selected Solvents:	https://www.doi.org/10.1021/je100341q
Viscosities of Dimethyl Carbonate or Diethyl Carbonate with Alkanes at Four Temperatures: New Unified Correlation	https://www.doi.org/10.1021/je020131a
Activity Coefficients at Infinite Dilution of Organic Solutes and Water in Tributylethylphosphonium Methylsulfate:	https://www.doi.org/10.1021/acs.jced.5b00980
Experimental study on vapor-liquid equilibria of ternary systems of (cyclohexane + nonane) at temperatures from 298.15 K to 328.15 K and pressures up to 40 MPa:	https://www.doi.org/10.1016/j.jct.2012.02.032
Measurements of activity coefficients at infinite dilution in vegetable oils and fatty acids using the dilutor technique:	https://www.doi.org/10.1016/j.fluid.2013.10.035
Liquid-liquid equilibria for ternary systems of (cyclohexane + aromatic compounds + thiophene): Topological and thermodynamic investigations of molecular interactions	https://www.doi.org/10.1016/j.jct.2007.04.005
Viscous Calibration Liquids for Self-Diffusion Measurements:	https://www.doi.org/10.1016/j.fluid.2010.05.009
Miscibility behavior of trihexyl(tetradecyl)phosphonium tetrafluoroborate with cyclo hydrocarbons:	https://www.doi.org/10.1016/j.fluid.2005.06.011
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Benzenes in 1-Alkyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imide Ionic Liquids:	https://www.doi.org/10.1021/acs.jced.5b00246
Densities, Excess Molar Volumes, Isothermal Compressibilities, and Isobaric Expansivities of Dimethyl Carbonate + Cyclohexane Systems at Temperatures from (293.15 to 313.15) K	https://www.doi.org/10.1016/j.fluid.2014.03.020
Determination of activity coefficients at infinite dilution of organic solutes in methyl acetate using gas-liquid chromatography	https://www.doi.org/10.1021/je700282w
Activity coefficients at infinite dilution measurement of liquid/liquid equilibria by nuclear field nuclear magnetic resonance	https://www.doi.org/10.1021/je050544m
Liquid-Liquid-Solid Equilibria in the Ternary System Water-Phosphoric Acid-Cyclohexane at 25 and 35 deg.C:	https://www.doi.org/10.1021/je100353j
Stability Domain of Hemihydrate and Anhydrous Phosphoric Acid:	https://www.doi.org/10.1021/je800218g
Cyclohexane/cyclohexene by imidazolium-based ionic liquids:	https://www.doi.org/10.1016/j.fluid.2006.03.002
n-Alkanes and Cyclohexane: Prediction for n-Hexadecane and n-Eicosane + Cyclohexane, Methylcyclohexane, and Ethylcyclohexane Mixtures from Electrostatic Properties of Polar Compounds	https://www.doi.org/10.1016/j.fluid.2017.01.027
Activity Coefficients at Infinite Dilution for Organic Solutes Dissolved in Three Methylcyclohexane and Ethylcyclohexane Mixtures from Electrostatic Properties of Polar Compounds	https://www.doi.org/10.1021/acs.jced.8b00666
Solubility Measurements and Thermodynamic Properties of Liquids Bearing Short Linear Alkyl Side Chains at Three Temperatures	https://www.doi.org/10.1021/je900460m
Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Mutual Solubilities of Cyclohexane and Water in the Ionic Liquid 3-Butyl-3-methyl-pyridinium Bis(trifluoromethylsulfonyl)imide	https://www.doi.org/10.1016/j.jct.2017.09.014
Phase Equilibria of Cyclohexane (2E)-1-(2-Butoxy-3-dimethylamino)-2-propen-1-one and Cyclohexane + Ethanol: A Ternary Solubility Study on Solubility and Liquid-Liquid Phase Behavior for Benzene + 2,2,2-Trifluoroethanol + Cyclohexane at Three Temperatures and Pressure 101.3 kPa:	https://www.doi.org/10.1021/je200349t
Excess volumes, densities, speeds of sound and viscosities for the binary systems 1-butanol + 1-methylimidazole with dichloromethane at 293.15 K:	https://www.doi.org/10.1021/acs.jced.8b00125
Activity coefficients at infinite dilution measurements for organic solutes and 2-methylpropan-2-ol in the ionic liquid 1-ethyl-3-methylimidazolium methanesulfonate:	https://www.doi.org/10.1021/je4001894
Solubility Measurement and Modeling of 1(7)-Nitrophenylethanone and 5(8)-Nitroquinoline in Mono-Pure Organic Solvents from T = (278.15 to 328.15 K) and Mixing Properties of Solutions:	https://www.doi.org/10.1021/acs.jced.8b00720
Influence of Anion Structure on the Liquid-Liquid Equilibria of 1-Ethyl-3-methylimidazolium Cation Ionic Liquids:	https://www.doi.org/10.1021/je020148t
Measurements of activity coefficients at infinite dilution for organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate:	https://www.doi.org/10.1016/j.jct.2010.05.010
Reduction of Physicochemical Properties from Solubilities: Thermodynamic properties of binary mixtures containing Tetrahydropyran: Liquid + liquid equilibrium of ternary and quaternary systems containing pentane, cyclohexane, toluene and the ionic liquid [EMim][N(CN)2]. Experimental data and correlation:	https://www.doi.org/10.1021/acs.jced.8b00192
	https://www.doi.org/10.1016/j.fluid.2006.03.020
	https://www.doi.org/10.1021/je025621h
	https://www.doi.org/10.1021/je101114r
	https://www.doi.org/10.1016/j.jct.2012.03.005
	https://www.doi.org/10.1021/je501140p
	https://www.doi.org/10.1016/j.tca.2010.03.028
	https://www.doi.org/10.1016/j.jct.2015.10.018

Activity coefficients at infinite dilution of organic solutes in 1-hexyl-3-methylimidazolium trifluoroacetate and 1-octyl-3-methylimidazolium tetrafluoroborate using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2013.10.038
Measurement and Correlation of the Dissolution Equilibria of 2-Bromoaniline in Various Solvents between T = (278.15 and 313.15) K:	https://www.doi.org/10.1021/acs.jced.7b00840
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium methyl sulfate:	https://www.doi.org/10.1016/j.jct.2014.04.020
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Benzenes in	https://www.doi.org/10.1021/je060142u
Infinite dilution activity coefficients, specific retention volumes and	https://www.doi.org/10.1016/j.fluid.2006.07.015
Evaluation of (ranor + liquid) equilibria for the binary systems 1-propanol +	https://www.doi.org/10.1016/j.jct.2008.06.005
Liquid and Liquid Equilibria for Alkane Solvent and 1-Octanol +	https://www.doi.org/10.1021/je050227f
Cyclohexane + Ethylbenzene + 1-Hexene) at low 1-octanol	https.www.doi.org/10.1016/j.jct.2012.07.018
Solubilities of dicumenolic acid in binary solvent mixtures:	https://www.doi.org/10.1016/j.fluid.2011.02.018
Solubility Determination and Modeling of Sodium	https://www.doi.org/10.1021/acs.jced.5b00783
Interactions of volatile organic compounds with the ionic liquid	https://www.doi.org/10.1016/j.jct.2011.09.028
Ternary Solid−Liquid Equilibria for the quaternary system methanol +	https://www.doi.org/10.1016/j.fluid.2009.10.007
Solubility Modeling and Mixing Properties for Benzoin in Different	https://www.doi.org/10.1021/acs.jced.7b00743
Determination and correlation of solubility and solution thermodynamics	https://www.doi.org/10.1016/j.fluid.2015.03.022
Volumetric investigation of the ternary system ethanol + dimethylformamide +	https://www.doi.org/10.1016/j.fluid.2014.01.046
Gas−Liquid Critical Temperatures of Some Alkenes, Amines, and Cyclic	https://www.doi.org/10.1021/je0341357
Solubility and Solution Thermodynamics of	https://www.doi.org/10.1021/acs.jced.9b00778
Density and Viscosity of Decalin + Cyclohexane and Toluene Binary	https://www.doi.org/10.1021/je800940j
Activity Coefficients at Infinite Dilution in 1-Methylimidazolium Nitrate Ionic	https://www.doi.org/10.1021/je100998r
Activity coefficients in binary mixtures formed by cyclohexanone with a	https://www.doi.org/10.1016/j.fluid.2005.06.022
Measurements of activity coefficients at infinite dilution for organic solutes	https://www.doi.org/10.1016/j.jct.2013.07.004
(Liquid + liquid) equilibrium data for the ternary systems cycloalkane +	https://www.doi.org/10.1016/j.jct.2010.12.014
Activity coefficient at infinite dilution measurements for organic solutes	https://www.doi.org/10.1016/j.jct.2012.06.009
Vapor−Liquid Equilibrium for Ternary and Binary Mixtures of	https://www.doi.org/10.1021/je4004993
Solubilities of saturated fatty acids: Tetrahydrofuran/cyclohexane/dioxane	https://www.doi.org/10.1016/j.tca.2005.08.007
Activity coefficients at infinite dilution of organic solutes and water in the ionic	https://www.doi.org/10.1016/j.jct.2011.04.018
The determination of activity coefficients at infinite dilution using	https://www.doi.org/10.1016/j.jct.2003.09.011
Vapor−Liquid Equilibrium Data for the Water + Ethanol + Cyclohexanone System	https://www.doi.org/10.1021/je400501z
Measurement of activity coefficients at infinite dilution in cyclohexane + cyclohexanone solvent	https://www.doi.org/10.1016/j.jct.2007.01.004
Determination and correlation of solubility and solution thermodynamics	https://www.doi.org/10.1016/j.jct.2019.03.029
Excess Molar Enthalpies of Eight Solvents	https://www.doi.org/10.1021/acs.jced.9b00710
Solubility Data for Refumilast and Maravirоc in Various Solvents between	https://www.doi.org/10.1021/acs.jced.7b00615
Solubility of 3-Nitrobenzonitrile in 12 Organic Solvents from TK = (278.15 to	https://www.doi.org/10.1016/j.jct.2010.12.020
Solubility Determination of methyl(trioctyl)ammonium	https://www.doi.org/10.1021/acs.jced.9b00661
Solubility and transport properties of ternary mixtures containing 1-alkanol +	https://www.doi.org/10.1016/j.tca.2009.02.022
Ethylbenzene + Cyclohexane at 303.15 K: Experimental data,	https://www.doi.org/10.1021/je400076x
Densities and Kinematic Viscosities of a Quinary Regular Liquid System and	https://www.doi.org/10.1007/s10765-014-1759-1
Its Five Quaternary Subsystems at 293.15 K and 298.15 K: II. Vapor	https://www.doi.org/10.1021/je7005488
Liquid Equilibrium Data for Binary and Ternary Mixtures Containing Ethyl	https://www.doi.org/10.1016/j.fluid.2013.10.048
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
Capacity of ionic liquids [EMim][NTf2] and [EMpy][NTf2] for extraction of toluene from mixtures with alkanes: Comparative study of the effect of the cation:	https://www.doi.org/10.1016/j.fluid.2011.11.016

Abraham model correlations for describing the thermodynamic properties of solute transfer into pentyl acetate based on headspace chromatographic and solubility measurements:	https://www.doi.org/10.1016/j.jct.2018.05.003
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Thermodynamic properties of chiral fenchones in some solutions at T = 298.15 K:	https://www.doi.org/10.1016/j.jct.2010.12.004
Study of activity coefficients at infinite dilution for organic solutes and isobaric vapor-liquid equilibrium for the binary mixtures of propane with ethanol, 1-propanol, 1-butanol, 2-propanol, 2-methyl-1-propanol, 2-methyl-2-propanol, 1-pentanol, 3-methyl-1-butanol, 2-methyl-1-butanol, 2-methyl-2-butanol, 2,2-dimethylpropanol, 1-hexanol, 2-methyl-1-pentanol, 3-methyl-1-pentanol, 4-methyl-1-pentanol, 2-methyl-2-pentanol, 2-methyl-3-pentanol, 2,2-dimethylbutanol, 2,3-dimethylbutanol, 3,3-dimethylbutanol, 1-heptanol, 1-octanol, 1-nonanol, 1-decanol, 1-undecanol, 1-dodecanol, 1-tridecanol, 1-tetradecanol, 1-pentadecanol, 1-hexadecanol, 1-heptadecanol, 1-octadecanol, 1-nonadecanol, 1-eicosanol, 1-docosanol, 1-tetracosanol, 1-hexacosanol, 1-octacosanol, 1-triacontanol, 1-dotriacontanol, 1-tetratriacontanol, 1-hexatriacontanol, 1-octatriacontanol, 1-tetracontanol, 1-dotetracontanol, 1-tetratetracontanol, 1-hexatetracontanol, 1-octatetracontanol, 1-pentacontanol, 1-dopentacontanol, 1-tetrapentacontanol, 1-hexapentacontanol, 1-octapentacontanol, 1-hexacontanol, 1-dohexacontanol, 1-tetrahexacontanol, 1-hexahexacontanol, 1-octahexacontanol, 1-heptacontanol, 1-doheptacontanol, 1-tetraheptacontanol, 1-hexaheptacontanol, 1-octaheptacontanol, 1-octacontanol, 1-dooctacontanol, 1-tetraoctacontanol, 1-hexaoctacontanol, 1-octaoctacontanol, 1-nonacontanol, 1-dononacontanol, 1-tetrononacontanol, 1-hexononacontanol, 1-octononacontanol, 1-hectanol, 1-dohectanol, 1-tetrahectanol, 1-hexahectanol, 1-octahectanol, 1-nonahectanol, 1-dohexahectanol, 1-tetrahexahectanol, 1-hexahexahectanol, 1-octahexahectanol, 1-nonahexahectanol, 1-dohexahexahectanol, 1-tetrahexahexahectanol, 1-hexahexahexahectanol, 1-octahexahexahectanol, 1-nonahexahexahectanol, 1-dohexahexahexahectanol, 1-tetrahexahexahexahectanol, 1-hexahexahexahexahectanol, 1-octahexahexahexahectanol, 1-nonahexahexahexahectanol, 1-dohexahexahexahexahectanol, 1-tetrahexahexahexahexahectanol, 1-hexahexahexahexahexahectanol, 1-octahexahexahexahexahectanol, 1-nonahexahexahexahexahectanol, 1-dohexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-dohexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-tetrahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-hexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-octahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahexahectanol, 1-nonahex

Solubility of a-Carotene in Binary Solvents Formed by Some Hydrocarbons with tert-Butyl Methyl Ether: Experimental and predicted vapor-liquid equilibrium of 1,4-dioxane with cyclohexane and benzene:	https://www.doi.org/10.1021/je0495583
Solubility measurement and thermodynamic functions of dehydroepiandrosterone acetate in different solvents:	https://www.doi.org/10.1016/j.jct.2016.01.023
Measurement and prediction of liquid-liquid equilibria in ternary cyclohexane + cyclohexanol + benzene:	https://www.doi.org/10.1016/j.fluid.2005.09.010
Temperature-dependence of densities, speeds of sound and derived properties of cyclohexylamine + cyclohexane or benzene:	https://www.doi.org/10.1021/acs.jced.5b00011
Measurements of binary diffusion coefficients for metal complexes in dimethyl sulfoxide + water mixtures:	https://www.doi.org/10.1016/j.fluid.2016.12.001
Measurement of Activity Coefficients of Solutes at Infinite Dilution in (Dimethyl Sulfoxide + Tetrabutylammonium Based Ionic Liquid) Binary Mixtures:	https://www.doi.org/10.1016/j.tca.2012.08.011
Thermodynamics properties, VLE and LLE of the systems 2-pentanol and cyclohexane or methylbenzene for contributing to the knowledge of new biofuels:	https://www.doi.org/10.1016/j.fluid.2010.06.003
Activity coefficients at infinite dilution measurements for organic solutes and water in molecular and ionic liquids:	https://www.doi.org/10.1021/je030122h
4-methyl-N-butyl-pyridinium bis(trifluoromethylsulfonyl)-imide + 1-butanol + water: isobaric vapor-liquid equilibrium, excess molar volumes and isentropic compressibilities, changes of mixing of components at 298.15 K:	https://www.doi.org/10.1016/j.jct.2016.01.017
Bubble Temperature Measurements on Some Binary Mixtures Formed by Cyclohexane or Methylbenzene + 1-Alkanol at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2015.09.035
Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with Ethyldimethyl-2-methoxyethylammonium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je0605036
Solubilities of Succinic Acid in 3-Propyl-1-methylpiperidinium Bis(trifluoromethylsulfonyl)imide containing binary solvent mixtures:	https://www.doi.org/10.1016/j.jct.2009.06.011
Measurement and Correlation for Solubilities of 16-Dehydropregnenolone Acetate in different solvents:	https://www.doi.org/10.1016/j.tca.2010.03.012
Excess molar enthalpies of the ternary mixtures: (methyl tert-butyl ether or organic solvents + cyclohexane + 1-alkanol) at the temperature 298.15 K:	https://www.doi.org/10.1021/je050377q
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-butyl-3-methyl-imidazolium 2-(2-methoxyethoxy) ethyl sulfate using g.l.c. at T = (298.15, 303.15, and 308.15) K:	https://www.doi.org/10.1021/je030141r
Vapor-liquid equilibrium + cyclohexane measurements and modeling for the 1-alkanol + organic solvent binary systems:	https://www.doi.org/10.1016/j.jct.2008.01.004
Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Methyl-3-octylimidazolium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1016/j.jct.2016.08.008
Measurement and prediction of liquid-liquid equilibria of ternary systems:	https://www.doi.org/10.1021/je900838a
Influence of anion structure on the thermodynamic properties of 1-butyl-3-methylimidazolium based ionic liquids:	https://www.doi.org/10.1016/j.jct.2010.05.017
Vapor-Liquid Equilibria in Binary Systems Formed by Cyclohexane with 1-Alkanol or Methyl Tert-Butyl Ether:	https://www.doi.org/10.1021/acs.jced.7b00956
Thermodynamics of solvation in propylene glycol and methyl cellosolve:	https://www.doi.org/10.1016/j.fluid.2008.02.008
Thermophysical approach to understand the nature of molecular interactions and structural factors in different solvents:	https://www.doi.org/10.1016/j.jct.2014.06.006
Vapor-liquid equilibrium measurements and modeling for the 1-alkanol + organic solvents mixtures:	https://www.doi.org/10.1021/je1013262
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid triethylsulfonium bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1016/j.jct.2017.06.008
Measurement and correlation of isobaric vapor-liquid equilibrium for the ternary system 1-propanol + 1-butanol + benzene at 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2004.09.003
Partition Coefficients of Organic Compounds in Four New Tetraalkylammonium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Using Gas-Liquid Chromatography:	https://www.doi.org/10.1016/j.fluid.2011.06.027
Solubility of Amorphous Cefmetazole Sodium Hydrate in 1-Methylpyrrolidin-2-one and Binary Solvent Mixtures:	https://www.doi.org/10.1016/j.jct.2008.12.005
Solid-Liquid Equilibria for Binary Organic Systems Containing Pharmaceuticals:	https://www.doi.org/10.1021/je9008443
Excess Molar Enthalpies for the Binary and Ternary Mixtures of Cyclohexane, Tetrahydropyran, and 1,4-Dioxane at 308.15 K and Atmospheric Pressure: Experimental Measurements and Correlations:	https://www.doi.org/10.1016/j.fluid.2015.06.030
Measurement and Correlation for Solubilities of Mixtures Containing Amines. xii. Volumetric and Spectroscopic Measurements of 298.15, 303.15, and 308.15 K and Mixing Properties of Mixtures Containing Tetraethylenepentamine and Binary Solvent Mixtures:	https://www.doi.org/10.1021/je200637v
Molecular modelling of thermodynamics and selectivity of separation based on activity:	https://www.doi.org/10.1021/je400134d
Activity coefficients at infinite dilution measurements for organic solutes in the ionic liquid 1-butyl-3-methyl-imidazolium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/acs.jced.6b00741
2,4-dihydro-5-methyl-2-(4-methylphenyl)-3H-pyrazol-3-one	https://www.doi.org/10.1016/j.jct.2016.08.007
1-Butanol Solvents from T = 278.15 to 313.15) K and Mixing Properties Simulation Method:	https://www.doi.org/10.1016/j.jct.2016.06.028
1-Butyl-3-Methylimidazolium Bis(trifluoromethylsulfonyl)imide + 1-Butoxy Ethanol:	https://www.doi.org/10.1021/je060229f
Activity coefficients at infinite dilution measurements for organic solutes in the ionic liquid	http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt
	https://www.doi.org/10.1021/je900077g
	https://www.doi.org/10.1016/j.jct.2005.01.015

Plotting of phase (vapor-liquid) transition surface near the critical point out of data from isochoric experiment.	https://www.doi.org/10.1016/j.fluid.2018.01.022
Vapor-Liquid Equilibria of Binary Mixtures Containing 1-Butanol and Hydrocarbons at 313.15 K:	https://www.doi.org/10.1021/je200840e
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 9. Activity Coefficients at Infinite Dilution of Hydrocarbons, Alcohols, Esters, and Aldehydes in [C4mim][BF4]	https://www.doi.org/10.1021/je050440b
Solubility of 2-Chlorophenylacetic Acid in 12 Pure Solvents from T = (293.15 to 328.15) K:	https://www.doi.org/10.1021/acs.jced.8b00139
Comprehensive study on the binary and ternary systems containing ethyl methanoate and methyl ethanoate	https://www.doi.org/10.1016/j.fluid.2018.07.013
Vapor-liquid equilibria of binary mixtures containing azeotropes at several temperatures	https://www.doi.org/10.1016/j.jct.2007.02.008
Bis(trifluoromethylsulfonyl)imide ionic liquids: Thermodynamics and activity coefficients at infinite dilution for organic compounds and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2017.07.012
Excess Gibbs Energies of the Ternary System 2-Methoxyethanol + 1-butyl-3-methylimidazolium tetrafluoroborate at 101.3 kPa	https://www.doi.org/10.1021/je100556t
Excess enthalpies of ternary mixtures of 1-butyl-3-methylimidazolium tetrafluoroborate + 1-propanol + 1-methylcyclohexane (or cyclohexane)	https://www.doi.org/10.1016/j.jct.2016.10.005
Vapor−Liquid Equilibrium (Gas−Liquid Chromatography and Static Method) Measurements at 298.15 K: Phenols and bio-fuels (dibutyl ether + 1-butanol + 1-methylcyclohexane)	https://www.doi.org/10.1021/acs.jced.6b00126
Ternary Liquid−Liquid Equilibria and Measurement for Benzene + Cyclohexane + N-Methylimidazole, or 1-Ethylimidazole, or N-Formylmorpholine at 298.15 K: Vapor−Liquid Equilibrium and Pressure	https://www.doi.org/10.1021/je800376f
Activity coefficients at infinite dilution of organic solutes in N-methylimidazole and N-formylmorpholine	https://www.doi.org/10.1016/j.jct.2013.02.006
Liquid-liquid equilibria in ternary systems of phosphoric acid + water + 1-butanol and 2-butanol at 298.2 K: Measurements and Modeling	https://www.doi.org/10.1016/j.jct.2010.01.001
d-Histidine Solubility in Several Pure Solvents from 293.15 to 338.15 K:	https://www.doi.org/10.1021/acs.jced.9b00659
Introduction of the amine group at cycloaliphatic hydrocarbon (c-CHNH2) for the modified UNIFAC (Dortmund) model. 4. Validation	https://www.doi.org/10.1016/j.fluid.2011.09.010
Separation of water/butan-1-ol based on activity coefficients at infinite dilution in solvent systems containing 1-methylimidazolium dicyanamide ionic liquid:	https://www.doi.org/10.1016/j.jct.2017.10.003
Liquid-Liquid Equilibria for Systems Containing 2-Methoxyethanol and Thiophene or Tetrahydrothiophene	https://www.doi.org/10.1021/je700126z
Activity Coefficients at infinite dilution for organic solutes and water in 1-butyl-4-methylpyridinium tetracyanoborate + 2-propanol or 2-butanol or 2-methylpyridine or 2,6-dimethylpyridine or 2,4,6-trimethylpyridine	https://www.doi.org/10.1016/j.jct.2015.05.014
Vapour-liquid equilibrium of carboxylic acid systems: Propionic acid + valeric acid and isobutyric acid + valeric acid:	https://www.doi.org/10.1016/j.fluid.2005.08.006
Activity coefficients at infinite dilution measurements for organic solutes in methanol	https://www.doi.org/10.1016/j.fluid.2008.10.008
Measurement of activity coefficients at infinite dilution using polar and apolar stationary phases	https://www.doi.org/10.1016/j.jct.2005.07.003
Surface Tension of Pure Liquids and Binary Liquid Mixtures	https://www.doi.org/10.1021/je0201323
Excess enthalpies of binary mixtures of diethylenediglycolmonomethylethersulfate + ethoxyethanol with four hydrocarbons at 298.15, 308.15, and 318.15 K:	https://www.doi.org/10.1016/j.fluid.2006.04.016
Diffusion Coefficients of Aromatic Solutes at Infinite Dilution in Methyl 3-methylimidazolium acetate. Chromatographic measurements and systems containing solutes:	https://www.doi.org/10.1021/je6005604
Activity coefficients at infinite dilution of organic solutes in the ionic liquid trihexyltetradecylphosphonium bis(trifluoromethylsulfonyl)imide using inverse gas−liquid chromatography at T = (298.15 to 343.15) K:	https://www.doi.org/10.1016/j.jct.2011.11.005
Determination of Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquids in extraction processes by Gas−Liquid Chromatography at T = (298.15 and 313.15) K:	https://www.doi.org/10.1016/j.fluid.2007.02.016
Activity coefficients at infinite dilution measurements for the ternary system 1-butanol + water + 1-butyl-3-methylimidazolium tetrafluoroborate using Gas−Liquid Chromatography at the temperatures 298.15, 318.15, and 328.15 K:	https://www.doi.org/10.1016/j.jct.2013.05.030
Trihexyltetradecyl Phosphonium Ionic Liquids: Vapor−Liquid Equilibrium and COSMO-RS Prediction	https://www.doi.org/10.1021/je030187k
Vapor−Liquid Equilibrium Measurements and Thermodynamic Modeling for the Quaternary System Water + Ethanol + Cyclohexane + Toluene and the Ternary Subsystems Ethanol + Water + Toluene.	https://www.doi.org/10.1016/j.fluid.2018.09.024
Infinite dilution activity coefficients for volatile organic compounds in two ionic liquids composed of the 1-ethyl-3-methylimidazolium cation and a tetrafluoroborate anion at 101.3 kPa:	https://www.doi.org/10.1021/je0602925
Experimental measurements and thermodynamic modeling of the ternary system water + ethanol + toluene	https://www.doi.org/10.1016/j.fluid.2011.06.033
Solubility of Benzoic Acid in Pure Solvents and Binary Mixtures	https://www.doi.org/10.1021/je5010388
Infinite dilution activity coefficients of volatile organic compounds in water: Experimental determination at 101.3 kPa	https://www.doi.org/10.1016/j.jct.2013.05.035
Microcalorimetric determination of the solubility of the [1-butyl-3-methylimidazolium cation and a tetrafluoroborate anion] (BMI·BF4) ionic liquid in water at 298.15 K	https://www.doi.org/10.1016/j.fluid.2008.09.008
Solubility of Benzoic Acid in Pure Solvents and Binary Mixtures	https://www.doi.org/10.1021/je100675r
Methane solubility in a chemical hydrogen storage medium, aromatic hydrocarbon, cyclic hydrocarbon, and alcohol mixture for fuel cell systems:	https://www.doi.org/10.1016/j.fluid.2004.07.013
Physicochemical properties and activity coefficients at infinite dilution for organic solutes and water in a novel 1-hexyl-3-methylimidazolium acetate protic ionic liquid:	https://www.doi.org/10.1016/j.jct.2012.09.033
Determination of thermophysical properties of cyclopentane hydrate using a stirred calorimetric cell	https://www.doi.org/10.1016/j.fluid.2018.11.010
Measurement and Correlation of the Solubility of Pyrimethanil in Seven Monosolvents and Two Different Binary Mixed Solvents	https://www.doi.org/10.1016/j.jct.2018.05.023
Thermodynamic study of 1,1,2,2-tetrachloroethane + hydrocarbon mixtures I. Excess and solvation enthalpies	https://www.doi.org/10.1016/j.jct.2004.03.001
Application of trihexyltetradecylphosphonium dicyanamide ionic liquid for various types of separations problems: Activity coefficients at infinite dilution measurements utilizing GLC method:	https://www.doi.org/10.1021/acs.jced.8b00124
	https://www.doi.org/10.1016/j.fluid.2006.10.013
	https://www.doi.org/10.1016/j.fluid.2019.03.023

Determination of infinite dilution activity coefficients using HS-SPME/GC/FID for hydrocarbons in aqueous solutions at (298.15, 303.15, and 318.15) K:	https://www.doi.org/10.1016/j.jct.2012.01.016
Experimental and Computational Study on Liquid-Liquid Equilibrium of Ternary Systems Containing Ketone, Toluene, and Hydrocarbons	https://www.doi.org/10.1021/acs.jced.5b00611
Critical Properties of the Reacting Mixture in the Selective Oxidation of Cyclohexane by Oxygen in the Presence of Carbon Dioxide:	https://www.doi.org/10.1021/je0500882
Excess Molar Volumes of Cyclohexane (1) + Methylcyclohexane (2) + Toluene (3) and Ethylbenzene (2) at 1 Butyl-1-methylpyrrolidinium Dicyanamide:	https://www.doi.org/10.1021/je900468u
Density, Viscosity, and Excess Properties of (N-methylmorpholine + Cyclohexane + Benzene, and Toluene) at T = (298.15, 303.15, 313.15, 323.15) K:	https://www.doi.org/10.1021/acs.jced.5b00331
Liquid-Liquid Equilibrium Data for Four Cyclopentane Mixtures Simulating Hydrocarbon Fractions Obtained by Fischer-Tropsch Synthesis:	https://www.doi.org/10.1021/je200822w
Hydrogen solubility of mixed paraffins and aromatics for new fuels:	https://www.doi.org/10.1016/j.fluid.2013.10.033
The Critical Temperatures of a Number of Dichloroalkane (C3 C4) + Hydrocarbon (C6 C7) Binary Mixtures and (n-Chloroalkane (C3 C4) + Aromatic Hydrocarbon (Chlorobenzene, Hydrobenzene, and Toluene) Binary Mixtures:	https://www.doi.org/10.1021/je020064k
Density, Viscosity, Surface Tensions, and Refractive Indices of 2-Methoxyethanol + Cyclohexanone + Cyclohexanol at 298.15 and 308.15 K:	https://www.doi.org/10.1007/s10765-012-1159-3
Liquid Viscosities of Aqueous Acetic Acid + Chlorobenzene Mixtures at Atmospheric Pressure and 298.15 and 299.15 K:	https://www.doi.org/10.1021/je301202v
Thermophysical Properties of Binary Mixtures of Cyclohexane + Nitrobenzene, Cyclohexanone + Nitrobenzene, and Cyclohexane + Cyclohexanone at (298.15, 303.15, and 313.15) K:	https://www.doi.org/10.1021/je049661s
Measurement of activity coefficients at infinite dilution of organic solutes in solubilizing oil	https://www.doi.org/10.1016/j.jct.2013.10.017
Bis(2,4,6-trimethylbenzoyl)phenylphosphine Oxide/1-Ethyl-3-methylimidazolium 2-(2-Methoxyethoxy)ethylsulfate at T = (298.15, 303.15, and 313.15) K: Measurements and Modeling for the Liquid-Liquid Equilibrium Data of Ternary Systems Containing Ionic Liquids and Hydrocarbon Binary Systems:	https://www.doi.org/10.1021/je300343y
Measurement and Prediction of Vapor Liquid(-Liquid) Equilibria in Ternary Systems Containing Water and Organic Components and Cyclohexanol:	https://www.doi.org/10.1016/j.fluid.2010.06.013
Determination of Activity Coefficients at Infinite Dilution of 35 Solutes in the Ionic Liquid:	https://www.doi.org/10.1021/je3009039
Thermodynamic Parameters of a New Synthesized Tricationic Ionic Liquid:	https://www.doi.org/10.1021/acs.jced.7b00100
Experimental Investigation of the Usefulness of Liquid Chromatography: Determination of Activity Coefficients at Infinite Dilution	https://www.doi.org/10.1016/j.jct.2018.11.018
Vapor-liquid equilibrium of binary and ternary mixtures containing dibutyl ether (DBE), cyclohexane and toluene at 329.15 K:	https://www.doi.org/10.1021/je100410k
Isothermal Vapour-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.05 K, 353.27 K, 363.15 K, and Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures with Cyclohexane, Cyclohexene, and Methyl Isobutyl Ketone at 100 kPa:	https://www.doi.org/10.1021/acs.jced.8b00601
Equilibrium solubility of dinitolmide in several neat solvents and binary aqueous co-solvent mixtures:	https://www.doi.org/10.1016/j.fluid.2005.11.026
Experimental determination and thermodynamic analysis: Isothermal (vapour + liquid) equilibria, excess properties, activity coefficients and infinite dilution activity coefficients of selected polar solutes in the ionic liquids at T = (298.15 K:	https://www.doi.org/10.1016/j.jct.2016.05.027
Phase Behavior of the Reactant and Products of Cyclohexane Oxidation in Supercritical CO2:	https://www.doi.org/10.1021/je101304x
Determination of Activity Coefficients at Infinite Dilution of Polar and Nonpolar Solutes in the Ionic Liquid Bis(trifluoromethylsulfonyl)imide, Ionic Liquid Thermodynamic and Transport Properties, and Predictions by Modified UNIFAC (Dortmund) and COSMO-RS:	https://www.doi.org/10.1021/je100776x
Bis(trifluoromethylsulfonyl) Imidate Based Ionic Liquids: Thermophysical Properties and Solubility of Carbon Dioxide:	https://www.doi.org/10.1016/j.jct.2019.01.013
Experimental Determination of Phase Equilibrium Data for Ternary Mixtures of Cyclohexane + 1-Propanol at 101.3 kPa: Influence of Temperature on the Liquid Liquid Phase Equilibria of Ternary Mixtures. The cation influence:	https://www.doi.org/10.1016/j.jct.2015.03.004
Determination of Infinite Dilution Activity Coefficients of Several Organic Solutes in Ethylpyridinium Nitrate by High-Pressure Viscosity Measurements:	https://www.doi.org/10.1016/j.jct.2015.06.023
Cyclohexane + Benzene + Sulfolane Ternary Mixture: Density and Viscosities at 101.3 kPa and Temperature Range of (313.15 to 413.15) K:	https://www.doi.org/10.1021/je800109s
Cyclohexane + Some Alkyl Acetates at 298.15 K:	https://www.doi.org/10.1021/je0498107
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium trifluoromethanesulfonate using gas liquid chromatography at T = (313.15, 323.15, and 333.15) K:	https://www.doi.org/10.1016/j.fluid.2009.08.017
	https://www.doi.org/10.1016/j.jct.2011.02.008
	https://www.doi.org/10.1007/s10765-015-1922-3
	https://www.doi.org/10.1021/acs.jced.7b00110
	https://www.doi.org/10.1021/acs.jced.7b00244
	https://www.doi.org/10.1016/j.jct.2011.02.016
	https://www.doi.org/10.1021/je9000262
	https://www.doi.org/10.1021/je8007217
	https://www.doi.org/10.1016/j.jct.2012.07.005
	https://www.doi.org/10.1021/je200195q
	https://www.doi.org/10.1016/j.jct.2009.07.010

Thermal Conductivity and Thermal Diffusivity of Twenty-Nine Liquids:	https://www.doi.org/10.1021/je034162x
Experimental solid-liquid phase equilibria of cholesterol + benzene + 1-alcohol (C4-C10) + cyclohexane:	https://www.doi.org/10.1016/j.fluid.2009.10.009
Densities and Viscosities of Binary Mixtures of Tris(2-ethylhexyl) Phosphate + Cyclohexane or n-Hexane at T = (298.15, 298.15, and 303.15) K and p = 0.1 MPa:	https://www.doi.org/10.1021/je8006138
Ternary mixtures of dicationic ionic liquids for determination of benzoic acid and 3-phenylpropionic acid by HPLC:	https://www.doi.org/10.1016/j.fluid.2013.05.038
Solubility of benzoic acid in acetone + cyclohexane: Experimental	https://www.doi.org/10.1016/j.fluid.2010.06.021
Determination of Henry's Law Constants Using Internal Standards	https://www.doi.org/10.1021/je3010535
Excess Enthalpies of the Ternary Mixtures: Tetrahydrofuran + (Hexane or Cyclohexane) + Decane at 298.15K:	https://www.doi.org/10.1021/je020159m
Cyclohexane: Experimental and modeling binary values:	https://www.doi.org/10.1016/j.fluid.2006.02.009
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C110827&Units=SI
Isobaric vapor liquid equilibria for binary systems of butyl chlorides with heptane, toluene and cyclohexane at 101.325 kPa and 93.3 kPa:	https://www.doi.org/10.1016/j.fluid.2006.02.009
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Benzenes in	https://www.doi.org/10.1021/je800043a
Solubility of Artemisinin in Seven Different Pure Solvents from (283.15 to 343.15) K:	https://www.doi.org/10.1021/je800515w
Total Pressure Phase Equilibrium Measurements for the Binary Systems of n-Pentane + Cyclohexane and 1-Hexene + 2-Propanol:	https://www.doi.org/10.1021/acs.jced.8b00765
1-Ethyl-3-methylimidazolium Methanesulfonate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1016/j.jct.2013.05.008
Thermodynamic study of organic solutes and water in the ionic (perfluoroalkane + alkane) mixtures:	https://www.doi.org/10.1016/j.jct.2007.04.002
1-Methylimidazolium enthalpies:	https://www.doi.org/10.1021/je9006597
Density, Viscosity, and Speed of Sound of (Methyl Benzoate + Cyclohexane)	https://www.doi.org/10.1021/je049620w
Solubilities of Succinic Acid in Acetic Acid + Water Mixtures and Acetic Acid + Cyclohexane Mixtures:	https://www.doi.org/10.1021/je500231c
Densities, viscosities, and isobaric heat capacities of the system (1-butanol + cyclohexane) at high pressures:	https://www.doi.org/10.1016/j.jct.2014.01.020
Solubility, Model Correlation, and Solvent Effect of 2-Amino-3-methylbenzoic Acid in 12 Pure Solvents:	https://www.doi.org/10.1021/acs.jced.8b01226
Isobaric vapor-liquid equilibria for ethanol-water system containing 1-butyl-3-methylimidazolium tetrafluoroborate:	https://www.doi.org/10.1016/j.fluid.2006.01.023
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Benzenes in	https://www.doi.org/10.1021/je6005696
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-ethyl-2,3-dimethylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1016/j.jct.2011.11.025
Solubility of Methanol from (278.15 to 318.15) K:	https://www.doi.org/10.1021/je8001688
Study of molecular interactions and preferential solvation in binary mixtures of cyclohexane + (Cyclohexane + 2,2,2-Trifluoroethanol)	https://www.doi.org/10.1021/je100048g
Critical Point Measurements for the n-Alkylcyclohexanes (C6 to C10) by the Pulse-Heating Method:	https://www.doi.org/10.1016/j.fluid.2019.02.006
Determination of Isobaric Thermal Expansivity of Organic Compounds from 0.1 to 30 MPa at 30 °C with an Isothermal Pressure Scanning Microdilatometer:	https://www.doi.org/10.1021/je0256535
Discovery of Ethyl 2-Methyl-5-(1-methylpiperidin-4-yl)-1-(2-morpholinoethyl)-1H-benzo[d]imidazole-6-carboxylate (Solubility of Anthracene in Binary Solvents of Cyclohexane + Ethyl Acetate, Heptane + Ethyl Acetate, and Cyclohexane + Heptane)	https://www.doi.org/10.1021/je025620p
Activity Coefficients at Infinite Dilution of Alkanes, Alkenes, and Alkyl Benzenes in	https://www.doi.org/10.1021/je9002724
Solubility of Anthracene in Binary Solvents: Dimethylformamide + Alkane Solvent	https://www.doi.org/10.1021/je060380p
Isothermal Vapor-Liquid Equilibria and Excess Enthalpies of (Propyl Ethanoate + Heptane), (Propyl Ethanoate + Cyclohexane), and (Propyl Ethanoate + 1-Hexene)	https://www.doi.org/10.1021/je060184i
Measurement and Correlation of Solubility and Thermodynamic Properties of Lipoic Acid in Nine Pure Solvents:	https://www.doi.org/10.1021/je030146o
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-methylimidazolium nitrate using gas-liquid chromatography:	https://www.doi.org/10.1021/acs.jced.8b00663
Solubility and Solvent Effect of 1-(2-Bromo-phenyl)-pyrrole-2,5-dione in 14 Pure Solvents from 278.15 to 328.15 K:	https://www.doi.org/10.1016/j.fluid.2012.05.006
Solubility of Losartan Potassium in Different Pure Solvents from (293.15 to 343.15) K:	https://www.doi.org/10.1021/acs.jced.9b00560
Thermodynamics and activity coefficients at infinite dilution for organic solutes in the ionic liquid 1-hexyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je7007236
Solubility of Diflunisal in Pure and Binary Solvent Systems:	https://www.doi.org/10.1016/j.jct.2016.07.021
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-octyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2009.12.004
Solubility of p-Nitrobenzoic Acid in Supercritical Carbon Dioxide with and without Cosolvents:	https://www.doi.org/10.1021/je050354b
Solubility of Cyclohexanol in Pure Solvents from (293.15 to 343.15) K:	https://www.doi.org/10.1021/je800801x
Aqueous Solubility Prediction Method:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa

Thermodynamics and activity coefficients at infinite dilution for organic solutes	water and diols in the temperature range 298.15 K:	https://www.doi.org/10.1016/j.jct.2014.04.024
Excess Gibbs energies and volumes of ternary system chloroform + 1,4-dioxane + cyclohexane at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2010.06.007
Thermophysical study of 1,4-dioxane with cycloalkane mixtures:	https://www.doi.org/10.1016/j.jct.2005.09.004
Activity coefficients at infinite dilution measurements for organic solutes in	https://www.doi.org/10.1016/j.jct.2008.04.002
Topological and thermodynamic investigations of binary mixtures:	https://www.doi.org/10.1016/j.tca.2008.06.004
Surface Tension of Dilute Solutions of Alkanes in Cyclohexane at Different Temperatures	https://www.doi.org/10.1021/je8004112
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2012.05.017
Separation of binary mixtures based on gamma infinity data using	https://www.doi.org/10.1016/j.jct.2017.12.012
Solubility of calcium in different organic solvents and methanol/alcohol mixtures:	https://www.doi.org/10.1016/j.jct.2015.04.025
Liquid-liquid equilibria for ternary mixtures of (water + propionic acid + organic solvent) at T = 303.2 K:	https://www.doi.org/10.1016/j.jct.2009.08.014
Excess molar volumes of the ternary system {methylcyclohexane (1) + cyclohexane (2) + n-alkanes (3)} at T = 298.15 K:	https://www.doi.org/10.1016/j.jct.2005.02.006
Solubilities of 1-Ethyl-3-methylimidazole Nitrate and 1-Butyl-3-methylimidazole Nitrate in Selected Solvents:	https://www.doi.org/10.1021/je200151j
Solubilities of 3-Chlorophthalic Anhydride and 4-Chlorophthalic Anhydride in Different Pure Solvents:	https://www.doi.org/10.1021/acs.jced.5b00526
Selective recovery of aliphatics from aromatics in the presence of the	https://www.doi.org/10.1016/j.jct.2015.12.033
Solubility of Diamantane, Triamantane, Tetramantane, and Their Derivatives in Organic Solvents:	https://www.doi.org/10.1021/je800277a
[1-ethyl-3-methylimidazolium] + [methyl-DCA] ionic liquid mixture: liquid equilibrium of three binary systems containing	https://www.doi.org/10.1016/j.jct.2019.02.006
Determination and Study of the Solubility of Methane in Mixtures of Dimethyl Succinate, Dimethyl Glutarate and Dimethyl Adipate at 273.32 and 8.3 MPa	https://www.doi.org/10.1021/je050517w
Partition Coefficients of Organic Compounds between Water and Various Hydrocarbons at 298.15 K:	https://www.doi.org/10.1021/je9003178
Design of a Gamma Densitometer for Tetraalkylammonium Based Ionic Hydrocarbon Fuel at High Temperature	https://www.doi.org/10.1021/je500314x
Measurement of Activity Coefficients at Infinite Dilution of Organic Solutes in	https://www.doi.org/10.1016/j.jct.2013.10.026
Determination and correlation of liquid liquid equilibria for four binary	https://www.doi.org/10.1016/j.fluid.2007.03.010
Apparent and Partial Molar Volumes at Infinite Dilution and Solid−Liquid Equilibria of Dibenzothiophene +	https://www.doi.org/10.1021/je200327s
Stable Systems	https://www.doi.org/10.1016/j.jct.2011.12.006
Diffusion Coefficients of Organic Compounds at Infinite Dilution in	https://www.doi.org/10.1021/je700539w
Activity coefficients at infinite dilution of organic solvents and water in	https://www.doi.org/10.1016/j.fluid.2016.02.004
Experimental Excess Enthalpies of Binary and Ternary Mixtures Containing Ethyl	https://www.doi.org/10.1021/je800751m
Solubility of Liquid Equilibria for Binary and Ternary Mixtures with	https://www.doi.org/10.1021/je900259b
Volumetric and transport properties of ternary mixtures containing 1-propanol,	https://www.doi.org/10.1016/j.tca.2008.09.006
Activity Coefficients at Infinite Dilution of Organic Solutes in	https://www.doi.org/10.1021/je200050q
Solubility measurement and Nitrate data correlation and prediction by	https://www.doi.org/10.1021/acs.jced.9b00693
Vapor-liquid equilibria of the binary System 1-Pentanol + Anisole and the	https://www.doi.org/10.1021/je034189g
Activity Coefficients at Infinite Dilution of Organic Solutes in	https://www.doi.org/10.1021/je0256481
Measurement and correlation of (liquid + liquid) equilibrium of the azeotrope	https://www.doi.org/10.1016/j.jct.2008.03.011
Dynamic viscosities of the Binary Mixtures of Cyclohexane and	https://www.doi.org/10.1021/je050110r
Volumetric Behavior of the Binary Mixtures of Methyl Ethyl Ketone with	https://www.doi.org/10.1021/je800883b
Liquid−Liquid Equilibrium for Benzene + 2,2,4-Trimethylpentane + Ethanol + Ethanol + Water at T = 303.15, 313.15, and 323.15 K:	https://www.doi.org/10.1021/je700741x
Cyclohexane from (288.05 to 308.15) K:	https://www.doi.org/10.1016/j.jct.2010.12.012
Phase equilibria in four binary systems containing 3-methylthiophene:	https://www.doi.org/10.1016/j.fluid.2009.02.010
A new analysis method for improving collection of vapor-liquid equilibrium (VLE) data of binary mixtures using	https://www.doi.org/10.1016/j.tca.2017.12.010
Thermodynamic Properties of Mixtures Containing Precursors of Vitamin B6	https://www.doi.org/10.1021/je020060f
Acoustic and Thermophysical Properties of Binary Liquid Mixtures of	https://www.doi.org/10.1007/s10765-009-0665-4
Phase Equilibria for the Ternary Liquid Systems of (Water + Tetrahydrofurfuryl Alcohol + Cyclic Solvent) at 298.2 K:	https://www.doi.org/10.1021/je049605r
Activity Coefficients at Infinite Dilution for Hydrocarbons in Fatty Alcohols Determined by Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je1005517

Systems with ionic liquids: Measurement of VLE and c1 data and prediction of their thermodynamic	https://www.doi.org/10.1016/j.jct.2005.04.010
Screening of environmental friendly ionic liquids as solvent for the	https://www.doi.org/10.1016/j.jct.2015.08.017
Vapor-Liquid Equilibrium Measurements and Modeling for	https://www.doi.org/10.1021/je100474b
Experimental and theoretical study of interaction between organic	https://www.doi.org/10.1016/j.jct.2014.12.027
Solubility and Dissolution Thermodynamics of Mefenamic	https://www.doi.org/10.1021/acs.jced.8b00430
Thermodynamics and activity coefficients at infinite dilution	https://www.doi.org/10.1016/j.jct.2011.06.007
Distribution of cyclohexanol and cyclohexanone between water and	https://www.doi.org/10.1016/j.fluid.2015.02.029
Activity coefficient at infinite dilution measurements for organic solutes	https://www.doi.org/10.1016/j.jct.2012.12.009
Thermodynamic topological investigations of molecular interactions	https://www.doi.org/10.1016/j.jct.2010.12.016
Solubility and Dissolution Thermodynamics of 1,3-	https://www.doi.org/10.1021/acs.jced.5b00607
Phase equilibria and excess molar enthalpies study of the binary systems	https://www.doi.org/10.1016/j.fluid.2013.10.029
Experimental Measurements and Correlations of Excess Molar	https://www.doi.org/10.1021/je9010097
Enthalpies of the Binary and Ternary	https://www.doi.org/10.1016/j.fluid.2011.01.021
Mixtures of Cyclohexane, Tetrahydropyran, and Morpholine) or	https://www.doi.org/10.1016/j.jct.2011.11.027
Influence of the Cation Nature on the Thermodynamic Properties of	https://www.doi.org/10.1021/je300826t
Phase equilibrium 1-Butyl-3-methylimidazolium	https://www.doi.org/10.1016/j.tca.2005.06.007
compressibilities and derived thermodynamic properties of binary	https://www.doi.org/10.1021/je800882f
Measurement of optical properties for	https://www.doi.org/10.1016/j.fluid.2018.04.021
Thermodynamic properties of pure and binary mixtures containing	https://www.doi.org/10.1016/j.jct.2008.12.004
Solubility Measurement and Modeling of 2-Amino-4,6-dichloropyrimidine in	https://www.doi.org/10.1021/acs.jced.8b00292
Solubility Determination and Acetate + Ethanol Equilibria for the Binary	https://www.doi.org/10.1016/j.jct.2016.07.023
Systems of Sulfolane with	https://www.doi.org/10.1021/je0504313
Activity coefficients at infinite dilution measurements for organic solutes in	https://www.doi.org/10.1016/j.jct.2005.03.014
Separation of water/butan-1-ol mixture near the critical locus at T =	https://www.doi.org/10.1016/j.fluid.2017.06.001
Activity coefficients at infinite dilution and physicochemical properties for	https://www.doi.org/10.1016/j.jct.2018.02.014
Solubility and Dissolution Thermodynamic Data of Mefenamic	https://www.doi.org/10.1021/je400714f
Excess molar volumes and excess of isentropic compressibilities of binary	https://www.doi.org/10.1016/j.jct.2014.06.030
Thermodynamics and activity coefficients at infinite dilution for	https://www.doi.org/10.1016/j.jct.2018.08.028
KDB: Vapor Pressure Data: ionic liquid	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=470
Phase diagrams of binary systems containing n-alkanes, or cyclohexane,	https://www.doi.org/10.1016/j.fluid.2006.02.001
Liquid–liquid equilibria for ternary mixtures of (solvent + aromatic	https://www.doi.org/10.1016/j.jct.2005.01.016
Gas Solubility in Binary Liquid Mixtures: Carbon Dioxide in	https://www.doi.org/10.1021/je101342q
Vapor−Liquid Equilibria of Binary Mixtures Containing 2-Butanol and	https://www.doi.org/10.1021/je201284y
Assessment of Pyrrolidinium-Based Ionic Liquid for the Separation of	https://www.doi.org/10.1021/acs.jced.9b00341
Isobaric vapor-liquid equilibria for binary and ternary mixtures with	https://www.doi.org/10.1016/j.fluid.2010.04.008
Vapor-liquid equilibria for the binary system of diethylsulfide + cyclohexane	https://www.doi.org/10.1016/j.fluid.2006.12.015
Solubility measurements and thermodynamic modeling of	https://www.doi.org/10.1016/j.fluid.2019.06.004
Volumetric and acoustic properties of binary mixtures of tri-n-butyl	https://www.doi.org/10.1016/j.jct.2012.09.015
Solvent antisolvent mixtures: Phosphate buffer + hexane,	https://www.doi.org/10.1016/j.jct.2010.01.016
Vapor pressure measurements of (β-diethylaminopropylamine + cyclohexane) and n-heptane from T =	https://www.doi.org/10.1016/j.jct.2005.12.003
Solubilities of 2,6-Dimethylnaphthalene in Six Pure Solvents and Two Binary Solvent Systems:	https://www.doi.org/10.1021/acs.jced.8b01209

Measurement and correlation of solubility of pronamide in five organic solvents at (278.15-323.15) K:	https://www.doi.org/10.1016/j.jct.2016.03.039
KDB:	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=470
Activity Coefficients at Infinite Dilution of Various Solutes in Tetrapropylammonium Bromide + 1,6-Hexanediol Deep Eutectic Solvent:	https://www.doi.org/10.1021/acs.jced.8b00600
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium methanesulfonate:	https://www.doi.org/10.1016/j.fluid.2010.10.008
Isothermal vapor-liquid and liquid-liquid equilibrium data for the system water + ethanol + cyclohexane:	https://www.doi.org/10.1016/j.fluid.2005.07.015
Densities, Excess Molar Volumes, Viscosities, Speeds of Sound, Excess Isentropic Compressibilities, and Relative Permittivities for Cyclohexanone + 2-Methoxyethanol at 298.15 K:	https://www.doi.org/10.1021/je034005y
Computer Aided Solvent scanning for the Separation of 2-methoxynaphthene from Dibenzofuran:	https://www.doi.org/10.1021/je2009889
The contour of excess molar enthalpy at a mole fraction of benzene x = 0.548 (1) + Benzene + Toluene + 1,4-Dioxane, (2) + Benzene + Toluene + 1,4-Dioxane + Cyclohexane, (3) + Benzene + Toluene + 1,4-Dioxane + Ethylbenzene, (4) + Benzene + Toluene + 1,4-Dioxane + m- and p-Xylenes:	https://www.doi.org/10.1016/j.jct.2018.01.001
Isothermal Compressibilities of the Binary Systems (1) Benzene + (2) Cyclohexane, + Toluene, + Ethylbenzene, or + o-Xylene:	https://www.doi.org/10.1021/acs.jced.6b00116
Phase Equilibrium and Equilibrium for Binary Systems (1) Toluene + (2) Cyclohexane, + Acrylic Acid at 20 kPa:	https://www.doi.org/10.1021/je200655s
Liquid-Liquid Equilibria of Ternary Mixed Ionic Liquids, and Measurement and correlation of ternary Systems of Cyclohexane + (Benzene + Toluene, + Ethylbenzene, or + o-Xylene) + 4-Methyl-1-butyl Hydrofuran Tetrafluoroborate Ionic Liquid at 303.15 K:	https://www.doi.org/10.1021/je7007268
Phase Equilibrium Measurements for Cyclohexane + Cyclohexene Using Diethyl Carbonate as an Entrainer:	https://www.doi.org/10.1016/j.jct.2010.08.010
Pressures up to 30MPa for use as density reference liquids:	https://www.doi.org/10.1021/je200784y

Legend

af:	Acentric Factor
affp:	Proton affinity
aigt:	Autoignition Temperature
ap:	Aniline Point
basg:	Gas basicity
chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
fll:	Lower Flammability Limit
flu:	Upper Flammability Limit
fpo:	Flash Point (Open Cup Method)
gf:	Standard Gibbs free energy of formation
gyrad:	Radius of Gyration
hcg:	Heat of Combustion, Gross form
hcn:	Heat of Combustion, Net Form
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
nfpah:	NFPA Health Rating
pc:	Critical Pressure
pt:	Triple Point Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rhoc:	Critical density
rhol:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
sdco:	Self diffusion coefficient
sfust:	Entropy of fusion at a given temperature
sg:	Molar entropy at standard conditions
sl:	Liquid phase molar entropy at standard conditions
speedsl:	Speed of sound in fluid
srf:	Surface Tension
svapt:	Entropy of vaporization at a given temperature
tb:	Normal Boiling Point Temperature
tbp:	Boiling point at given pressure
tc:	Critical Temperature
tcondl:	Liquid thermal conductivity
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
volm:	Molar Volume
zc:	Critical Compressibility
zra:	Rackett Parameter

Latest version available from:

https://www.chemeo.com/cid/66-104-3/Cyclohexane.pdf

Generated by Cheméo on 2025-12-21 21:28:20.997497927 +0000 UTC m=+6100698.527538590.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.