

# Dibenzo-p-dioxin, 1,3-dichloro-

|                             |  |
|-----------------------------|--|
| <b>Inchi:</b>               | InChI=1S/C12H6Cl2O2/c13-7-5-8(14)12-11(6-7)15-9-3-1-2-4-10(9)16-12/h1-6H |
| <b>InchiKey:</b>            | AZYJYMAKTBXNSX-UHFFFAOYSA-N  |
| <b>Formula:</b>             | C12H6Cl2O2   |
| <b>SMILES:</b>              | Clc1cc(Cl)c2c(c1)Oc1cccc1O2  |
| <b>Mol. weight [g/mol]:</b> | 253.08   |
| <b>CAS:</b>                 | 50585-39-2   |

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | 120.92  | kJ/mol  | Joback Method  |
| hf            | -60.01  | kJ/mol  | Joback Method  |
| hfus          | 36.88   | kJ/mol  | Joback Method  |
| hvap          | 67.35   | kJ/mol  | Joback Method  |
| log10ws       | -4.36   |         | Crippen Method |
| logp          | 4.891   |         | Crippen Method |
| mcvol         | 157.780 | ml/mol  | McGowan Method |
| pc            | 3372.36 | kPa     | Joback Method  |
| rinpol        | 1991.00 |         | NIST Webbook   |
| rinpol        | 1992.00 |         | NIST Webbook   |
| rinpol        | 1991.00 |         | NIST Webbook   |
| tb            | 683.14  | K       | Joback Method  |
| tc            | 945.37  | K       | Joback Method  |
| tf            | 466.60  | K       | Joback Method  |
| vc            | 0.598   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 357.63 | J/molxK | 683.14          | Joback Method |
| cpg           | 367.82 | J/molxK | 726.84          | Joback Method |
| cpg           | 377.11 | J/molxK | 770.55          | Joback Method |
| cpg           | 385.63 | J/molxK | 814.25          | Joback Method |
| cpg           | 393.51 | J/molxK | 857.96          | Joback Method |
| cpg           | 400.86 | J/molxK | 901.66          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 407.80    | J/mol×K | 945.37 | Joback Method |
| dvisc | 0.0015388 | Paxs    | 466.60 | Joback Method |
| dvisc | 0.0011999 | Paxs    | 502.69 | Joback Method |
| dvisc | 0.0009673 | Paxs    | 538.78 | Joback Method |
| dvisc | 0.0008012 | Paxs    | 574.87 | Joback Method |
| dvisc | 0.0006785 | Paxs    | 610.96 | Joback Method |
| dvisc | 0.0005854 | Paxs    | 647.05 | Joback Method |
| dvisc | 0.0005130 | Paxs    | 683.14 | Joback Method |

## Sources

|                        |   |
|------------------------|---|
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                             |
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>   |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                         |
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C50585392&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C50585392&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>                                     |

## Legend

|                 |   |
|-----------------|---|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/66-326-7/Dibenzo-p-dioxin-1-3-dichloro.pdf>

Generated by Cheméo on 2024-04-24 07:31:26.711047381 +0000 UTC m=+16233135.631624699.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.