

# Benzoic acid, 4-amino-, 2-methylbutyl ester

<b>Inchi:</b>	InChI=1S/C12H17NO2/c1-3-9(2)8-15-12(14)10-4-6-11(13)7-5-10/h4-7,9H,3,8,13H2,1-2H
<b>InchiKey:</b>	AXZZMJPSYBYDDA-UHFFFAOYSA-N
<b>Formula:</b>	C12H17NO2
<b>SMILES:</b>	CCC(C)COC(=O)c1ccc(N)cc1
<b>Mol. weight [g/mol]:</b>	207.27

## Physical Properties

Property code	Value	Unit	Source
gf	-16.97	kJ/mol	Joback Method
hf	-282.24	kJ/mol	Joback Method
hfus	24.95	kJ/mol	Joback Method
hvap	64.65	kJ/mol	Joback Method
log10ws	-2.78		Crippen Method
logp	2.472		Crippen Method
mcvol	173.600	ml/mol	McGowan Method
pc	2648.83	kPa	Joback Method
rinqol	1885.00		NIST Webbook
tb	654.00	K	Joback Method
tc	872.68	K	Joback Method
tf	404.36	K	Joback Method
vc	0.646	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	456.19	J/molxK	654.00	Joback Method
cpg	470.89	J/molxK	690.45	Joback Method
cpg	484.67	J/molxK	726.89	Joback Method
cpg	497.54	J/molxK	763.34	Joback Method
cpg	509.54	J/molxK	799.79	Joback Method
cpg	520.69	J/molxK	836.23	Joback Method
cpg	531.01	J/molxK	872.68	Joback Method

# Sources

<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U375462&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U375462&amp;Units=SI</a>

# Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/66-962-1/Benzoic-acid-4-amino-2-methylbutyl-ester.pdf>

Generated by Cheméo on 2024-04-23 14:30:36.032454034 +0000 UTC m=+16171884.953031346.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.