

# 1-Butanamine, N-(1-methylethyl)-

<b>Other names:</b>	Butylisopropylamine Isopropylbutylamine N-Isopropylbutylamine Butylamine, N-isopropyl- isopropyl-n-butylamine
<b>Inchi:</b>	InChI=1S/C7H17N/c1-4-5-6-8-7(2)3/h7-8H,4-6H2,1-3H3
<b>InchiKey:</b>	OKRJGUKZYSEUOY-UHFFFAOYSA-N
<b>Formula:</b>	C7H17N
<b>SMILES:</b>	CCCCNC(C)C
<b>Mol. weight [g/mol]:</b>	115.22
<b>CAS:</b>	39099-23-5

## Physical Properties

Property code	Value	Unit	Source
chl	-4980.90 ± 3.00	kJ/mol	NIST Webbook
gf	95.01	kJ/mol	Joback Method
hf	-165.00 ± 3.70	kJ/mol	NIST Webbook
hfl	-203.20 ± 3.10	kJ/mol	NIST Webbook
hfus	15.46	kJ/mol	Joback Method
hvap	38.20	kJ/mol	NIST Webbook
hvap	42.10 ± 0.10	kJ/mol	NIST Webbook
hvap	38.20 ± 2.00	kJ/mol	NIST Webbook
hvap	42.08	kJ/mol	NIST Webbook
log10ws	-2.05		Crippen Method
logp	1.785		Crippen Method
mcvol	119.470	ml/mol	McGowan Method
pc	2862.74	kPa	Joback Method
rinpol	795.00		NIST Webbook
rinpol	795.00		NIST Webbook
tb	397.15 ± 2.00	K	NIST Webbook
tb	396.60	K	NIST Webbook
tc	563.60	K	NIST Webbook
tf	206.31	K	Joback Method
vc	0.457	m <sup>3</sup> /kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	308.53	J/mol×K	582.34	Joback Method
cpg	251.08	J/mol×K	438.13	Joback Method
cpg	263.53	J/mol×K	466.97	Joback Method
cpg	275.48	J/mol×K	495.82	Joback Method
cpg	286.96	J/mol×K	524.66	Joback Method
cpg	297.97	J/mol×K	553.50	Joback Method
cpg	238.14	J/mol×K	409.29	Joback Method
hvapt	34.52	kJ/mol	396.60	NIST Webbook
hvapt	40.90 ± 0.10	kJ/mol	313.00	NIST Webbook
hvapt	39.90 ± 0.10	kJ/mol	328.00	NIST Webbook
hvapt	38.70 ± 0.10	kJ/mol	343.00	NIST Webbook
hvapt	37.60 ± 0.10	kJ/mol	358.00	NIST Webbook
hvapt	40.00	kJ/mol	360.00	NIST Webbook

## Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C39099235&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C39099235&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

## Legend

<b>chl:</b>	Standard liquid enthalpy of combustion
<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfl:</b>	Liquid phase enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>hvapt:</b>	Enthalpy of vaporization at a given temperature
<b>log10ws:</b>	Log10 of Water solubility in mol/l

<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/67-445-4/1-Butanamine-N-1-methylethyl.pdf>

Generated by Cheméo on 2024-04-24 07:03:51.041576824 +0000 UTC m=+16231479.962154139.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.