

2-Butanone, 3-methyl, dimethylhydrazone

Inchi: InChI=1S/C7H16N2/c1-6(2)7(3)8-9(4)5/h6H,1-5H3
InchiKey: UDKZYSYLFQAFMI-UHFFFAOYSA-N
Formula: C7H16N2
SMILES: CC(=NN(C)C)C(C)C
Mol. weight [g/mol]: 128.22

Physical Properties

Property code	Value	Unit	Source
hf	-53.13	kJ/mol	Joback Method
hvap	36.23	kJ/mol	Joback Method
log10ws	-1.24		Crippen Method
logp	1.580		Crippen Method
mcvol	125.150	ml/mol	McGowan Method
pc	2540.49	kPa	Joback Method
rinpol	826.00		NIST Webbook
rinpol	826.00		NIST Webbook
rinpol	826.00		NIST Webbook
rinpol	837.40		NIST Webbook
tb	448.12	K	Joback Method
tc	640.00	K	Joback Method

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method: https://en.wikipedia.org/wiki/Joback_method
McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R224183&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

hf:	Enthalpy of formation at standard conditions
hvac:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinsol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/67-623-6/2-Butanone-3-methyl-dimethylhydrazone.pdf>

Generated by Cheméo on 2024-11-06 05:49:52.642881477 +0000 UTC m=+5453055.279850725.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.