

Hexane, 3-ethyl-2-methyl-

Other names:	2-METHYL-3-ETHYLHEXANE 3-ETHYL-2-METHYLHEXANE
Inchi:	InChI=1S/C9H20/c1-5-7-9(6-2)8(3)4/h8-9H,5-7H2,1-4H3
InchiKey:	MVLOWDRGPHBNNF-UHFFFAOYSA-N
Formula:	C9H20
SMILES:	CCCC(CC)C(C)C
Mol. weight [g/mol]:	128.26
CAS:	16789-46-1

Physical Properties

Property code	Value	Unit	Source
af	0.3780		KDB
gf	20.02	kJ/mol	Joback Method
hcg	6122.28	kJ/mol	KDB
hcn	5682.165	kJ/mol	KDB
hf	-239.65	kJ/mol	Joback Method
hfus	12.02	kJ/mol	Joback Method
hvap	43.20	kJ/mol	NIST Webbook
log10ws	-3.11		Crippen Method
logp	3.469		Crippen Method
mcvol	137.670	ml/mol	McGowan Method
pc	2450.00	kPa	KDB
rinpol	845.70		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	844.70		NIST Webbook
rinpol	843.20		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	842.00		NIST Webbook
rinpol	844.00		NIST Webbook
rinpol	844.00		NIST Webbook
rinpol	847.00		NIST Webbook
rinpol	847.00		NIST Webbook
rinpol	846.00		NIST Webbook
rinpol	849.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	844.00		NIST Webbook
rinpol	847.00		NIST Webbook

rinpol	847.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	844.00		NIST Webbook
rinpol	846.00		NIST Webbook
tb	411.15 ± 0.50	K	NIST Webbook
tb	411.20	K	KDB
tc	588.10	K	KDB
tf	160.00	K	KDB
vc	0.497	m3/kmol	KDB
zc	0.2490200		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	272.52	J/mol×K	404.44	Joback Method
cpg	287.44	J/mol×K	432.85	Joback Method
cpg	301.80	J/mol×K	461.26	Joback Method
cpg	315.61	J/mol×K	489.67	Joback Method
cpg	328.88	J/mol×K	518.07	Joback Method
cpg	341.62	J/mol×K	546.48	Joback Method
cpg	353.86	J/mol×K	574.89	Joback Method
dvisc	0.0048330	Pa×s	201.73	Joback Method
dvisc	0.0224972	Pa×s	161.19	Joback Method
dvisc	0.0017372	Pa×s	242.27	Joback Method
dvisc	0.0008373	Pa×s	282.81	Joback Method
dvisc	0.0004846	Pa×s	323.36	Joback Method
dvisc	0.0003168	Pa×s	363.90	Joback Method
dvisc	0.0002255	Pa×s	404.44	Joback Method
hvapt	35.98	kJ/mol	411.20	KDB
rfi	1.40970		298.15	KDB

Correlations

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/(T + C)
Coeff. A	1.42326e+01
Coeff. B	-3.43185e+03

Coeff. C	-5.42070e+01
Temperature range (K), min.	300.31
Temperature range (K), max.	438.89

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	9.38529e+01
Coeff. B	-8.24578e+03
Coeff. C	-1.17078e+01
Coeff. D	7.62655e-06
Temperature range (K), min.	300.15
Temperature range (K), max.	588.10

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
KDB:	https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=78
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C16789461&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
KDB Vapor Pressure Data:	https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=78
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemed.com/doc/models/crippen_log10ws

Legend

af:	Acentric Factor
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hcg:	Heat of Combustion, Gross form
hcn:	Heat of Combustion, Net Form
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume
zc:	Critical Compressibility

Latest version available from:

<https://www.chemeo.com/cid/67-855-9/Hexane-3-ethyl-2-methyl.pdf>

Generated by Cheméo on 2025-12-18 20:39:34.92293884 +0000 UTC m=+5838572.452979494.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.