Methyl Alcohol

Other names:	Alcool methylique
	Alcool metilico
	Bieleski's solution
	CARBINOL
	CH3OH
	Colonial spirit
	Columbian spirit
	Columbian spirits
	Hydroxymethane
	METHANOL
	METHYLHYDROXIDE
	Metanolo
	Methyl hydroxide
	Methylalkohol
	Methylol
	Metylowy alkohol
	Monohydroxymethane
	NSC 85232
	Pyro alcohol
	Pyroxylic spirit
	Rcra waste number U154
	Spirit of wood
	UN 1230
	Wood alcohol
	Wood naphtha
	Wood spirit
Inchi:	InChI=1S/CH4O/c1-2/h2H,1H3
InchiKey:	OKKJLVBELUTLKV-UHFFFAOYSA-N
Formula:	CH4O
SMILES:	CO
Mol. weight [g/mol]:	32.04
CAS:	67-56-1

Physical Properties

Property code	Value	Unit	Source
af	0.5560		KDB

affp	754.30	kJ/mol	NIST Webbook
aigt	737.04	K	KDB
basg	724.50	kJ/mol	NIST Webbook
chg	-763.68 ± 0.20	kJ/mol	NIST Webbook
chl	-725.70 ± 0.10	kJ/mol	NIST Webbook
chl	-715.05	kJ/mol	NIST Webbook
chl	-726.50 ± 0.20	kJ/mol	NIST Webbook
chl	-713.83	kJ/mol	NIST Webbook
chl	-726.34 ± 0.20	kJ/mol	NIST Webbook
cpl	80.81	J/mol×K	THERMODYNAMICS OF MIXTURES CONTAINING AMINES. XIV. CpEm OF BENZYLAMINE WITH HEPTANE AT 293.15 K OR WITH METHANOL, 1-PROPANOL OR 1-PENTANOL AT (293.15-308.15) K
cpl	81.38	J/mol×K	Molar heat capacities for {isomer of butanediol + methanol} as function of mixture composition and temperature
dm	1.70	debye	KDB
dvisc	0.0005482	Pa×s	Densities and Viscosities of Binary Liquid Mixtures of Trichloroethylene and Tetrachloroethylene with Some Polar and Nonpolar Solvents
dvisc	0.0005500	Pa×s	Densities and Viscosities for the Ternary Systems of Methyl tert-Butyl Ether + Methanol + Benzene and Methyl tert-Butyl Ether + Methanol + Toluene and Their Sub-binary Systems at 298.15 K
fll	6.00	% in Air	KDB
flu	36.50	% in Air	KDB
fpc	289.26	K	KDB
fpo	285.37	K	KDB
gf	-162.60	kJ/mol	KDB
gyrad	1.5360		KDB
hf	-201.30	kJ/mol	KDB
hfl	-251.30 ± 5.00	kJ/mol	NIST Webbook
hfl	-238.90 ± 3.60	kJ/mol	NIST Webbook
hfl	-239.50 ± 0.20	kJ/mol	NIST Webbook
hfl	-238.40	kJ/mol	NIST Webbook
hfl	-250.60	kJ/mol	NIST Webbook
hfus	2.43	kJ/mol	Joback Method
hvap	37.43 ± 0.02	kJ/mol	NIST Webbook

hvap	37.80	kJ/mol	NIST Webbook
hvap	38.00	kJ/mol	NIST Webbook
hvap	37.40 ± 0.10	kJ/mol	NIST Webbook
hvap	37.43 ± 0.02	kJ/mol	NIST Webbook
hvap	37.83	kJ/mol	NIST Webbook
hvap	37.30 ± 0.10	kJ/mol	NIST Webbook
hvap	37.40 ± 0.04	kJ/mol	NIST Webbook
hvap	37.30 ± 0.08	kJ/mol	NIST Webbook
hvap	37.70 ± 0.10	kJ/mol	NIST Webbook
hvap	37.80	kJ/mol	NIST Webbook
hvap	35.30 ± 0.04	kJ/mol	NIST Webbook
ie	10.95	eV	NIST Webbook
ie	10.84 ± 0.02	eV	NIST Webbook
ie	10.83	eV	NIST Webbook
ie	10.85	eV	NIST Webbook
ie	10.83 ± 0.01	eV	NIST Webbook
ie	10.85	eV	NIST Webbook
ie	10.85	eV	NIST Webbook
ie	10.85	eV	NIST Webbook
ie	10.83 ± 0.03	eV	NIST Webbook
ie	10.90 ± 0.12	eV	NIST Webbook
ie	10.85 ± 0.00	eV	NIST Webbook
ie	10.85 ± 0.01	eV	NIST Webbook
ie	10.85 ± 0.02	eV	NIST Webbook
ie	10.96	eV	NIST Webbook
ie	10.90 ± 0.03	eV	NIST Webbook
ie	11.00	eV	NIST Webbook
ie	10.95	eV	NIST Webbook
ie	10.86	eV	NIST Webbook
ie	10.97 ± 0.03	eV	NIST Webbook
ie	10.96	eV	NIST Webbook
ie	10.95	eV	NIST Webbook
ie	10.94	eV	NIST Webbook
ie	10.95	eV	NIST Webbook
ie	10.84 ± 0.08	eV	NIST Webbook
ie	10.96	eV	NIST Webbook
ie	10.90	eV	NIST Webbook
ie	10.84 ± 0.07	eV	NIST Webbook
ie	10.83	eV	NIST Webbook
ie	10.84 ± 0.01	eV	NIST Webbook
ie	10.85 ± 0.03	eV	NIST Webbook
ie	10.85 ± 0.02	eV	NIST Webbook
ie	10.82 ± 0.05	eV	NIST Webbook
log10ws	1.57		Aqueous Solubility Prediction Method

log10ws	1.57		Estimated Solubility Method
logp	-0.391		Crippen Method
mcvol	30.820	ml/mol	McGowan Method
nfpaf	%!d(float64=3)		KDB
nfpah	%!d(float64=1)		KDB
pc	8120.00	kPa	Critical Properties of Binary and Ternary Mixtures of Hexane + Methanol, Hexane + Carbon Dioxide, Methanol + Carbon Dioxide and Hexane + Carbon Dioxide + Methanol
pc	8084.00	kPa	KDB
rinpol	336.00		NIST Webbook
rinpol	356.00		NIST Webbook
rinpol	368.00		NIST Webbook
rinpol	382.00		NIST Webbook
rinpol	338.00		NIST Webbook
rinpol	370.00		NIST Webbook
rinpol	348.00		NIST Webbook
rinpol	395.00		NIST Webbook
rinpol	379.00		NIST Webbook
rinpol	367.50		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	370.00		NIST Webbook
rinpol	353.50		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	373.00		NIST Webbook
rinpol	373.00		NIST Webbook
rinpol	408.00		NIST Webbook
rinpol	384.00		NIST Webbook
rinpol	362.00		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	353.00		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	381.00		NIST Webbook
rinpol	348.00		NIST Webbook
rinpol	353.00		NIST Webbook
rinpol	391.00		NIST Webbook
rinpol	404.00		NIST Webbook
rinpol	340.00		NIST Webbook
rinpol	382.00		NIST Webbook
rinpol	380.00		NIST Webbook

rinpol	381.00	NIST Webbook
rinpol	362.00	NIST Webbook
rinpol	404.00	NIST Webbook
rinpol	400.00	NIST Webbook
rinpol	400.00	NIST Webbook
rinpol	378.20	NIST Webbook
rinpol	372.70	NIST Webbook
rinpol	380.00	NIST Webbook
rinpol	373.00	NIST Webbook
rinpol	330.00	NIST Webbook
rinpol	355.00	NIST Webbook
rinpol	373.00	NIST Webbook
rinpol	384.00	NIST Webbook
rinpol	361.00	NIST Webbook
ripol	891.00	NIST Webbook
ripol	917.00	NIST Webbook
ripol	860.00	NIST Webbook
ripol	899.00	NIST Webbook
ripol	910.40	NIST Webbook
ripol	883.00	NIST Webbook
ripol	920.00	NIST Webbook
ripol	907.00	NIST Webbook
ripol	909.00	NIST Webbook
ripol	897.00	NIST Webbook
ripol	920.00	NIST Webbook
ripol	905.00	NIST Webbook
ripol	898.00	NIST Webbook
ripol	905.00	NIST Webbook
ripol	903.00	NIST Webbook
ripol	911.00	NIST Webbook
ripol	907.00	NIST Webbook
ripol	911.00	NIST Webbook
ripol	921.00	NIST Webbook
ripol	895.00	NIST Webbook
ripol	899.00	NIST Webbook
ripol	892.00	NIST Webbook
ripol	866.00	NIST Webbook
ripol	916.00	NIST Webbook
ripol	910.40	NIST Webbook
ripol	869.00	NIST Webbook
ripol	888.00	NIST Webbook
ripol	899.00	NIST Webbook
ripol	914.00	NIST Webbook
ripol	886.00	NIST Webbook

ripol	897.00		NIST Webbook
ripol	904.00		NIST Webbook
ripol	892.00		NIST Webbook
ripol	881.00		NIST Webbook
sl	127.19	J/mol×K	NIST Webbook
sl	129.70	J/mol×K	NIST Webbook
sl	136.40	J/mol×K	NIST Webbook
sl	126.80	J/mol×K	NIST Webbook
ss	1.12	J/mol×K	NIST Webbook
tb	337.70	K	KDB
tb	337.80	K	Effect of Dissolved Salts on the Enthalpy of Mixing of the Methanol + Formic Acid System at 303.15 K
tb	337.64	K	Vapor Liquid Equilibrium Behaviors of 5-Methyl-2-(1-methylethyl)phenol in Alcohol
tb	337.65	K	Experimental Measurements of Vapor Liquid Equilibrium Data for the Binary Systems of Methanol + 2-Butyl Acetate, 2-Butyl Alcohol + 2-Butyl Acetate, and Methyl Acetate + 2-Butyl Acetate at 101.33 kPa
tb	337.82	K	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
tb	337.75	K	Vapor Liquid Equilibrium at p/kPa = 101.3 of the Binary Mixtures of Ethenyl Acetate with Methanol and Butan-1-ol
tb	337.85	K	Vapor Liquid Equilibrium Data for Methanol + tert-Butylamine + N,N-Dimethylformamide and Constituent Binary Systems at Atmospheric Pressure
tb	337.84	K	Organic Salt Effect of Tetramethylammonium Bicarbonate on Vapor-Liquid Equilibrium of the Dimehyl Carbonate + Methanol System
tb	337.85	K	Isobaric Vapor Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Octyl-3-methylimidazolium Tetrafluoroborate

tb	337.84	K	Organic Salt Effect of Tetramethylammonium Bicarbonate on the Vapor Liquid Equilibrium of the Methanol Water System
tb	337.57	K	Vapor-Liquid Equilibrium and Liquid-Liquid Equilibrium of Methyl Acetate + Methanol + 1-Ethyl-3-methylimidazolium Acetate
tb	337.67	K	Vapor-Liquid Equilibrium Behavior of Tolan in Alcohol
tb	337.75	K	Isobaric Vapor-Liquid Equilibrium of Acetone + Methanol System in the Presence of Calcium Bromide
tb	337.90	K	Vapor-Liquid Equilibrium and Mixing Properties of Methanol + Diethyl Carbonate and Vinyl Acetate + Diethyl Carbonate Systems
tb	337.83	K	Isobaric Vapor-Liquid Equilibrium Measurements and Separation Process for the Quinary Methanol + Methylal + 2-Butanol + 2-(Methoxymethoxy)-butane + (+-)-Di-sec-butoxymethane System
tb	337.62	K	Measurement and Correlation of Excess Molar Enthalpies for Ethylene Glycol + Alkanol Systems at the Temperatures (298.15, 308.15, and 323.15) K
tb	337.69	K	Vapor-Liquid Equilibrium Data for Methanol + 1,3-Dioxolane + Water and Constituent Binary Systems at 101.3 kPa.
tb	337.83	K	Isobaric Phase Equilibria of Diethyl Carbonate with Five Alcohols at 101.3 kPa
tb	337.69	K	Isobaric Vapor-Liquid Equilibrium for the Binary System of Dimethyl Adipate and 1,6-Hexanediol at 10, 20, and 99 kPa
tb	337.67	K	Vapor-Liquid Equilibrium of Durene in Methanol or Ethanol

tb	337.68	K	Determination of Ternary Vapor-Liquid Equilibrium of Dimethyl Oxalate-Methanol-1,2-Butanediol under Atmosphere Pressure
tb	337.83	K	Isobaric Vapor-Liquid Equilibrium for the Binary Systems of 2-Butanol + 2-(Methoxymethoxy)-butane and 1-Butanol + 2-(Methoxymethoxy)-butane at 101.3 kPa
tb	337.45	K	Effect of Ionic Liquids on the Binary Vapor-Liquid Equilibrium of Ethyl Acetate + Methanol System at 101.3 kPa
tb	337.85	K	Vapor Liquid Equilibria Measurement of (Methanol + Ethanenitrile + Bis(trifluoromethylsulfonyl) Imide)-Based Ionic Liquids at 101.3 kPa
tb	337.68	K	Isobaric Vapor - Liquid Equilibrium for Ethyl acetate + Methanol + Ionic Liquids Ternary systems at 101.3 kPa
tb	337.78	K	A new analysis method for improving collection of vapor-liquid equilibrium (VLE) data of binary mixtures using differential scanning calorimetry (DSC)
tb	337.68	K	Experimental determination of vapor liquid equilibrium for methanol + methyl propionate + 1-butyl-3-methylimidazo-lium bis(trifluoromethylsulfonyl)imide at atmospheric pressure
tb	337.45	K	Measurements and correlations of density, viscosity, and vapour-liquid equilibrium for fluoro alcohols
tb	337.65	K	Isobaric (vapor + liquid) equilibrium data for the binary system methanol + 2-butyl alcohol and the quaternary system methyl acetate + methanol + 2-butyl alcohol + 2-butyl acetate at P = 101.33 kPa

tb	363.41	K	Measurement of (vapor + liquid) equilibrium for the systems {methanol + dimethyl carbonate} and {methanol + dimethyl carbonate + tetramethylammonium bicarbonate} at p = (34.43, 67.74) kPa
tb	337.65	K	Isobaric vapor-liquid equilibrium for methanol + methyl acetate with ionic liquids [OMMIM][Tf2N] and [OMIM][Tf2N] as entrainers at 101.3 kPa
tb	337.65	K	Isobaric vapor-liquid equilibrium for acetone + methanol system containing different ionic liquids at 101.3 kPa
tb	337.85	K	Measurement and correlation of isobaric vapor-liquid equilibria of methanol + tetrahydrofuran + 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at 101.3 kPa
tb	337.85	K	Measurement and Modelization of VLE for Butyl Acetate with Methanol, Ethanol, 1-Propanol, and 1-Butanol. Experimental Data at 0.15 MPa
tb	337.86	K	Isobaric (vapor-liquid) equilibria for binary systems of methanol + 1-(methoxymethoxy)-propane and 1-propanol + 1-(methoxymethoxy)-propane at 101.33 kPa
tb	337.83	K	Experimental isobaric vapor-liquid equilibrium for the binary and ternary systems with methanol, methyl acetate and dimethyl sulfoxide at 101.3 kPa
tb	337.70	K	Isobaric vapor-liquid equilibria of the binary mixtures propylene glycol methyl ether + propylene glycol methyl ether acetate, methyl acetate + propylene glycol methyl ether and methanol + propylene glycol methyl ether acetate at 101.3 kPa

tb	337.75	K	Isobaric vapor-liquid equilibrium data for the binary system methyl acetate + isopropyl acetate and the quaternary system methyl acetate + methanol + isopropanol + isopropyl acetate at 101.3 kPa
tb	337.50	K	Isobaric vapor liquid equilibria of 1,1-dimethylethoxy-butane + methanol or ethanol +water at 101.32 kPa
tb	337.50	K	Isobaric vapor liquid equilibria for systems composed by 2-ethoxy-2-methylbutane, methanol or ethanol and water at 101.32 kPa
tb	337.65	K	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
tc	512.30	K	Measurement of critical temperatures and critical pressures for binary mixtures of methyl tert-butyl ether (MTBE) + alcohol and MTBE + alkane
tc	506.20	K	NIST Webbook
tc	513.20	K	NIST Webbook
tc	536.00	K	NIST Webbook
tc	515.20	K	NIST Webbook
tc	514.35 ± 1.00	K	NIST Webbook
tc	513.40 ± 0.50	K	NIST Webbook
tc	513.20	K	NIST Webbook
tc	513.20	K	NIST Webbook
tc	513.80	K	NIST Webbook
tc	512.60	K	NIST Webbook
tc	505.20	K	NIST Webbook
tc	513.20	K	NIST Webbook
tc	513.90	K	NIST Webbook
tc	513.15 ± 2.77	K	NIST Webbook
tc	512.68	K	NIST Webbook
tc	513.40	K	NIST Webbook
tc	513.00	K	NIST Webbook
tc	512.65 ± 0.30	K	NIST Webbook
tc	514.70	K	NIST Webbook
tc	512.36 ± 0.20	K	NIST Webbook
tc	512.36 ± 0.20	K	NIST Webbook

tc	512.36 ± 0.15	K	NIST Webbook
tc	512.50 ± 1.00	K	NIST Webbook
tc	512.60	K	NIST Webbook
tc	512.64	K	NIST Webbook
tc	512.50	K	NIST Webbook
tc	512.47 ± 0.10	K	NIST Webbook
tc	512.64	K	NIST Webbook
tc	512.50	K	NIST Webbook
tc	512.50	K	KDB
tc	512.50 ± 0.20	K	NIST Webbook
tc	512.30	K	Measurement and correlation of critical properties for binary mixtures and ternary mixtures containing gasoline additives
tc	505.90	K	NIST Webbook
tf	175.47	K	KDB
tf	175.25	K	Aqueous Solubility Prediction Method
tf	175.15	K	Solid-liquid equilibria and the physical properties of binary systems of diphenyl carbonate, dimethyl carbonate, methyl phenyl carbonate, anisole, methanol and phenol
tt	175.37 ± 0.08	K	NIST Webbook
tt	175.59	K	KDB
tt	175.61 ± 0.05	K	NIST Webbook
tt	175.30 ± 0.10	K	NIST Webbook
tt	175.60 ± 0.10	K	NIST Webbook
tt	175.22 ± 0.10	K	NIST Webbook
tt	175.67 ± 0.20	K	NIST Webbook
tt	176.00 ± 1.00	K	NIST Webbook
tt	175.59 ± 0.02	K	NIST Webbook
vc	0.117	m3/kmol	NIST Webbook
vc	0.113	m3/kmol	NIST Webbook
vc	0.118 ± 0.004	m3/kmol	NIST Webbook
vc	0.117 ± 0.004	m3/kmol	NIST Webbook
vc	0.117	m3/kmol	KDB
zc	0.2219640		KDB
zra	0.24		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	66.80 ± 1.20	J/mol×K	585.35	NIST Webbook
cpg	50.30 ± 1.30	J/mol×K	368.15	NIST Webbook
cpg	42.40 ± 1.30	J/mol×K	279.00	NIST Webbook
cpg	48.00 ± 1.30	J/mol×K	345.60	NIST Webbook
cpg	46.80 ± 1.20	J/mol×K	347.35	NIST Webbook
cpg	46.10 ± 1.30	J/mol×K	349.65	NIST Webbook
cpg	47.60 ± 1.20	J/mol×K	356.55	NIST Webbook
cpg	46.70 ± 1.30	J/mol×K	358.15	NIST Webbook
cpg	48.20 ± 1.30	J/mol×K	358.85	NIST Webbook
cpg	48.80 ± 1.30	J/mol×K	359.85	NIST Webbook
cpg	49.00 ± 1.20	J/mol×K	373.35	NIST Webbook
cpg	51.30 ± 1.30	J/mol×K	382.15	NIST Webbook
cpg	51.10 ± 1.20	J/mol×K	398.95	NIST Webbook
cpg	52.30 ± 1.30	J/mol×K	401.15	NIST Webbook
cpg	51.30 ± 1.20	J/mol×K	401.35	NIST Webbook
cpg	52.01 ± 0.42	J/mol×K	403.20	NIST Webbook
cpg	53.20 ± 1.30	J/mol×K	420.15	NIST Webbook
cpg	53.90 ± 1.20	J/mol×K	431.45	NIST Webbook
cpg	54.80 ± 1.20	J/mol×K	442.15	NIST Webbook
cpg	55.90 ± 1.30	J/mol×K	442.65	NIST Webbook
cpg	56.00 ± 1.20	J/mol×K	457.35	NIST Webbook
cpg	57.20 ± 0.42	J/mol×K	464.00	NIST Webbook
cpg	57.80 ± 1.20	J/mol×K	477.75	NIST Webbook
cpg	58.40 ± 1.20	J/mol×K	485.05	NIST Webbook
cpg	59.50 ± 1.20	J/mol×K	498.95	NIST Webbook
cpg	60.40 ± 1.30	J/mol×K	521.20	NIST Webbook
cpg	61.40 ± 1.20	J/mol×K	521.35	NIST Webbook
cpg	64.30 ± 1.20	J/mol×K	555.95	NIST Webbook
cpg	66.40 ± 1.20	J/mol×K	581.35	NIST Webbook
cpl	85.51	J/mol×K	318.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa
cpl	80.40	J/mol×K	293.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K
cpl	78.20	J/mol×K	270.00	NIST Webbook
cpl	79.90	J/mol×K	290.10	NIST Webbook

cpl	166.94	J/mol×K	512.35	Thermodynamic Properties of Methanol in the Critical and Supercritical Regions	
cpl	184.24	J/mol×K	512.73	Thermodynamic Properties of Methanol in the Critical and Supercritical Regions	
cpl	194.49	J/mol×K	512.77	Thermodynamic Properties of Methanol in the Critical and Supercritical Regions	
cpl	202.18	J/mol×K	512.78	Thermodynamic Properties of Methanol in the Critical and Supercritical Regions	
cpl	78.60	J/mol×K	283.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K	
cpl	79.50	J/mol×K	288.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K	
cpl	78.90	J/mol×K	288.15	NIST Webbook	
cpl	81.30	J/mol×K	298.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K	
cpl	82.30	J/mol×K	303.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K	
cpl	83.40	J/mol×K	308.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K	

cpl	84.50	J/mol×K	313.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K
cpl	85.70	J/mol×K	318.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K
cpl	87.00	J/mol×K	323.15	Heat capacities of the mixtures of ionic liquids with methanol at temperatures from 283.15 K to 323.15 K
cpl	81.17	J/mol×K	298.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa
cpl	83.01	J/mol×K	308.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa
cpl	79.90	J/mol×K	292.00	NIST Webbook
cpl	88.64	J/mol×K	328.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa
cpl	92.43	J/mol×K	338.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa

cpl	96.88	J/mol×K	348.15	Thermodynamic properties of mixtures of N-methyl-2-pyrrolidinone and methanol at temperatures between 298.15 K and 343.15 K and pressures up to 60 MPa
cpl	79.50	J/mol×K	298.15	NIST Webbook
cpl	81.11	J/mol×K	298.15	NIST Webbook
cpl	80.24	J/mol×K	298.15	NIST Webbook
cpl	80.35	J/mol×K	298.15	NIST Webbook
cpl	81.00	J/mol×K	298.15	NIST Webbook
cpl	81.32	J/mol×K	298.00	NIST Webbook
cpl	80.28	J/mol×K	298.15	NIST Webbook
cpl	81.56	J/mol×K	298.15	NIST Webbook
cpl	80.22	J/mol×K	298.15	NIST Webbook
cpl	81.47	J/mol×K	298.15	NIST Webbook
cpl	206.35	J/mol×K	512.78	Thermodynamic Properties of Methanol in the Critical and Supercritical Regions
cpl	81.92	J/mol×K	298.15	NIST Webbook
cpl	80.80	J/mol×K	293.15	NIST Webbook
cpl	81.13	J/mol×K	298.15	NIST Webbook
cpl	83.70	J/mol×K	298.00	NIST Webbook
cpl	85.80	J/mol×K	313.20	NIST Webbook
cpl	85.80	J/mol×K	298.20	NIST Webbook
cpl	80.80	J/mol×K	311.00	NIST Webbook
cpl	86.20	J/mol×K	323.00	NIST Webbook
cpl	75.77	J/mol×K	270.00	NIST Webbook
cpl	86.60	J/mol×K	300.80	NIST Webbook
cpl	83.56	J/mol×K	313.15	NIST Webbook
cpl	83.30	J/mol×K	298.00	NIST Webbook
cps	5.40	J/mol×K	20.50	NIST Webbook
cps	68.39	J/mol×K	120.00	NIST Webbook
cps	105.00	J/mol×K	173.00	NIST Webbook
dvisc	0.0003720	Pa×s	328.15	Densities and Viscosities of Binary Mixtures of m-Cresol with Ethylene Glycol or Methanol over Several Temperatures

dvisc	0.0005090	Pa×s	303.15	Viscosities and densities for binary mixtures of N-methylpiperazine with methanol, ethanol, n-propanol, iso-propanol, n-butanol and iso-butanol at 293.15, 298.15 and 303.15K
dvisc	0.0005510	Pa×s	298.15	Viscosities and densities for binary mixtures of N-methylpiperazine with methanol, ethanol, n-propanol, iso-propanol, n-butanol and iso-butanol at 293.15, 298.15 and 303.15K
dvisc	0.0008699	Pa×s	298.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0003490	Pa×s	333.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0003940	Pa×s	323.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K

dvisc	0.0004490	Pa×s	313.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0004780	Pa×s	308.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0005140	Pa×s	303.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0006781	Pa×s	283.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0005950	Pa×s	293.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0004500	Pa×s	313.00	Thermophysical Properties of Binary Mixtures of Methanol with Chlorobenzene and Bromobenzene from 293K to 313K

dvisc	0.0005180	Pa×s	303.00	Thermophysical Properties of Binary Mixtures of Methanol with Chlorobenzene and Bromobenzene from 293K to 313K
dvisc	0.0005910	Pa×s	293.00	Thermophysical Properties of Binary Mixtures of Methanol with Chlorobenzene and Bromobenzene from 293K to 313K
dvisc	0.0007287	Pa×s	308.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0005962	Pa×s	318.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0004792	Pa×s	328.15	Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15 - 328.15) K
dvisc	0.0005810	Pa×s	293.15	Dynamic viscosities of the ternary liquid mixtures (dimethyl carbonate + methanol + ethanol) and (dimethyl carbonate + methanol + hexane) at several temperatures

dvisc	0.0005530	Pa×s	298.15	Dynamic viscosities of the ternary liquid mixtures (dimethyl carbonate + methanol + ethanol) and (dimethyl carbonate + methanol + hexane) at several temperatures
dvisc	0.0005060	Pa×s	303.15	Dynamic viscosities of the ternary liquid mixtures (dimethyl carbonate + methanol + ethanol) and (dimethyl carbonate + methanol + hexane) at several temperatures
dvisc	0.0004430	Pa×s	313.15	Dynamic viscosities of the ternary liquid mixtures (dimethyl carbonate + methanol + ethanol) and (dimethyl carbonate + methanol + hexane) at several temperatures
dvisc	0.0005510	Pa×s	298.15	Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T=(298.15 and 308.15) K

dvisc	0.0004930	Pa×s	308.15	Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T=(298.15 and 308.15) K
dvisc	0.0005446	Pa×s	298.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in Methanol (1) + Water (2) Mixtures at (298.15, 308.15, and 318.15) K
dvisc	0.0004747	Pa×s	308.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in Methanol (1) + Water (2) Mixtures at (298.15, 308.15, and 318.15) K
dvisc	0.0004185	Pa×s	318.15	Electrical Conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Bromide in Methanol (1) + Water (2) Mixtures at (298.15, 308.15, and 318.15) K
dvisc	0.0007418	Pa×s	278.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K

dvisc	0.0006890	Pa×s	283.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0006410	Pa×s	288.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0005990	Pa×s	293.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0005585	Pa×s	298.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0005199	Pa×s	303.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0004857	Pa×s	308.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K

dvisc	0.0004559	Pa×s	313.15	Density and Viscosity of Clopidogrel Hydrogen Sulfate + Methanol and Clopidogrel Hydrogen Sulfate + Ethanol from (278.15 to 313.15) K
dvisc	0.0006075	Pa×s	293.15	Densities and Viscosities of Binary Mixture of the Ionic Liquid Bis(2-hydroxyethyl)ammonium Propionate with Methanol, Ethanol, and 1-Propanol at T = (293.15, 303.15, 313.15, and 323.15) K and at P = 0.1 MPa
dvisc	0.0005535	Pa×s	303.15	Densities and Viscosities of Binary Mixture of the Ionic Liquid Bis(2-hydroxyethyl)ammonium Propionate with Methanol, Ethanol, and 1-Propanol at T = (293.15, 303.15, 313.15, and 323.15) K and at P = 0.1 MPa
dvisc	0.0005010	Pa×s	313.15	Densities and Viscosities of Binary Mixture of the Ionic Liquid Bis(2-hydroxyethyl)ammonium Propionate with Methanol, Ethanol, and 1-Propanol at T = (293.15, 303.15, 313.15, and 323.15) K and at P = 0.1 MPa
dvisc	0.0004601	Pa×s	323.15	Densities and Viscosities of Binary Mixture of the Ionic Liquid Bis(2-hydroxyethyl)ammonium Propionate with Methanol, Ethanol, and 1-Propanol at T = (293.15, 303.15, 313.15, and 323.15) K and at P = 0.1 MPa

dvisc	0.0005320	Pa×s	298.15	Densities, Viscosities, and Refractive Properties of the Binary Mixtures of the Amino Acid Ionic Liquid [bmim][Ala] with Methanol or Benzylalcohol at T = (298.15 to 313.15) K	
dvisc	0.0005150	Pa×s	303.15	Densities, Viscosities, and Refractive Properties of the Binary Mixtures of the Amino Acid Ionic Liquid [bmim][Ala] with Methanol or Benzylalcohol at T = (298.15 to 313.15) K	
dvisc	0.0004650	Pa×s	308.15	Densities, Viscosities, and Refractive Properties of the Binary Mixtures of the Amino Acid Ionic Liquid [bmim][Ala] with Methanol or Benzylalcohol at T = (298.15 to 313.15) K	
dvisc	0.0004410	Pa×s	313.15	Densities, Viscosities, and Refractive Properties of the Binary Mixtures of the Amino Acid Ionic Liquid [bmim][Ala] with Methanol or Benzylalcohol at T = (298.15 to 313.15) K	
dvisc	0.0005676	Pa×s	293.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	

dvisc	0.0005318	Pa×s	298.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0005008	Pa×s	303.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0004729	Pa×s	308.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0004482	Pa×s	313.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	

dvisc	0.0004259	Pa×s	318.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0004055	Pa×s	323.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0003872	Pa×s	328.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	
dvisc	0.0003710	Pa×s	333.15	Viscosity and density measurement for six binary mixtures of water (methanol or ethanol) with an ionic liquid [BMIM][DMP] or [EMIM][DMP] at atmospheric pressure in the temperature range of (293.15 to 333.15) K	

dvisc	0.0005580	Pa×s	298.15	Densities and Viscosities for Binary Mixtures of the Ionic Liquid N-Ethyl Piperazinium Propionate with n-Alcohols at Several Temperatures
dvisc	0.0005261	Pa×s	303.15	Densities and Viscosities for Binary Mixtures of the Ionic Liquid N-Ethyl Piperazinium Propionate with n-Alcohols at Several Temperatures
dvisc	0.0004966	Pa×s	308.15	Densities and Viscosities for Binary Mixtures of the Ionic Liquid N-Ethyl Piperazinium Propionate with n-Alcohols at Several Temperatures
dvisc	0.0004702	Pa×s	313.15	Densities and Viscosities for Binary Mixtures of the Ionic Liquid N-Ethyl Piperazinium Propionate with n-Alcohols at Several Temperatures
dvisc	0.0005930	Pa×s	293.15	Viscosities and densities for binary mixtures of N-methylpiperazine with methanol, ethanol, n-propanol, iso-propanol, n-butanol and iso-butanol at 293.15, 298.15 and 303.15K
dvisc	0.0004747	Pa×s	308.15	Electrical Conductances of 1-Butyl-3-propylimidazolium Bromide and 1-Butyl-3-propylbenzimidazolium Bromide in Water, Methanol, and Acetonitrile at (308, 313, and 318) K at 0.1 MPa

dvisc	0.0004440	Pa×s	313.15	Electrical Conductances of 1-Butyl-3-propylimidazolium Bromide and 1-Butyl-3-propylbenzimidazolium Bromide in Water, Methanol, and Acetonitrile at (308, 313, and 318) K at 0.1 MPa
dvisc	0.0004185	Pa×s	318.15	Electrical Conductances of 1-Butyl-3-propylimidazolium Bromide and 1-Butyl-3-propylbenzimidazolium Bromide in Water, Methanol, and Acetonitrile at (308, 313, and 318) K at 0.1 MPa
dvisc	0.0005833	Pa×s	293.15	Viscosimetric Study of Binary Mixtures Containing Pyridinium-Based Ionic Liquids and Alkanols
dvisc	0.0005070	Pa×s	303.15	Viscosimetric Study of Binary Mixtures Containing Pyridinium-Based Ionic Liquids and Alkanols
dvisc	0.0004438	Pa×s	313.15	Viscosimetric Study of Binary Mixtures Containing Pyridinium-Based Ionic Liquids and Alkanols
dvisc	0.0003873	Pa×s	323.15	Viscosimetric Study of Binary Mixtures Containing Pyridinium-Based Ionic Liquids and Alkanols
dvisc	0.0005870	Pa×s	293.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K

dvisc	0.0005470	Pa×s	298.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0005100	Pa×s	303.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0004470	Pa×s	313.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0003940	Pa×s	323.15	Volumetric Properties and Viscosities of Binary Mixtures of N,N-Dimethylformamide with Methanol and Ethanol in the Temperature Range (293.15 to 333.15) K
dvisc	0.0006315	Pa×s	288.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0005884	Pa×s	293.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K

dvisc	0.0005509	Pa×s	298.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0005154	Pa×s	303.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0004849	Pa×s	308.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0004576	Pa×s	313.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0004324	Pa×s	318.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0004093	Pa×s	323.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K

dvisc	0.0003903	Pa×s	328.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0003724	Pa×s	333.15	Excess Molar Volume and Viscosity Deviation for the Methanol + Methyl Methacrylate Binary System at T) (283.15 to 333.15) K
dvisc	0.0005770	Pa×s	298.15	Temperature and Composition Dependence of the Density and Viscosity of Binary Mixtures of {1-Butyl-3-methylimidazolium Thiocyanate + 1-Alcohols}
dvisc	0.0005250	Pa×s	308.15	Temperature and Composition Dependence of the Density and Viscosity of Binary Mixtures of {1-Butyl-3-methylimidazolium Thiocyanate + 1-Alcohols}
dvisc	0.0004810	Pa×s	318.15	Temperature and Composition Dependence of the Density and Viscosity of Binary Mixtures of {1-Butyl-3-methylimidazolium Thiocyanate + 1-Alcohols}
dvisc	0.0005178	Pa×s	303.15	Densities and viscosities of binary mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1 C3)} at temperatures from T = 303.15 K to T = 323.15 K

dvisc	0.0004843	Pa×s	308.15	Densities and viscosities of binary mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1 C3)} at temperatures from T = 303.15 K to T = 323.15 K	
dvisc	0.0005080	Pa×s	303.15	Density, dynamic viscosity, and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate, and methyl acetate at T = (293.15, 298.15, and 303.15) K	
dvisc	0.0004515	Pa×s	313.15	Densities and viscosities of binary mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1 C3)} at temperatures from T = 303.15 K to T = 323.15 K	
dvisc	0.0004233	Pa×s	318.15	Densities and viscosities of binary mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1 C3)} at temperatures from T = 303.15 K to T = 323.15 K	
dvisc	0.0003950	Pa×s	323.15	Densities and viscosities of binary mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1 C3)} at temperatures from T = 303.15 K to T = 323.15 K	

dvisc	0.0005850	Pa×s	293.15	Density, dynamic viscosity, and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate, and methyl acetate at T = (293.15, 298.15, and 303.15) K
dvisc	0.0004430	Pa×s	328.15	Temperature and Composition Dependence of the Density and Viscosity of Binary Mixtures of {1-Butyl-3-methylimidazolium Thiocyanate + 1-Alcohols}
dvisc	0.0005560	Pa×s	298.15	Densities and Viscosities of Binary Mixtures of Cyclopropanecarboxylic Acid with Methanol, Ethanol, Propan-1-ol, and Butan-1-ol at Different Temperatures
dvisc	0.0004840	Pa×s	308.15	Densities and Viscosities of Binary Mixtures of Cyclopropanecarboxylic Acid with Methanol, Ethanol, Propan-1-ol, and Butan-1-ol at Different Temperatures
dvisc	0.0004240	Pa×s	318.15	Densities and Viscosities of Binary Mixtures of Cyclopropanecarboxylic Acid with Methanol, Ethanol, Propan-1-ol, and Butan-1-ol at Different Temperatures

dvisc	0.0005880	Pa×s	293.15	Properties of pure 1-methylimidazolium acetate ionic liquid and its binary mixtures with alcohols
dvisc	0.0005510	Pa×s	298.15	Properties of pure 1-methylimidazolium acetate ionic liquid and its binary mixtures with alcohols
dvisc	0.0005170	Pa×s	303.15	Properties of pure 1-methylimidazolium acetate ionic liquid and its binary mixtures with alcohols
dvisc	0.0004860	Pa×s	308.15	Properties of pure 1-methylimidazolium acetate ionic liquid and its binary mixtures with alcohols
dvisc	0.0004600	Pa×s	313.15	Properties of pure 1-methylimidazolium acetate ionic liquid and its binary mixtures with alcohols
dvisc	0.0005130	Pa×s	302.45	Density, viscosity, and saturated vapor pressure of ethyl trifluoroacetate
dvisc	0.0004430	Pa×s	313.50	Density, viscosity, and saturated vapor pressure of ethyl trifluoroacetate
dvisc	0.0003860	Pa×s	323.55	Density, viscosity, and saturated vapor pressure of ethyl trifluoroacetate
dvisc	0.0003450	Pa×s	333.85	Density, viscosity, and saturated vapor pressure of ethyl trifluoroacetate

dvisc	0.0005840	Pa×s	293.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0005520	Pa×s	298.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0005240	Pa×s	303.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0004900	Pa×s	308.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0004590	Pa×s	313.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0004390	Pa×s	318.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol
dvisc	0.0004170	Pa×s	323.15	Densities and viscosities of binary mixtures of 2,2-diethyl-1,1,3,3-tetramethylguanidinium bis(trifluoromethylsulfonyl)imide with methanol and ethanol

dvisc	0.0005130	Pa×s	303.15	Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol
dvisc	0.0003720	Pa×s	328.15	Densities and Viscosities of Binary Mixtures of Cyclopropanecarboxylic Acid with Methanol, Ethanol, Propan-1-ol, and Butan-1-ol at Different Temperatures
dvisc	0.0004500	Pa×s	313.15	Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol
dvisc	0.0004220	Pa×s	318.15	Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol
dvisc	0.0003970	Pa×s	323.15	Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol
dvisc	0.0005850	Pa×s	293.15	Dynamic Viscosities, Densities, and Speed of Sound and Derived Properties of the Binary Systems Acetic Acid with Water, Methanol, Ethanol, Ethyl Acetate and Methyl Acetate at T = (293.15, 298.15, and 303.15) K at Atmospheric Pressure

dvisc	0.0005450	Pa×s	298.15	Dynamic Viscosities, Densities, and Speed of Sound and Derived Properties of the Binary Systems Acetic Acid with Water, Methanol, Ethanol, Ethyl Acetate and Methyl Acetate at T = (293.15, 298.15, and 303.15) K at Atmospheric Pressure
dvisc	0.0005080	Pa×s	303.15	Dynamic Viscosities, Densities, and Speed of Sound and Derived Properties of the Binary Systems Acetic Acid with Water, Methanol, Ethanol, Ethyl Acetate and Methyl Acetate at T = (293.15, 298.15, and 303.15) K at Atmospheric Pressure
dvisc	0.0005770	Pa×s	293.15	Density and Viscosity of Binary Mixtures of Ethyl-2-methylbutyrate and Ethyl Hexanoate with Methanol, Ethanol, and 1-Propanol at (293.15, 303.15, and 313.15) K
dvisc	0.0005120	Pa×s	303.15	Density and Viscosity of Binary Mixtures of Ethyl-2-methylbutyrate and Ethyl Hexanoate with Methanol, Ethanol, and 1-Propanol at (293.15, 303.15, and 313.15) K

dvisc	0.0004470	Pa×s	313.15	Density and Viscosity of Binary Mixtures of Ethyl-2-methylbutyrate and Ethyl Hexanoate with Methanol, Ethanol, and 1-Propanol at (293.15, 303.15, and 313.15) K
dvisc	0.0004760	Pa×s	308.15	Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure
dvisc	0.0004450	Pa×s	313.15	Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure
dvisc	0.0004210	Pa×s	318.15	Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure
dvisc	0.0003950	Pa×s	323.15	Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure

dvisc	0.0003720	Pa×s	328.15	Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure
dvisc	0.0005820	Pa×s	293.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K
dvisc	0.0005500	Pa×s	298.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K
dvisc	0.0005520	Pa×s	298.15	Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Methylphosphonate and Dimethyl Phosphite from (293.15 to 333.15) K
dvisc	0.0005120	Pa×s	303.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K
dvisc	0.0004480	Pa×s	313.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K

dvisc	0.0003950	Pa×s	323.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K
dvisc	0.0003510	Pa×s	333.15	Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K
dvisc	0.0004760	Pa×s	308.15	Densities and Viscosities of Binary Mixtures of m-Cresol with Ethylene Glycol or Methanol over Several Temperatures
dvisc	0.0004450	Pa×s	313.15	Densities and Viscosities of Binary Mixtures of m-Cresol with Ethylene Glycol or Methanol over Several Temperatures
dvisc	0.0004210	Pa×s	318.15	Densities and Viscosities of Binary Mixtures of m-Cresol with Ethylene Glycol or Methanol over Several Temperatures
dvisc	0.0003950	Pa×s	323.15	Densities and Viscosities of Binary Mixtures of m-Cresol with Ethylene Glycol or Methanol over Several Temperatures
dvisc	0.0004800	Pa×s	308.15	Viscometric Studies of Molecular Interactions in Binary Liquid Mixtures of Isomeric Xylenes with Methanol

dvisc	0.0005450	Pa×s	298.15	Density, dynamic viscosity, and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate, and methyl acetate at T = (293.15, 298.15, and 303.15) K
hfust	3.18	kJ/mol	175.30	NIST Webbook
hfust	3.22	kJ/mol	175.60	NIST Webbook
hfust	0.64	kJ/mol	157.30	NIST Webbook
hfust	3.18	kJ/mol	175.30	NIST Webbook
hfust	0.59	kJ/mol	161.10	NIST Webbook
hfust	2.20	kJ/mol	176.00	NIST Webbook
hvapt	34.70 ± 0.10	kJ/mol	343.00	NIST Webbook
hvapt	35.25	kJ/mol	337.80	KDB
hvapt	35.21	kJ/mol	337.70	NIST Webbook
hvapt	39.20	kJ/mol	224.00	NIST Webbook
hvapt	36.90	kJ/mol	412.50	NIST Webbook
hvapt	43.70	kJ/mol	208.00	NIST Webbook
hvapt	38.90	kJ/mol	257.00	NIST Webbook
hvapt	38.30	kJ/mol	315.00	NIST Webbook
hvapt	37.00	kJ/mol	355.50	NIST Webbook
hvapt	36.10	kJ/mol	415.50	NIST Webbook
hvapt	35.10	kJ/mol	483.00	NIST Webbook
hvapt	32.70	kJ/mol	373.00	NIST Webbook
hvapt	28.10	kJ/mol	423.00	NIST Webbook
hvapt	20.60	kJ/mol	473.00	NIST Webbook
hvapt	7.40	kJ/mol	510.00	NIST Webbook
hvapt	37.50	kJ/mol	326.00	NIST Webbook
hvapt	38.30	kJ/mol	312.50	NIST Webbook
hvapt	35.20 ± 0.10	kJ/mol	338.00	NIST Webbook
hvapt	35.60 ± 0.10	kJ/mol	331.00	NIST Webbook
hvapt	36.20 ± 0.10	kJ/mol	321.00	NIST Webbook
hvapt	37.00 ± 0.10	kJ/mol	306.00	NIST Webbook
hvapt	36.70 ± 0.10	kJ/mol	313.00	NIST Webbook
hvapt	36.20 ± 0.10	kJ/mol	323.00	NIST Webbook
hvapt	35.60 ± 0.10	kJ/mol	333.00	NIST Webbook
hvapt	35.30 ± 0.10	kJ/mol	338.00	NIST Webbook
hvapt	37.00	kJ/mol	360.00	NIST Webbook
hvapt	38.70	kJ/mol	305.50	NIST Webbook
hvapt	38.30	kJ/mol	322.50	NIST Webbook
hvapt	36.30	kJ/mol	418.00	NIST Webbook

hvapt	38.40	kJ/mol	300.50	NIST Webbook
pvap	60.00	kPa	324.65	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl
pvap	35.51	kPa	313.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	44.59	kPa	318.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	55.65	kPa	323.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	68.94	kPa	328.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data

pvap	84.62	kPa	333.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	101.30	kPa	337.90	Vapor-Liquid Equilibrium and Mixing Properties of Methanol + Diethyl Carbonate and Vinyl Acetate + Diethyl Carbonate Systems
pvap	101.00	kPa	337.75	Isobaric Vapor-Liquid Equilibrium of Acetone + Methanol System in the Presence of Calcium Bromide
pvap	267.00	kPa	364.47	Isothermal Vapor Liquid Equilibrium for 2-Methylpropene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol Binary Systems at 364.5 K
pvap	30.33	kPa	309.79	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone
pvap	35.42	kPa	313.06	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone
pvap	35.52	kPa	313.15	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone

pvap	40.00	kPa	315.73	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	40.41	kPa	316.02	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	45.11	kPa	318.43	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	50.30	kPa	320.90	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	55.39	kPa	323.14	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	55.69	kPa	323.15	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	59.99	kPa	324.96	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	65.28	kPa	326.95	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	
pvap	84.72	kPa	333.15	Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	

pvap	55.30	kPa	323.15	Vapor-Liquid Equilibria and HE for Binary Systems of Dimethyl Ether (DME) with C1-C4 Alkan-1-ols at 323.15 K and Liquid-Liquid Equilibria for Ternary System of DME + Methanol + Water at 313.15 K
pvap	101.30	kPa	337.57	Vapor-Liquid Equilibrium and Liquid-Liquid Equilibrium of Methyl Acetate + Methanol + 1-Ethyl-3-methylimidazolium Acetate
pvap	85.40	kPa	333.42	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	89.50	kPa	334.56	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	101.30	kPa	337.65	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	120.90	kPa	342.17	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	124.80	kPa	343.06	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K

pvap	142.60	kPa	346.64	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	163.20	kPa	350.25	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	181.00	kPa	353.17	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	181.70	kPa	353.27	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	202.70	kPa	356.35	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	221.30	kPa	358.91	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	241.40	kPa	361.45	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K

pvap	255.90	kPa	363.19	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	261.60	kPa	363.85	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	288.90	kPa	366.88	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	321.30	kPa	370.13	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	341.20	kPa	372.04	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	350.90	kPa	372.90	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K
pvap	385.40	kPa	375.89	Isothermal Vapor-Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K

pvap	100.00	kPa	337.42	Influence of Some Ionic Liquids Containing the Trifluoromethanesulfonate Anion on the Vapor Liquid Equilibria of the Acetone + Methanol System
pvap	101.32	kPa	337.84	Organic Salt Effect of Tetramethylammonium Bicarbonate on the Vapor Liquid Equilibrium of the Methanol Water System
pvap	101.32	kPa	337.85	Isobaric Vapor Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Octyl-3-methylimidazolium Tetrafluoroborate
pvap	101.32	kPa	337.84	Organic Salt Effect of Tetramethylammonium Bicarbonate on Vapor-Liquid Equilibrium of the Dimehyl Carbonate + Methanol System
pvap	100.00	kPa	337.42	1-Ethyl-3-methylimidazolium Dicyanamide as a Very Efficient Entrainer for the Extractive Distillation of the Acetone + Methanol System
pvap	101.00	kPa	337.85	Vapor Liquid Equilibrium Data for Methanol + tert-Butylamine + N,N-Dimethylformamide and Constituent Binary Systems at Atmospheric Pressure
pvap	101.30	kPa	337.75	Vapor Liquid Equilibrium at p/kPa = 101.3 of the Binary Mixtures of Ethenyl Acetate with Methanol and Butan-1-ol

pvap	60.00	kPa	324.92	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
pvap	101.30	kPa	337.82	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
pvap	101.33	kPa	337.65	Experimental Measurements of Vapor Liquid Equilibrium Data for the Binary Systems of Methanol + 2-Butyl Acetate, 2-Butyl Alcohol + 2-Butyl Acetate, and Methyl Acetate + 2-Butyl Acetate at 101.33 kPa
pvap	4.25	kPa	274.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	5.50	kPa	278.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	7.41	kPa	283.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide

pvap	13.00	kPa	293.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	21.86	kPa	303.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	35.43	kPa	313.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	55.54	kPa	323.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	84.93	kPa	333.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	125.74	kPa	343.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	181.56	kPa	353.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide

pvap	256.27	kPa	363.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	354.35	kPa	373.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	480.82	kPa	383.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	641.27	kPa	393.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	27.98	kPa	308.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	1089.15	kPa	413.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	180.50	kPa	353.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water

pvap	352.80	kPa	373.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water
pvap	641.30	kPa	393.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water
pvap	840.10	kPa	403.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water
pvap	1087.30	kPa	413.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water
pvap	1754.90	kPa	433.15	Vapor-Liquid Equilibrium of Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water
pvap	181.00	kPa	353.10	Experimental Investigation of the Solubility of Ammonia in Methanol
pvap	635.00	kPa	393.10	Experimental Investigation of the Solubility of Ammonia in Methanol

pvap	55.50	kPa	323.13	Vapor Liquid Equilibrium for Butane + Methanol, + Ethanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-Propanol (TBA) at 323 K
pvap	267.60	kPa	364.52	Vapor Liquid Equilibrium for the Systems trans-2-Butene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol at 364.5 K
pvap	267.50	kPa	364.51	Vapor Liquid Equilibrium for the Systems 2-Methylpropane + Methanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol at 364.5 K
pvap	267.30	kPa	364.52	Vapor-Liquid Equilibrium for the cis-2-Butene + Methanol, + 2-Propanol, + 2-Butanol, + 2-Methyl-2-propanol Systems at 364.5 K
pvap	40.00	kPa	315.75	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems
pvap	53.33	kPa	322.15	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems
pvap	66.66	kPa	327.34	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems
pvap	79.99	kPa	331.73	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems

pvap	93.32	kPa	335.57	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems	
pvap	98.66	kPa	336.98	Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems	
pvap	27.96	kPa	308.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol	
pvap	21.88	kPa	303.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol	
pvap	16.97	kPa	298.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol	
pvap	101.30	kPa	337.65	Isobaric vapor-liquid equilibrium for acetone + methanol system containing different ionic liquids at 101.3 kPa	
pvap	101.30	kPa	337.85	Measurement and correlation of isobaric vapor-liquid equilibria of methanol + tetrahydrofuran + 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at 101.3 kPa	

pvap	352.70	kPa	373.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	150.67	kPa	348.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	352.62	kPa	373.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	150.69	kPa	348.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	352.64	kPa	373.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	150.71	kPa	348.15	Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils
pvap	268.10	kPa	364.50	Vapour liquid equilibrium for the systems butane + methanol, +2-propanol, +1-butanol, +2-butanol, +2-methyl-2-propanol at 364.5K

pvap	134.07	kPa	345.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	841.83	kPa	403.15	Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide
pvap	106.47	kPa	339.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	94.55	kPa	336.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	83.76	kPa	333.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	74.02	kPa	330.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	65.25	kPa	327.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	57.36	kPa	324.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	50.29	kPa	321.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	43.97	kPa	318.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa

pvap	38.33	kPa	315.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	55.61	kPa	323.15	Isothermal vapour liquid equilibrium with chemical reaction in the quaternary water + methanol + acetic acid + methyl acetate system, and in five binary subsystems
pvap	55.58	kPa	323.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	44.54	kPa	318.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	35.45	kPa	313.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide

pvap	35.44	kPa	313.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	27.96	kPa	308.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	27.96	kPa	308.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	21.88	kPa	303.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide

pvap	21.88	kPa	303.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	16.96	kPa	298.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	16.97	kPa	298.15	Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide
pvap	1565.62	kPa	428.15	Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure
pvap	1042.57	kPa	411.15	Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure

pvap	604.68	kPa	391.15	Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure
pvap	400.41	kPa	377.15	Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure
pvap	99.91	kPa	337.35	Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure
pvap	35.27	kPa	313.07	Vapour liquid equilibrium for the 2-methylpropane + methanol, +ethanol, +2-propanol, +2-butanol and +2-methyl-2-propanol systems at 313.15K
pvap	182.61	kPa	353.15	Measurement and correlation of vapor liquid equilibria of binary systems containing the ionic liquids [EMIM][(CF3SO2)2N], [BMIM][(CF3SO2)2N], [MMIM][(CH3)2PO4] and oxygenated organic compounds respectively water
pvap	21.88	kPa	303.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data

pvap	16.95	kPa	298.15	Vapor-Pressure Measurements of Liquid Solutions at Different Temperatures: Apparatus for Use over an Extended Temperature Range and Some New Data
pvap	55.57	kPa	323.14	Isothermal Vapor Liquid Equilibrium for Binary 2-Methylpropene - C1-C4 Alcohol-Systems
pvap	80.97	kPa	332.08	Vapor Liquid Equilibrium for the Trans-2-Butene + Methanol, + Ethanol, + 2-Propanol, + 2-Butanol and + 2-Methyl-2-Propanol Systems at 332 K
pvap	101.30	kPa	337.69	Isobaric Vapor-Liquid Equilibrium for the Binary System of Dimethyl Adipate and 1,6-Hexanediol at 10, 20, and 99 kPa
pvap	119.61	kPa	342.00	Isobaric vapor liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa
pvap	101.30	kPa	337.83	Isobaric Vapor-Liquid Equilibrium Measurements and Separation Process for the Quinary Methanol + Methylal + 2-Butanol + 2-(Methoxymethoxy)-butane + (+-)-Di-sec-butoxymethane System

pvap	101.33	kPa	337.68	Determination of Ternary Vapor-Liquid Equilibrium of Dimethyl Oxalate-Methanol-1,2-Butanediol under Atmosphere Pressure
pvap	101.30	kPa	337.83	Isobaric Vapor-Liquid Equilibrium for the Binary Systems of 2-Butanol + 2-(Methoxymethoxy)-butane and 1-Butanol + 2-(Methoxymethoxy)-butane at 101.3 kPa
pvap	35.44	kPa	313.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol
pvap	85.00	kPa	333.15	Experimental Vapor-Liquid Equilibria and Thermodynamic Modeling of the Methanol + n-Heptane and 1-Butanol + Aniline Binary Systems
pvap	44.86	kPa	318.15	Isothermal Vapor-Liquid Equilibria for Binary Mixtures of Methyl Nonafluorobutyl Ether + Acetone, Cyclopentyl Methyl Ether, Ethyl Acetate, n-Heptane, Methanol, and Toluene
pvap	125.65	kPa	343.15	Vapor Liquid Equilibrium and Excess Enthalpy Data for Systems Containing N,N-Dimethylacetamide

pvap	101.32	kPa	337.85	Vapor Liquid Equilibria Measurement of (Methanol + Ethanenitrile + Bis(trifluoromethylsulfonyl) Imide)-Based Ionic Liquids at 101.3 kPa
pvap	101.30	kPa	337.68	Isobaric Vapor - Liquid Equilibrium for Ethyl acetate + Methanol + Ionic Liquids Ternary systems at 101.3 kPa
pvap	101.30	kPa	337.78	A new analysis method for improving collection of vapor-liquid equilibrium (VLE) data of binary mixtures using differential scanning calorimetry (DSC)
pvap	101.30	kPa	337.68	Experimental determination of vapor liquid equilibrium for methanol + methyl propionate + 1-butyl-3-methylimidazo-lium bis(trifluoromethylsulfonyl)imide at atmospheric pressure
pvap	101.30	kPa	337.45	Measurements and correlations of density, viscosity, and vapour-liquid equilibrium for fluoro alcohols
pvap	35.60	kPa	313.15	Measuring the solubility of CO2 and H2S in sulfolane and the density and viscosity of saturated liquid binary mixtures of (sulfolane + CO2) and (sulfolane + H2S)

pvap	27.90	kPa	308.15	Measuring the solubility of CO2 and H2S in sulfolane and the density and viscosity of saturated liquid binary mixtures of (sulfolane + CO2) and (sulfolane + H2S)
pvap	21.90	kPa	303.15	Measuring the solubility of CO2 and H2S in sulfolane and the density and viscosity of saturated liquid binary mixtures of (sulfolane + CO2) and (sulfolane + H2S)
pvap	17.00	kPa	298.15	Measuring the solubility of CO2 and H2S in sulfolane and the density and viscosity of saturated liquid binary mixtures of (sulfolane + CO2) and (sulfolane + H2S)
pvap	66.70	kPa	327.25	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl
pvap	44.54	kPa	318.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol

pvap	53.30	kPa	322.05	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	46.70	kPa	319.05	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	40.00	kPa	315.75	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	33.30	kPa	311.85	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	26.70	kPa	307.35	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	

pvap	20.00	kPa	301.45	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	13.30	kPa	293.75	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	6.70	kPa	282.55	Thermophysical properties of biodiesel and related systems. Part I. Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and NaCl	
pvap	55.78	kPa	323.15	Thermodynamic properties of binary mixtures combining two pyridinium-based ionic liquids and two alkanols	
pvap	21.93	kPa	303.15	Thermodynamic properties of binary mixtures combining two pyridinium-based ionic liquids and two alkanols	
pvap	55.78	kPa	323.15	Thermodynamic study of binary mixtures containing 1-butylpyridinium tetrafluoroborate and methanol, or ethanol	

pvap	21.93	kPa	303.15	Thermodynamic study of binary mixtures containing 1-butylpyridinium tetrafluoroborate and methanol, or ethanol	
pvap	101.30	kPa	337.45	Effect of Ionic Liquids on the Binary Vapor-Liquid Equilibrium of Ethyl Acetate + Methanol System at 101.3 kPa	
pvap	55.58	kPa	323.15	Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol	
rfi	1.32700		298.15	Temperature Dependence of the Volumetric Properties of Binary and Ternary Mixtures of Water (1) + Methanol (2) + Ethanol (3) at Ambient Pressure (81.5 kPa)	
rfi	1.32687		298.15	Physical Properties of Binary Mixtures of the Ionic Liquid 1-Ethyl-3-methylimidazolium Ethyl Sulfate with Several Alcohols at T = (298.15, 313.15, and 328.15) K and Atmospheric Pressure	
rfi	1.32870		293.15	Isothermal Vapor Liquid Equilibrium Data for the Butan-2-one + Methanol or Ethanol Systems Using a Static-Analytic Microcell	

rfi	1.32850	293.15	Isobaric Vapor Liquid Equilibrium Data of 2-Methyl-propan-2-ol (1) + Heptan-1-ol (2), Methanol (1) + Heptan-1-ol (2), Ethanol (1) + Heptan-1-ol (2), and Propan-1-ol (1) + Heptan-1-ol (2) at 96.5 kPa
rfi	1.32860	293.15	Liquid liquid equilibrium for the ternary systems of water + methanol + acrylonitrile
rfi	1.32650	298.15	Density, Viscosity, and Refractive Index Properties for the Binary Mixtures of n-Butylammonium Acetate Ionic Liquid + Alkanols at Several Temperatures
rfi	1.32862	293.15	Liquid Liquid Equilibria of Methanol, Ethanol, and Propan-2-ol with Water and Dodecane
rfi	1.32853	293.10	Vapor-Liquid Equilibrium for Methoxymethane + Methyl Formate, Methoxymethane + Hexane, and Methyl Formate + Methanol
rfi	1.32640	298.15	Excess Molar Enthalpies of 2-Methyl-2-butanol (1) + 1-Alkanols (C1-C5) (2) at 298.15 K
rfi	1.32700	298.15	Vapor-Liquid Equilibria for Ethyl Acetate + Methanol at (0.1, 0.5, and 0.7) MPa. Measurements with a New Ebulliometer

rfi	1.33010	293.15	Solubilities of Phosphorus-Containing Compounds in Selected Solvents
rfi	1.32660	298.15	Excess Molar Enthalpies of Benzyl Alcohol + Alkanols (C1-C6) and Their Correlations at 298.15 K and Ambient Pressure
rfi	1.32630	298.15	Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures of Methanol, Ethanoic Acid, and Propanoic Acid
rfi	1.32610	298.15	Vapor-Liquid Equilibria Data for Methanol + 2-Propanol+ 2-Methyl-2-butanol and Constituent Binary Systems at 101.3 kPa
rfi	1.32660	298.15	Effect of Pressure on the Static Relative Permittivities of Alkan-1-ols at 298.15 K
rfi	1.32687	298.15	Physical Properties of Binary Mixtures of the Ionic Liquid 1-Methyl-3-octylimidazolium Chloride with Methanol, Ethanol, and 1-Propanol at T = (298.15, 313.15, and 328.15) K and at P) 0.1 MPa
rfi	1.32690	298.15	Viscosity, Density, Speed of Sound, and Refractive Index of Binary Mixtures of Organic Solvent + Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate at 298.15 K

rfi	1.32667	298.15	Density, Refractive Index, Speed of Sound at 298.15 K, and Vapor-Liquid Equilibria at 101.3 kPa for Binary Mixtures of Methanol + 2-Methyl-1-butanol and Ethanol + 2-Methyl-1-butanol
rfi	1.32890	293.15	Isothermal and Isobaric Vapor-Liquid Equilibria of the Ternary System of 2,2-Dimethoxypropane + Acetone + Methanol
rfi	1.32634	298.15	Density, Refractive Index, Speed of Sound, and Vapor-Liquid Equilibria for Binary Mixtures of Methanol + Vinyl Propionate and Vinyl Acetate + Vinyl Propionate. Vapor Pressures of Vinyl Propionate
rfi	1.32890	293.00	Liquid-Liquid Equilibria for the Epichlorohydrin + Water + Methanol and Allyl Chloride + Water + Methanol Systems
rfi	1.32540	308.15	Excess Molar Volumes, Viscosities, and Refractive Indexes for Binary Mixtures of 1-Chlorobutane with Four Alcohols at T = (288.15, 298.15 and 308.15) K

rfi	1.32750	298.15	Excess Molar Volumes, Viscosities, and Refractive Indexes for Binary Mixtures of 1-Chlorobutane with Four Alcohols at T = (288.15, 298.15 and 308.15) K
rfi	1.33030	288.15	Excess Molar Volumes, Viscosities, and Refractive Indexes for Binary Mixtures of 1-Chlorobutane with Four Alcohols at T = (288.15, 298.15 and 308.15) K
rfi	1.32750	298.15	Isobaric Vapor-Liquid Equilibria of Binary Mixtures of Diethyl Carbonate with Methyl Acetate, n-Propyl Acetate, or Amyl Acetate at 100.17 kPa
rfi	1.32850	293.15	Measurement and Correlation of Phase Equilibria for Isobutyl Acetate + {Ethanol or Methanol} + Water at 303.15 and 323.15 K
rfi	1.32680	298.20	Isobaric Vapor Liquid Equilibria for Binary Mixtures of .gamma.-Valerolactone + Methanol, Ethanol, and 2-Propanol
rfi	1.32900	293.20	Isobaric Vapor Liquid Equilibria for Binary Mixtures of .gamma.-Valerolactone + Methanol, Ethanol, and 2-Propanol

rfi	1.32860	293.15	Isobaric Vapor Liquid Equilibrium for Nine Binary Systems of Cracking C5 Fraction at 250 kPa
rfi	1.32655	298.15	Sucrose Solubility in Binary Liquid Mixtures Formed by Water Methanol, Water Ethanol, and Methanol Ethanol at 303 and 313 K
rfi	1.32850	293.15	Vapor-liquid equilibria, density and sound velocity measurements of (water or methanol or ethanol + 1,3-propanediol) binary systems at different temperatures
rfi	1.31670	323.15	Refractive properties of binary mixtures containing pyridinium-basedionic liquids and alkanols
rfi	1.32015	313.15	Refractive properties of binary mixtures containing pyridinium-basedionic liquids and alkanols
rfi	1.32433	303.15	Refractive properties of binary mixtures containing pyridinium-basedionic liquids and alkanols
rfi	1.32843	293.15	Refractive properties of binary mixtures containing pyridinium-basedionic liquids and alkanols

rfi	1.32670	298.15	Binary LLE for Propyl Vinyl Ether (PVE) + Water, Ternary LLE for PVE + Methanol or Ethanol + Water at 298.15 K, and VE and centsR at 293.15 K for the Mixture of PVE + Ethanol + 2,2,4-Trimethylpentane
rfi	1.32858	293.15	Synergistic effect of salts and methanol in thermodynamic inhibition of sII gas hydrates
rfi	1.32610	298.15	Mixing thermodynamic properties of ester-containing solutions: A study on the ternary (methyl alkanoate (pentanoate and methanoate) + methanol) and the corresponding binaries. New contributions to the (ester + ester) interactions
rfi	1.32649	298.15	Effect of the temperature on the physical properties of the pure ionic liquid 1-ethyl-3-methylimidazolium methylsulfate and characterization of its binary mixtures with alcohols
rfi	1.32640	298.15	Properties of pure n-butylammonium nitrate ionic liquid and its binary mixtures of with alcohols at T = (293.15 to 313.15) K

rfi	1.32171	313.15	Densities, speeds of sound, and refractive indices for binary mixtures of 1-butyl-3-methylimidazolium methyl sulphate ionic liquid with alcohols at T = (298.15, 303.15, 308.15, and 313.15) K
rfi	1.32362	308.15	Densities, speeds of sound, and refractive indices for binary mixtures of 1-butyl-3-methylimidazolium methyl sulphate ionic liquid with alcohols at T = (298.15, 303.15, 308.15, and 313.15) K
rfi	1.32552	303.15	Densities, speeds of sound, and refractive indices for binary mixtures of 1-butyl-3-methylimidazolium methyl sulphate ionic liquid with alcohols at T = (298.15, 303.15, 308.15, and 313.15) K
rfi	1.32720	298.15	Densities, speeds of sound, and refractive indices for binary mixtures of 1-butyl-3-methylimidazolium methyl sulphate ionic liquid with alcohols at T = (298.15, 303.15, 308.15, and 313.15) K
rfi	1.32550	303.15	Experimental study on the calorimetric data of cyclohexanol with alkanols (C1-C4) and correlation with Wilson, NRTL and UNIQUAC models at 300 K

rfi	1.32648	298.15	Effect of the temperature on the physical properties of pure 1-propyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide and characterization of its binary mixtures with alcohols
rfi	1.32570	298.15	Application of the ERAS model to volumetric properties of binary mixtures of banana oil with primary and secondary alcohols (C1- C4) at different temperatures
rfi	1.32900	298.15	Volumetric properties, viscosity and refractive index of the protic ionic liquid, pyrrolidinium octanoate, in molecular solvents
rfi	1.32800	293.15	Experimental (vapour + liquid) equilibrium data of (methanol + water), (water + glycerol) and (methanol + glycerol) systems at atmospheric and sub-atmospheric pressures
rfi	1.32645	298.15	Excess volumes of mixing in (N,N-dimethylacetamide + methanol + water) and (N,N-dimethylacetamide + ethanol + water) at the temperature 313.15 K
rfi	1.32880	293.15	Study of activity coefficients for sodium iodide in (methanol + benzene) system by (vapour + liquid) equilibrium measurements

rfi	1.32650	298.15	(Vapor + liquid) equilibria of the binary mixtures of m-cresol with C1 C4 aliphatic alcohols at 95.5 kPa
rfi	1.32650	298.15	Excess molar volumes and partial molar volumes for (propionitrile + an alkanol) at T = 298.15 K and p = 0.1 MPa
rfi	1.32620	298.15	Experimental and predicted volumetric and refractive index properties of ternary mixtures of iodoethane with toluene and alcohols at temperature 298.15 K and pressure 101 kPa
rfi	1.32640	298.15	(Liquid + liquid) equilibrium of (dibutyl ether + methanol + water) at different temperatures
rfi	1.32930	293.15	Liquid-liquid equilibria of water + solutes (acetic acid/ acetol/furfural/guaiacol/methanol/phenol/propanal) + solvents (isopropyl acetate/toluene) ternary systems for pyrolysis oil fractionation
rfi	1.32640	298.15	Excess molar volumes and excess molar enthalpies in binary systems N-alkyl-triethylammonium bis(trifluoromethylsulfonyl)imide +methanol
rfi	1.32880	298.15	Investigation on vapor liquid equilibrium for 2-propanol + 1-butanol + 1-pentanol at 101.3 kPa

rfi	1.32870	293.15	A novel static analytical apparatus for phase equilibrium measurements
rfi	1.32620	298.15	Liquid liquid equlibria of the system dimethyl carbonate + methanol +water at different temperatures
rfi	1.32650	298.15	Activity coefficients of the binary mixtures of a-cresol or p-cresol with C l-C4 aliphatic alcohols near ambient pressure
rfi	1.32640	298.15	Effect of anion fluorination in 1-ethyl-3-methylimidazolium as solvent for the liquid extraction of ethanol from ethyl tert-butyl ether
rfi	1.32870	293.15	Solubilities of 2-(6-Oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1,4-dihydroxy Phenylene in the Selected Solvents
rfi	1.32910	293.15	Measurement and Correlation of the Solubilities of m-Phthalic Acid in Monobasic Alcohols
rfi	1.32700	298.15	Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary and Ternary Liquid Mixtures of Methanol (1) + Ethanol (2) + 1,2-Propanediol (3) at P = 81.5 kPa
rfi	1.33010	293.15	Solubilities of 3,9-Dimethyl-3,9-dioxide-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undec in Selected Solvents
rfi	1.33010	293.15	Solubilities of (2,5-Dihydroxyphenyl)diphenyl Phosphine Oxide in Selected Solvents

rfi	1.32668		298.15	Isothermal Vapor-Liquid Equilibrium Data at T = 333.15 K and Excess Molar Volumes and Refractive Indices at T = 298.15 K for the Dimethyl Carbonate + Methanol and Isopropanol + Water with Ionic Liquids
rfi	1.32640		298.10	PHYSICAL AND EXCESS PROPERTIES OF BINARY AND TERNARY MIXTURES OF 1,1-DIMETHYLETHOXY-BUTANE, METHANOL, ETHANOL AND WATER AT 298.15K.
rfi	1.32700		298.15	Excess Molar Enthalpies of 1,2-Propanediol + Alkan-1-ols (C1-C6) and Their Correlations at 298.15 K and Ambient Pressure (81.5 kPa)
rhol	774.60	kg/m3	313.15	Ternary Excess Molar Volumes of {Methyltrioctylammonium Bis[(trifluoromethyl)sulfonyl]imide + Methanol + Methyl Acetate or Ethyl Acetate} Systems at (298.15, 303.15, and 313.15) K
rhol	783.40	kg/m3	303.15	Ternary Excess Molar Volumes of {Methyltrioctylammonium Bis[(trifluoromethyl)sulfonyl]imide + Methanol + Methyl Acetate or Ethyl Acetate} Systems at (298.15, 303.15, and 313.15) K

rhol	786.00	kg/m3	298.15	Ternary Excess Molar Volumes of {Methyltrioctylammonium Bis[(trifluoromethyl)sulfonyl]imide + Methanol + Methyl Acetate or Ethyl Acetate} Systems at (298.15, 303.15, and 313.15) K
rhol	767.52	kg/m3	318.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhol	772.33	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhol	777.11	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhol	781.86	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhol	786.58	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures

rhol	791.30	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures
rhol	786.49	kg/m3	298.15	Refractive Indices and Deviations in Refractive Indices for Binary Mixtures of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate with Methanol, Ethanol, 1-Propanol, and 2-Propanol at Several Temperatures
rhol	796.00	kg/m3	298.20	Solubility of Phenanthrene in Binary Mixtures of C1-C4 Alcohols at 298.2 K
rhol	786.38	kg/m3	298.15	Partial Molar Volumes of Butyltriethylammonium Iodide in Single Nonaqueous Solvents at 298.15 K
rhol	772.11	kg/m3	313.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	776.89	kg/m3	308.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO

rhol	781.65	kg/m3	303.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	786.37	kg/m3	298.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	791.08	kg/m3	293.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	795.77	kg/m3	288.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	800.45	kg/m3	283.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	805.11	kg/m3	278.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO

rhol	809.77	kg/m3	273.15	Molar Conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and DMSO
rhol	787.00	kg/m3	298.15	Solubility and Liquid-Liquid Equilibrium of Aqueous Systems of Iodoethane with Methanol, Ethanol, or 1-Propanol at Temperature 298.15 K and Pressure 101.2 kPa
rhol	786.64	kg/m3	298.15	Binary Liquid-Liquid Equilibrium (LLE) for Methyl tert-Amyl Ether (TAME) + Water from (288.15 to 313.15) K and Ternary LLE for Systems of TAME + C1-C4 Alcohols + Water at 298.15 K
rhol	786.57	kg/m3	298.15	Binary Liquid-Liquid Equilibrium (LLE) for Dibutyl Ether (DBE) + Water from (288.15 to 318.15) K and Ternary LLE for Systems of DBE + C1 !less thanless than C4 Alcohols + Water at 298.15 K
rhol	866.84	kg/m3	298.15	Temperature Dependence on Mutual Solubility Data of the Binary (Methanol + r-Pinene or -Pinene) Systems and Ternary Liquid-Liquid Equilibria for the (Methanol + Ethanol + r-Pinene or -Pinene) Systems

rhol	787.00	kg/m3	298.15	Effect of Temperature on Phase Equilibrium of the Mixed-Solvent System of (2,2,2-Trifluoroethanol + Methanol + Cyclohexane)
rhol	787.00	kg/m3	298.15	Liquid-Liquid Equilibrium of (Cyclohexane + 2,2,2-Trifluoroethanol) and (Cyclohexane + Methanol) from (278.15 to 318.15) K
rhol	768.04	kg/m3	318.15	Thermodynamic Properties of 1-Butyl-3-methylpyridinium Tetrafluoroborate and Its Mixtures with Water and Alkanols
rhol	786.44	kg/m3	298.15	Thermodynamic Properties of 1-Butyl-3-methylpyridinium Tetrafluoroborate and Its Mixtures with Water and Alkanols
rhol	767.50	kg/m3	318.15	Density of Methanolic Alkali Halide Salt Solutions by Experiment and Molecular Simulation
rhol	777.10	kg/m3	308.15	Density of Methanolic Alkali Halide Salt Solutions by Experiment and Molecular Simulation
rhol	786.50	kg/m3	298.15	Density of Methanolic Alkali Halide Salt Solutions by Experiment and Molecular Simulation
rhol	762.67	kg/m3	323.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform

rhol	767.51	kg/m3	318.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	772.32	kg/m3	313.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	777.10	kg/m3	308.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	781.85	kg/m3	303.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	786.58	kg/m3	298.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	
rhol	791.28	kg/m3	293.15	Speed of sound, density and related thermodynamic excess properties of binary mixtures of butan-2-one with C1-C4 nalkanols and chloroform	

rhol	786.40	kg/m3	298.15	Liquid Liquid Equilibrium for Ternary System Methanol + Methyl Acetate + 1,3-Dimethylimidazolium Dimethylphosphate at Several Temperatures and Atmospheric Pressure
rhol	786.58	kg/m3	298.15	Liquid Liquid Equilibria in Ternary Systems of Hexafluoroisopropanol + Perfluorocarbon + Water or Methanol at 298.15 K
rhol	789.70	kg/m3	298.15	Phase equilibrium study of binary and ternary mixtures of ionic liquids + acetone + methanol
rhol	786.67	kg/m3	298.15	Density, Viscosity, and Conductivity of Binary Mixtures of the Ionic Liquid N-(2-Hydroxyethyl)piperazinium Propionate with Water, Methanol, or Ethanol
rhol	763.47	kg/m3	323.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	768.32	kg/m3	318.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	773.14	kg/m3	313.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols

rhol	777.91	kg/m3	308.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	782.68	kg/m3	303.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	787.43	kg/m3	298.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	792.12	kg/m3	293.15	Densities and Viscosities of Binary Mixtures Containing 1,3-Dimethylimidazolium Dimethylphosphate and Alcohols
rhol	762.83	kg/m3	323.15	Thermophysical Properties of the Binary Mixture 1-Propylpyridinium Tetrafluoroborate with Methanol
rhol	772.29	kg/m3	313.15	Thermophysical Properties of the Binary Mixture 1-Propylpyridinium Tetrafluoroborate with Methanol
rhol	781.81	kg/m3	303.15	Thermophysical Properties of the Binary Mixture 1-Propylpyridinium Tetrafluoroborate with Methanol
rhol	791.24	kg/m3	293.15	Thermophysical Properties of the Binary Mixture 1-Propylpyridinium Tetrafluoroborate with Methanol
rhol	791.28	kg/m3	293.15	Viscosity of Associated Mixtures Approximated by the Grunberg-Nissan Model

rhol	786.59	kg/m3	298.15	Liquid Liquid Equilibria for Ternary Mixtures of Methylphenyl Carbonate, Dimethyl Carbonate, Diphenyl Carbonate, Anisole, Methanol, Phenol, and Water at Several Temperatures
rhol	786.55	kg/m3	298.15	Surface Tension Measurements for Seven Imidazolium-Based Dialkylphosphate Ionic Liquids and Their Binary Mixtures with Water (Methanol or Ethanol) at 298.15 K and 1 atm
rhol	753.39	kg/m3	333.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions
rhol	763.24	kg/m3	323.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions
rhol	772.90	kg/m3	313.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions
rhol	782.43	kg/m3	303.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions
rhol	791.87	kg/m3	293.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions
rhol	801.25	kg/m3	283.15	Densities and Excess Properties of Primary Amines in Alcoholic Solutions

rhol	786.56	kg/m3	298.15	Excess Volumes of Ternary Mixtures 2,2,4-Trimethylpentane + Diisopropyl Ether or Methyl tert-Butyl Ether + Methanol, Ethanol, or 1-Propanol at 298.15 K
rhol	786.30	kg/m3	298.15	Volumetric Properties for (Ionic Liquid + Methanol or Ethanol or 1-Propanol + Nitromethane) at 298.15 K and Atmospheric Pressure
rhol	758.20	kg/m3	328.15	Excess Molar Volumes of 1,3-Diethyl Propanedioate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-2-ol, 2-Methyl-propan-1-ol, and Pentan-1-ol at T = (288.15, 298.15, 313.15, and 328.15) K
rhol	772.74	kg/m3	313.15	Excess Molar Volumes of 1,3-Diethyl Propanedioate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-2-ol, 2-Methyl-propan-1-ol, and Pentan-1-ol at T = (288.15, 298.15, 313.15, and 328.15) K
rhol	786.99	kg/m3	298.15	Excess Molar Volumes of 1,3-Diethyl Propanedioate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-2-ol, 2-Methyl-propan-1-ol, and Pentan-1-ol at T = (288.15, 298.15, 313.15, and 328.15) K

rhol	796.41	kg/m3	288.15	Excess Molar Volumes of 1,3-Diethyl Propanedioate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-2-ol, 2-Methyl-propan-1-ol, and Pentan-1-ol at T = (288.15, 298.15, 313.15, and 328.15) K
rhol	772.44	kg/m3	313.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K
rhol	777.21	kg/m3	308.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K
rhol	781.97	kg/m3	303.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K
rhol	786.69	kg/m3	298.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K

rhol	791.40	kg/m3	293.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	796.09	kg/m3	288.15	Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene Mixtures at (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K	
rhol	786.46	kg/m3	298.15	Measurement and Modeling of Phase Equilibria for Ethanol + Water + Methanol at Isobaric Condition	
rhol	786.59	kg/m3	298.15	Vapor Pressure Measurement and Prediction for Ethanol + Methanol and Ethanol + Water Systems Containing Ionic Liquids	
rhol	786.67	kg/m3	298.15	Ebulliometric Determination of Vapor-Liquid Equilibria for Methanol + Ethanol + Dimethyl Carbonate	
rhol	786.62	kg/m3	298.15	Mutual Solubilities of Terpene in Methanol and Water and Their Multicomponent Liquid-Liquid Equilibria	

rhol	786.80	kg/m3	298.15	Vapor-Liquid Equilibria for the Ternary Systems of Methyl tert-Butyl Ether + Methanol + Methylcyclohexane and Methyl tert-Butyl Ether + Methanol + n-Heptane and Constituent Binary Systems at 313.15 K	
rhol	786.20	kg/m3	298.15	Dynamic Viscosities of KI or NH4I in Methanol and NH4I in Ethanol at Several Temperatures and 0.1 MPa	
rhol	768.00	kg/m3	323.00	Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System	
rhol	779.00	kg/m3	313.00	Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System	
rhol	786.00	kg/m3	303.00	Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System	
rhol	787.00	kg/m3	298.00	Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System	
rhol	800.00	kg/m3	273.00	Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System	

rhol	786.58	kg/m3	298.15	Volumetric Properties of Water + Monoethanolamine + Methanol Mixtures at Atmospheric Pressure from 283.15 to 353.15 K
rhol	786.60	kg/m3	298.15	Dynamic Viscosities of Diethyl Carbonate with Linear and Secondary Alcohols at Several Temperatures
rhol	781.91	kg/m3	303.15	Densities, Viscosities, and Surface and Interfacial Tensions of the Ternary Mixture Water + Ethyl Butyrate + Methanol at 303.15 K.
rhol	786.27	kg/m3	298.20	Ternary Liquid-Liquid Equilibria for Mixtures of 1-Methyl-3-octylimidazolium Chloride + an Alkanol + an Alkane at 298.2 K and 1 bar
rhol	786.55	kg/m3	298.15	Liquid-Liquid Equilibrium and Excess Enthalpies in Binary Systems Methylcyclohexane + Methanol and Methylcyclohexane + N,N-Dimethylformamide
rhol	786.70	kg/m3	298.15	Liquid-Liquid Equilibrium Data for Ternary Systems Containing Alkanes (n-Pentane, n-Hexane, n-Heptane, and n-Octane) + Alcohol (Methanol and Ethanol) + Protic Ionic Liquid (2-HEAF)

rhol	752.86	kg/m3	333.15	A Volumetric and Viscosity Study for the Binary Mixtures of Ammonium-Based Asymmetrical Gemini Ionic Liquids with Alcohols at T = 293.15-333.15 K
rhol	762.70	kg/m3	323.15	A Volumetric and Viscosity Study for the Binary Mixtures of Ammonium-Based Asymmetrical Gemini Ionic Liquids with Alcohols at T = 293.15-333.15 K
rhol	772.36	kg/m3	313.15	A Volumetric and Viscosity Study for the Binary Mixtures of Ammonium-Based Asymmetrical Gemini Ionic Liquids with Alcohols at T = 293.15-333.15 K
rhol	781.90	kg/m3	303.15	A Volumetric and Viscosity Study for the Binary Mixtures of Ammonium-Based Asymmetrical Gemini Ionic Liquids with Alcohols at T = 293.15-333.15 K
rhol	791.34	kg/m3	293.15	A Volumetric and Viscosity Study for the Binary Mixtures of Ammonium-Based Asymmetrical Gemini Ionic Liquids with Alcohols at T = 293.15-333.15 K
rhol	791.81	kg/m3	298.15	Liquid-Liquid Equilibrium for Ternary Systems, Water + 5-Hydroxymethylfurfural + (1-Butanol, Isobutanol, Methyl Isobutyl Ketone), at 313.15, 323.15, and 333.15 K

rhol	786.56	kg/m3	298.15	Separation Effects of Renewable Solvent Ethyl Lactate on the Vapor Liquid Equilibria of the Methanol + Dimethyl Carbonate Azeotropic System
rhol	781.81	kg/m3	303.15	Isobaric Vapor Liquid Equilibrium for the Binary Systems Dimethyl Disulfide + C1 C4 n-Alkanol at 40.000 and 101.325 kPa
rhol	786.59	kg/m3	298.15	Isobaric Vapor Liquid Equilibria for Two Binary Systems {Propylene Glycol Methyl Ether Acetate + Methanol} and {Propylene Glycol Methyl Ether Acetate + N,N-Dimethylformamide} at p = 30.0, 50.0, and 70.0 kPa
rhol	786.61	kg/m3	298.15	Isobaric Vapor Liquid Equilibrium for Two Binary Systems (Methanol + Dibutyl Carbonate) and (n-Butanol + Dibutyl Carbonate) at p = 40.0, 70.0, and 100.0 kPa
rhol	786.10	kg/m3	298.15	Liquid Liquid Equilibria for the Ternary System n-Butyl Acetate + Pyrocatechol + Water at Different Temperatures at 101.3 kPa

rhol	792.20	kg/m3	293.15	Isobaric Vapor Liquid Equilibrium for Binary Systems of Allyl Alcohol with Water, Methanol, and Ethanol at 101.3 kPa
rhol	772.31	kg/m3	313.15	Density, Speed of Sound, Refractive Index, and Viscosity of the Binary Mixtures of N,N-dimethylacetamide with Methanol and Ethanol
rhol	786.61	kg/m3	298.15	Density, Speed of Sound, Refractive Index, and Viscosity of the Binary Mixtures of N,N-dimethylacetamide with Methanol and Ethanol
rhol	791.00	kg/m3	293.00	KDB
rhol	786.53	kg/m3	298.15	Volumetric Properties of the Ionic Liquid, 1-Butyl-3-methylimidazolium Tetrafluoroborate, in Organic Solvents at T = 298.15 K
rhol	800.71	kg/m3	283.15	Density, Speed of Sound, Refractive Index, and Viscosity of the Binary Mixtures of N,N-dimethylacetamide with Methanol and Ethanol
rhol	807.18	kg/m3	276.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes

rhol	806.25	kg/m3	277.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	800.64	kg/m3	283.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	795.96	kg/m3	288.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	791.26	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	786.55	kg/m3	298.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes

rhol	781.83	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	777.08	kg/m3	308.15	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	772.31	kg/m3	313.14	Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with 1,2-Ethanediol, Methanol, and Water, and the Association Energies of the O-H***N Bonded Complexes
rhol	786.55	kg/m3	298.15	Liquid liquid equilibrium in ternary systems N,N-dimethylformamide + 2-methylpentane + methanol and N,N-dimethylformamide + methylcyclohexane + methanol
rhol	796.09	kg/m3	288.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules

rhol	791.40	kg/m3	293.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules
rhol	786.69	kg/m3	298.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules
rhol	781.97	kg/m3	303.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules
rhol	777.21	kg/m3	308.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules
rhol	772.44	kg/m3	313.15	Effect of temperature on the excess molar volumes of some alcohol + aromatic mixtures and modelling by cubic EOS mixing rules
rhol	782.40	kg/m3	303.15	Viscous synergy and antagonism and isentropic compressibility of ternary mixtures containing 1,3-dioxolane, water and monoalkanols at 303.15K

rhol	787.50	kg/m3	298.10	Activity coefficients of the species in the methanol solutions of acetaminophen and two silylated derivatives at 298.15K
rhol	801.08	kg/m3	283.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine
rhol	796.41	kg/m3	288.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine
rhol	791.71	kg/m3	293.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine
rhol	787.01	kg/m3	298.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine

rhol	782.29	kg/m3	303.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	777.55	kg/m3	308.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	772.78	kg/m3	313.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	767.97	kg/m3	318.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	763.12	kg/m3	323.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	

rhol	758.23	kg/m3	328.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	753.29	kg/m3	333.15	Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine	
rhol	795.97	kg/m3	288.15	Thermodynamic properties of mixtures containing alkoxypropanol and n-alkanol	
rhol	786.55	kg/m3	298.15	Thermodynamic properties of mixtures containing alkoxypropanol and n-alkanol	
rhol	777.07	kg/m3	308.15	Thermodynamic properties of mixtures containing alkoxypropanol and n-alkanol	
rhol	786.57	kg/m3	298.15	Liquid liquid equilibria for the binary system of di-isopropyl ether (DIPE) +water in between 288.15 and 323.15K and the ternary systems of DIPE +water + C1 C4 alcohols at 298.15K	
rhol	791.82	kg/m3	293.15	Isobaric vapor liquid equilibrium for binary system of methanol and acetonitrile	

rhol	786.69	kg/m3	298.15	Isobaric vapor-liquid equilibrium at 101.3 kPa and excess properties at 298.15 K for binary mixtures of methyl phenyl carbonate with methanol or dimethyl carbonate	
rhol	785.90	kg/m3	298.15	Solubility of androstenedione in lower alcohols	
rhol	786.59	kg/m3	298.15	Ternary liquid-liquid equilibria and binary excess and deviation properties at constant temperature for mixtures of dimethyl carbonate, anisole, methanol, phenol and water	
rhol	786.62	kg/m3	298.15	Experimental isobaric vapor-liquid equilibrium at atmospheric and sub-atmospheric pressures, excess molar volumes and deviations in molar refractivity from 293.15 K to 318.15 K of diisopropyl ether with methanol and isopropyl alcohol.	
rhol	772.89	kg/m3	313.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements	
rhol	768.09	kg/m3	318.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements	

rhol	763.24	kg/m3	323.15	Thermodynamic properties of cyclohexane methanol liquid mixture from shear viscosity measurements	
rhol	786.59	kg/m3	298.15	Excess volumes and excess heat capacities of {1,2- alkanediol + methanol} mixtures and ionic volumes in these systems	
rhol	791.00	kg/m3	298.20	Phase equilibria of (water + propionic acid or butyric acid + 2-methoxy-2-methylpropane) ternary systems at 298.2 K and 323.2 K	
rhol	786.62	kg/m3	298.15	Isobaric ternary vapour-liquid equilibrium of methanol(1) + diisopropyl ether(2) + isopropyl alcohol(3) along with methanol + isopropyl alcohol binary data at atmospheric and sub-atmospheric pressures	
rhol	786.59	kg/m3	298.15	Determination and prediction of solubilities of active pharmaceutical ingredients in selected organic solvents	
rhol	787.10	kg/m3	298.15	Isobaric vapor-liquid equilibrium for methyl acetate + methanol system containing different ionic liquids at 101.3 kPa	

rhol	791.62	kg/m3	293.15	Experimental vapour - liquid equilibrium data of the quaternary system Methanol (1) + Isopropyl Alcohol (2) + Water (3) + Glycerol (4) along with Isopropyl Alcohol (2) + Glycerol (4) and Isopropyl Alcohol (2) + Water (3) binary data at atmospheric and sub-atmospheric pressures.
rhol	786.62	kg/m3	298.15	Experimental vapour - liquid equilibrium data of the quaternary system Methanol (1) + Isopropyl Alcohol (2) + Water (3) + Glycerol (4) along with Isopropyl Alcohol (2) + Glycerol (4) and Isopropyl Alcohol (2) + Water (3) binary data at atmospheric and sub-atmospheric pressures.
rhol	786.56	kg/m3	298.15	Vapor-liquid equilibria of binary and ternary mixtures containing ethyl lactate and effect of ethyl lactate as entrainer
rhol	786.88	kg/m3	298.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol

rhol	782.16	kg/m3	303.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol
rhol	777.41	kg/m3	308.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol
rhol	772.64	kg/m3	313.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol
rhol	767.84	kg/m3	318.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol
rhol	763.03	kg/m3	323.15	Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate with 1-butanol and /or methanol

rhol	787.21	kg/m3	298.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	782.75	kg/m3	303.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	777.56	kg/m3	308.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	
rhol	772.97	kg/m3	313.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure	

rhol	768.03	kg/m3	318.15	Densities, viscosities, and refractive indices of binary and ternary mixtures of methanol, acetone, and chloroform at temperatures from (298.15-318.15) K and ambient pressure
rhol	786.42	kg/m3	298.15	Isothermal vapor-liquid equilibria at 383.15-413.15 K for the binary system methanol + dimethyl carbonate and the pressure dependency of the azeotropic point
rhol	795.50	kg/m3	288.15	Temperature dependence of the volumetric properties of some alkoxypropanols + n-alkanol mixtures
rhol	786.40	kg/m3	298.15	Temperature dependence of the volumetric properties of some alkoxypropanols + n-alkanol mixtures
rhol	777.20	kg/m3	308.15	Temperature dependence of the volumetric properties of some alkoxypropanols + n-alkanol mixtures
rhol	786.53	kg/m3	298.15	Volumetric and compressibility behaviour of ionic liquid, 1-n-butyl-3-methylimidazolium hexafluorophosphate and tetrabutylammonium hexafluorophosphate in organic solvents at T = 298.15 K

rhol	786.40	kg/m3	298.15	Bubble point temperatures of the binary mixtures of nitrobenzene with C1 C4 aliphatic alcohols at 94.95 kPa
rhol	800.62	kg/m3	283.15	Excess molar volumes of binary mixtures of 1,3-dimethylimidazolidin-2-one with an alkan-1-ol at the temperatures 283.15 K, 298.15 K, and 313.15 K
rhol	786.56	kg/m3	298.15	Excess molar volumes of binary mixtures of 1,3-dimethylimidazolidin-2-one with an alkan-1-ol at the temperatures 283.15 K, 298.15 K, and 313.15 K
rhol	772.32	kg/m3	313.15	Excess molar volumes of binary mixtures of 1,3-dimethylimidazolidin-2-one with an alkan-1-ol at the temperatures 283.15 K, 298.15 K, and 313.15 K
rhol	786.70	kg/m3	298.15	Liquid densities and excess molar volumes for (ionic liquids + methanol + water) ternary system at atmospheric pressure and at various temperatures
rhol	782.00	kg/m3	303.15	Liquid densities and excess molar volumes for (ionic liquids + methanol + water) ternary system at atmospheric pressure and at various temperatures

rhol	772.70	kg/m3	313.15	Liquid densities and excess molar volumes for (ionic liquids + methanol + water) ternary system at atmospheric pressure and at various temperatures
rhol	786.71	kg/m3	298.15	Density and speed of sound of lithium bromide with organic solvents: Measurement and correlation
rhol	786.55	kg/m3	298.15	Volumetric, acoustic, and viscometric studies of molecular interactions in binary mixtures of dipropylene glycol dimethyl ether with 1-alkanols at 298.15 K
rhol	786.00	kg/m3	298.15	Excess molar volumes and isentropic compressibility of binary systems {trioctylmethylammonium bis(trifluoromethysulfonyl)imide + methanol or ethanol or 1-propanol} at different temperatures
rhol	783.40	kg/m3	303.15	Excess molar volumes and isentropic compressibility of binary systems {trioctylmethylammonium bis(trifluoromethysulfonyl)imide + methanol or ethanol or 1-propanol} at different temperatures

rhol	774.60	kg/m3	313.15	Excess molar volumes and isentropic compressibility of binary systems {trioctylmethylammonium bis(trifluoromethysulfonyl)imide + methanol or ethanol or 1-propanol} at different temperatures
rhol	786.62	kg/m3	298.15	Temperature dependence on mutual solubility of binary (methanol + limonene) mixture and (liquid + liquid) equilibria of ternary (methanol + ethanol + limonene) mixture
rhol	787.00	kg/m3	298.15	Phase diagrams of (hexane + methanol + 2,2,2-trifluoroethanol) at three temperatures: Measurement and correlation
rhol	785.30	kg/m3	298.15	Volumetric and surface properties of pure ionic liquid n-octyl-pyridinium nitrate and its binary mixture with alcohol
rhol	786.63	kg/m3	298.15	Partial molar volume of tertiary amines in methanol at T = 298.15 K. Solvation, shape and specific interactions
rhol	786.62	kg/m3	298.15	Isothermal (vapour + liquid) equilibria for binary mixtures of diisopropyl ether with (methanol, or ethanol, or 1-butanol): Experimental data, correlations, and predictions

rhol	791.49	kg/m3	293.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K	
rhol	786.79	kg/m3	298.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K	
rhol	782.07	kg/m3	303.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K	
rhol	777.33	kg/m3	308.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K	
rhol	772.55	kg/m3	313.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K	

rhol	767.74	kg/m3	318.15	Volume effects for binary mixtures of propane-1,2-diol with methanol, propan-1-ol, hexan-1-ol, octan-1-ol, or nonan-1-ol at temperatures (293.15 to 318.15) K
rhol	791.55	kg/m3	293.15	Thermodynamics of 1-alkanol + linear polyether mixtures
rhol	787.20	kg/m3	298.15	Thermodynamics of 1-alkanol + linear polyether mixtures
rhol	782.44	kg/m3	303.15	Thermodynamics of 1-alkanol + linear polyether mixtures
rhol	786.60	kg/m3	298.15	Probing subsistence of ion-pair and triple-ion of an ionic salt in liquid environments by means of conductometric contrivance
rhol	786.40	kg/m3	298.15	Density and surface tension of pure ionic liquid 1-butyl-3-methylimidazolium L-lactate and its binary mixture with alcohol and water
rhol	776.90	kg/m3	308.15	Density and surface tension of pure ionic liquid 1-butyl-3-methylimidazolium L-lactate and its binary mixture with alcohol and water
rhol	767.20	kg/m3	318.15	Density and surface tension of pure ionic liquid 1-butyl-3-methylimidazolium L-lactate and its binary mixture with alcohol and water

rhol	786.62	kg/m3	298.15	Effect of tetrabutylammonium bromide on solution behavior of salicylaldehyde anil zinc (II) in methanol at T = (298.15, 308.15 and 318.15) K
rhol	777.18	kg/m3	308.15	Effect of tetrabutylammonium bromide on solution behavior of salicylaldehyde anil zinc (II) in methanol at T = (298.15, 308.15 and 318.15) K
rhol	767.74	kg/m3	318.15	Effect of tetrabutylammonium bromide on solution behavior of salicylaldehyde anil zinc (II) in methanol at T = (298.15, 308.15 and 318.15) K
rhol	786.66	kg/m3	298.15	Physical properties of the pure 1-methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid and its binary mixtures with alcohols
rhol	781.95	kg/m3	303.15	Physical properties of the pure 1-methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid and its binary mixtures with alcohols
rhol	777.20	kg/m3	308.15	Physical properties of the pure 1-methyl-1-propylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid and its binary mixtures with alcohols

rhol	786.90	kg/m3	298.15	Cation effect of ammonium imide based ionic liquids in alcohols extraction from alcohol-alkane azeotropic mixtures
rhol	786.61	kg/m3	298.15	Partial molar volumes and viscosity B-coefficients for N,N'-ethylenebis(salicylideneiminato)-diaquochromium(III) chloride in methanolic solutions of 1-butyl-2,3-dimethylimidazolium tetrafluoroborate at T = (298.15, 308.15, and 318.15) K
rhol	777.15	kg/m3	308.15	Partial molar volumes and viscosity B-coefficients for N,N'-ethylenebis(salicylideneiminato)-diaquochromium(III) chloride in methanolic solutions of 1-butyl-2,3-dimethylimidazolium tetrafluoroborate at T = (298.15, 308.15, and 318.15) K
rhol	767.74	kg/m3	318.15	Partial molar volumes and viscosity B-coefficients for N,N'-ethylenebis(salicylideneiminato)-diaquochromium(III) chloride in methanolic solutions of 1-butyl-2,3-dimethylimidazolium tetrafluoroborate at T = (298.15, 308.15, and 318.15) K
rhol	786.58	kg/m3	298.15	Ionic molar volumes in methanol mixtures with acetonitrile, N,N-dimethylformamide and propylene carbonate at T = 298.15 K

rhol	786.67	kg/m3	298.15	Non-covalent interactions between {N,N'-bis[(2-pyridinyl)methylene]-1,2-benzenediamine]-bis(nitrato)}Cu(with pyridoxine hydrochloride in methanol at T = (298.15, 308.15 and 318.15) K
rhol	786.61	kg/m3	298.15	Exploration of Solvation Consequence of Ionic Liquid [Bu4PCH3SO3] in Various Solvent Systems by Conductance and FTIR Study
rhol	767.75	kg/m3	318.15	Non-covalent interactions between {N,N'-bis[(2-pyridinyl)methylene]-1,2-benzenediamine]-bis(nitrato)}Cu(with pyridoxine hydrochloride in methanol at T = (298.15, 308.15 and 318.15) K
rhol	786.20	kg/m3	298.15	Measurements and modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)
rhol	786.30	kg/m3	298.15	Solubility and solution thermodynamics of sorbic acid in eight pure organic solvents
rhol	791.35	kg/m3	293.15	Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at T = (293.15 to 313.15) K
rhol	786.67	kg/m3	298.15	Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at T = (293.15 to 313.15) K

rhol	781.94	kg/m3	303.15	Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at T = (293.15 to 313.15) K
rhol	777.20	kg/m3	308.15	Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at T = (293.15 to 313.15) K
rhol	772.42	kg/m3	313.15	Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with alcohols at T = (293.15 to 313.15) K
rhol	786.60	kg/m3	298.15	Measurements and equation-of-state modelling of thermodynamic properties of binary mixtures of 1-butyl-1-methylpyrrolidinium tetracyanoborate ionic liquid with molecular compounds
rhol	805.40	kg/m3	278.15	Volumetric properties, viscosities and refractive indices of binary liquid mixtures of tetrafluoroborate-based ionic liquids with methanol at several temperatures
rhol	796.00	kg/m3	288.15	Volumetric properties, viscosities and refractive indices of binary liquid mixtures of tetrafluoroborate-based ionic liquids with methanol at several temperatures

rhol	786.60	kg/m3	298.15	Volumetric properties, viscosities and refractive indices of binary liquid mixtures of tetrafluoroborate-based ionic liquids with methanol at several temperatures
rhol	777.10	kg/m3	308.15	Volumetric properties, viscosities and refractive indices of binary liquid mixtures of tetrafluoroborate-based ionic liquids with methanol at several temperatures
rhol	767.60	kg/m3	318.15	Volumetric properties, viscosities and refractive indices of binary liquid mixtures of tetrafluoroborate-based ionic liquids with methanol at several temperatures
rhol	786.20	kg/m3	298.15	Measurements and modeling for the density of 2-methoxy-2,4,4-trimethylpentane, HE for (methanol + 2-methoxy-2,4,4-trimethylpentane), LLE for (water + 2-methoxy-2,4,4-trimethylpentane) and LLE for (water + methanol + 2-methoxy-2,4,4-trimethylpentane)
rhol	786.60	kg/m3	298.15	Solubility and solution thermodynamics of thymol in six pure organic solvents
rhol	797.30	kg/m3	290.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system

rhol	793.50	kg/m3	293.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	790.80	kg/m3	295.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	786.80	kg/m3	298.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	781.40	kg/m3	303.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	777.30	kg/m3	308.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	772.10	kg/m3	313.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	767.70	kg/m3	318.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system
rhol	762.10	kg/m3	323.15	Density, viscosity and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system

rhol	791.10	kg/m3	293.15	Measurement and correlation of the vapor-liquid equilibrium for methanol + acetonitrile + imidazolium-based ionic liquids at 101.3 kPa	
rhol	791.20	kg/m3	293.15	(Liquid + liquid) equilibria of four alcohol-water systems containing 1,8-cineole at T = 298.15 K	
rhol	786.97	kg/m3	298.15	Experimental study on the calorimetric data of 2-butoxyethanol with aliphatic alcohols (C1-C4) and correlation with the Wilson, NRTL and UNIQUAC models at T = 298 K	
rhol	791.35	kg/m3	293.15	Thermodynamic and spectroscopic properties of binary mixtures of n-butylammonium butanoate ionic liquid with alcohols at T = (293.15-313.15) K	
rhol	786.64	kg/m3	298.15	Thermodynamic and spectroscopic properties of binary mixtures of n-butylammonium butanoate ionic liquid with alcohols at T = (293.15-313.15) K	

rhol	781.91	kg/m3	303.15	Thermodynamic and spectroscopic properties of binary mixtures of n-butylammonium butanoate ionic liquid with alcohols at T = (293.15-313.15) K	
rhol	777.16	kg/m3	308.15	Thermodynamic and spectroscopic properties of binary mixtures of n-butylammonium butanoate ionic liquid with alcohols at T = (293.15-313.15) K	
rhol	772.38	kg/m3	313.15	Thermodynamic and spectroscopic properties of binary mixtures of n-butylammonium butanoate ionic liquid with alcohols at T = (293.15-313.15) K	
rhol	786.50	kg/m3	298.15	Fully automatized apparatus for determining speed of sound for liquids in the temperature and pressure interval (283.15-343.15) K and (0.1-95) MPa	
rhol	793.60	kg/m3	293.15	Investigation on molecular interactions of antibiotics in alcohols using volumetric and acoustic studies at different temperatures	
rhol	789.27	kg/m3	298.15	Investigation on molecular interactions of antibiotics in alcohols using volumetric and acoustic studies at different temperatures	

rhol	784.59	kg/m3	303.15	Investigation on molecular interactions of antibiotics in alcohols using volumetric and acoustic studies at different temperatures
rhol	777.87	kg/m3	308.15	Investigation on molecular interactions of antibiotics in alcohols using volumetric and acoustic studies at different temperatures
rhol	772.44	kg/m3	313.15	Investigation on molecular interactions of antibiotics in alcohols using volumetric and acoustic studies at different temperatures
rhol	805.10	kg/m3	278.15	Thermophysical properties of binary mixtures of 1-butyl-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures
rhol	795.70	kg/m3	288.15	Thermophysical properties of binary mixtures of 1-butyl-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures
rhol	786.30	kg/m3	298.15	Thermophysical properties of binary mixtures of 1-butyl-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures

rhol	776.90	kg/m3	308.15	Thermophysical properties of binary mixtures of 1-butyl-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures
rhol	767.40	kg/m3	318.15	Thermophysical properties of binary mixtures of 1-butyl-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures
rhol	792.60	kg/m3	293.15	Densities and volumetric properties of (choline chloride+urea) deep eutectic solvent and methanol mixtures in the temperature range of 293.15-323.15 K
rhol	783.00	kg/m3	303.15	Densities and volumetric properties of (choline chloride+urea) deep eutectic solvent and methanol mixtures in the temperature range of 293.15-323.15 K
rhol	773.50	kg/m3	313.15	Densities and volumetric properties of (choline chloride+urea) deep eutectic solvent and methanol mixtures in the temperature range of 293.15-323.15 K

rhol	764.00	kg/m3	323.15	Densities and volumetric properties of (choline chloride+urea) deep eutectic solvent and methanol mixtures in the temperature range of 293.15-323.15 K
rhol	791.41	kg/m3	293.15	Electrostriction of water and lower alcohols around ammonium nitrate - Volumetric approach
rhol	786.65	kg/m3	298.15	Electrostriction of water and lower alcohols around ammonium nitrate - Volumetric approach
rhol	781.85	kg/m3	303.15	Electrostriction of water and lower alcohols around ammonium nitrate - Volumetric approach
rhol	776.95	kg/m3	308.15	Electrostriction of water and lower alcohols around ammonium nitrate - Volumetric approach
rhol	771.97	kg/m3	313.15	Electrostriction of water and lower alcohols around ammonium nitrate - Volumetric approach
rhol	796.13	kg/m3	288.15	Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol

rhol	786.75	kg/m3	298.15	Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol
rhol	777.29	kg/m3	308.15	Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol
rhol	767.71	kg/m3	318.15	Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol
rhol	757.97	kg/m3	328.15	Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol

rhol	791.90	kg/m3	293.15	Effect of 1-ethyl-3-methylimidazolium tetrafluoroborate on the phase equilibria for systems containing 5-hydroxymethylfurfural, water, organic solvent in the absence and presence of sodium chloride
rhol	796.04	kg/m3	288.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	791.35	kg/m3	293.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	786.64	kg/m3	298.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	781.91	kg/m3	303.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol

rhol	777.16	kg/m3	308.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	772.38	kg/m3	313.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	767.57	kg/m3	318.15	The molar surface quasi-Gibbs energy and its application to the binary mixtures of 1-(2-methoxyethyl)-3-methylimidazolium bis[(trifluoromethyl)sulfonyl]imide [MOEMIM][NTf2] with methanol and ethanol
rhol	781.81	kg/m3	303.15	Vapor-liquid equilibrium and excess properties of the binary mixtures formed by ethyl isobutyrate and n-alkanols
rhol	762.61	kg/m3	323.15	Vapor-liquid equilibrium and excess properties of the binary mixtures formed by ethyl isobutyrate and n-alkanols
rhol	786.50	kg/m3	298.15	Excess molar enthalpies of methyl isobutyl ketone (MIBK) with alkan-1-ols (C1-C6) and their correlations at 298.15 K

rhol	800.67	kg/m3	283.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	795.99	kg/m3	288.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	791.29	kg/m3	293.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	786.58	kg/m3	298.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	781.86	kg/m3	303.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	777.10	kg/m3	308.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	772.32	kg/m3	313.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K

rhol	767.52	kg/m3	318.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	762.67	kg/m3	323.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	757.77	kg/m3	328.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	752.83	kg/m3	333.15	Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K
rhol	781.81	kg/m3	303.15	Excess molar enthalpies and heat capacities of dimethyl sulfoxide + seven normal alkanols at 303.15K and atmospheric pressure
rhol	786.30	kg/m3	298.15	Thermodynamic properties of binary mixtures of 2.2.2-Trifluoroethanol with Water or Alkanols at T=298.15 K
rhol	791.72	kg/m3	293.15	Excess molar volumes of Diisopropylamine + (C1-C5) Alkan-1-ols: application of the ERAS model and cubic EOS

rhol	787.35	kg/m3	298.15	Excess molar volumes of Diisopropylamine + (C1-C5) Alkan-1-ols: application of the ERAS model and cubic EOS
rhol	782.24	kg/m3	303.15	Excess molar volumes of Diisopropylamine + (C1-C5) Alkan-1-ols: application of the ERAS model and cubic EOS
rhol	772.73	kg/m3	313.15	Excess molar volumes of Diisopropylamine + (C1-C5) Alkan-1-ols: application of the ERAS model and cubic EOS
rhol	801.44	kg/m3	283.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K
rhol	792.07	kg/m3	293.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K

rhol	782.61	kg/m3	303.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K	
rhol	773.05	kg/m3	313.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K	
rhol	763.36	kg/m3	323.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K	

rhol	753.51	kg/m3	333.15	Densities and Excess Molar Volumes for Binary Mixtures of Diethanolamine with Water, Methanol, Ethanol and Ternary Solutions of Diethanolamine + Water with Methanol, Ethanol at Atmospheric Pressure from 278.15 to 353.15 K
rhol	786.74	kg/m3	298.15	Study of intermolecular interactions in binary mixtures of 2-(dimethylamino)ethanol with methanol and ethanol at various temperatures
rhol	777.45	kg/m3	308.15	Study of intermolecular interactions in binary mixtures of 2-(dimethylamino)ethanol with methanol and ethanol at various temperatures
rhol	768.01	kg/m3	318.15	Study of intermolecular interactions in binary mixtures of 2-(dimethylamino)ethanol with methanol and ethanol at various temperatures
rhol	787.52	kg/m3	298.15	Modified Method for Measuring the Solubility of Pharmaceutical Compounds in Organic Solvents by Visual Camera

rhol	791.33	kg/m3	293.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	786.62	kg/m3	298.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	781.89	kg/m3	303.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	777.14	kg/m3	308.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	772.37	kg/m3	313.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	767.56	kg/m3	318.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol
rhol	762.72	kg/m3	323.15	Density and Viscosity for Binary Mixtures of the Ionic Liquid 2,2-Diethyl-1,1,3,3-Tetramethylguanidinium Ethyl Sulfate with Water, Methanol, or Ethanol

rhol	791.34	kg/m3	293.15	Density and Excess Molar Volumes of 1-Butanol + Methanol + Electrolyte Systems in the Temperature Range (293.15 308.15) K
rhol	786.68	kg/m3	298.15	Density and Excess Molar Volumes of 1-Butanol + Methanol + Electrolyte Systems in the Temperature Range (293.15 308.15) K
rhol	781.96	kg/m3	303.15	Density and Excess Molar Volumes of 1-Butanol + Methanol + Electrolyte Systems in the Temperature Range (293.15 308.15) K
rhol	777.21	kg/m3	308.15	Density and Excess Molar Volumes of 1-Butanol + Methanol + Electrolyte Systems in the Temperature Range (293.15 308.15) K
rhol	791.00	kg/m3	298.15	Tie-Line Data for Aqueous Mixtures of Butyric Acid with Diisopropyl Ether at Various Temperatures
rhol	777.18	kg/m3	308.15	Non-covalent interactions between {N,N'-bis[(2-pyridinyl)methylene]-1,2-benzenediamine]-bis(nitrato)}Cu(with pyridoxine hydrochloride in methanol at T = (298.15, 308.15 and 318.15) K
rhol	786.60	kg/m3	298.15	Thermodynamics of 1,3-dimethylurea in eight alcohols
sfust	12.50	J/mol×K	176.00	NIST Webbook
sfust	3.70	J/mol×K	161.10	NIST Webbook

sfust	18.10	J/mol×K	175.30	NIST Webbook
sfust	4.00	J/mol×K	157.30	NIST Webbook
sfust	18.30	J/mol×K	175.60	NIST Webbook
speedsl	1060.00	m/s	313.15	Densities, Sound Speed, and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at (298.15, 303.15, 308.15, and 313.15) K
speedsl	1086.37	m/s	303.15	Application of Prigogine Flory Patterson theory to excess molar volume and speed of sound of 1-n-butyl-3-methylimidazolium hexafluorophosphate or 1-n-butyl-3-methylimidazolium tetrafluoroborate in methanol and acetonitrile
speedsl	1070.11	m/s	308.15	Application of Prigogine Flory Patterson theory to excess molar volume and speed of sound of 1-n-butyl-3-methylimidazolium hexafluorophosphate or 1-n-butyl-3-methylimidazolium tetrafluoroborate in methanol and acetonitrile
speedsl	1053.96	m/s	313.15	Application of Prigogine Flory Patterson theory to excess molar volume and speed of sound of 1-n-butyl-3-methylimidazolium hexafluorophosphate or 1-n-butyl-3-methylimidazolium tetrafluoroborate in methanol and acetonitrile

speedsl	1037.91	m/s	318.15	Application of Prigogine Flory Patterson theory to excess molar volume and speed of sound of 1-n-butyl-3-methylimidazolium hexafluorophosphate or 1-n-butyl-3-methylimidazolium tetrafluoroborate in methanol and acetonitrile
speedsl	1134.45	m/s	288.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1126.20	m/s	290.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1117.95	m/s	293.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1109.77	m/s	295.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}

speedsl	1101.58	m/s	298.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1093.44	m/s	300.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1085.45	m/s	303.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1077.33	m/s	305.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1069.19	m/s	308.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1037.91	m/s	318.15	Volumetric and Speed of Sound of Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate with Acetonitrile and Methanol at T) (298.15 to 318.15) K

speedsl	1061.07	m/s	310.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1052.93	m/s	313.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1044.90	m/s	315.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1036.74	m/s	318.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1028.60	m/s	320.65	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}

speedsl	1020.46	m/s	323.15	Effect of temperature on mixing thermodynamics of a new ionic liquid: {2-Hydroxy ethylammonium formate (2-HEAF) + short hydroxylic solvents}
speedsl	1101.24	m/s	298.15	Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents. VI. Apparent Molar Volumes, Expansibilities, and Compressibilities of Divalent Transition Metal Ions in Methanol and Dimethylsulfoxide
speedsl	1118.91	m/s	293.15	Densities, excess molar volumes, speeds of sound and isothermal compressibilities for {2-(2-hexyloxyethoxy)ethanol + n-alkanol} systems at temperatures between (288.15 and 308.15) K
speedsl	1102.62	m/s	298.15	Densities, excess molar volumes, speeds of sound and isothermal compressibilities for {2-(2-hexyloxyethoxy)ethanol + n-alkanol} systems at temperatures between (288.15 and 308.15) K
speedsl	1086.03	m/s	303.15	Densities, excess molar volumes, speeds of sound and isothermal compressibilities for {2-(2-hexyloxyethoxy)ethanol + n-alkanol} systems at temperatures between (288.15 and 308.15) K

speedsl	1069.80	m/s	308.15	Densities, excess molar volumes, speeds of sound and isothermal compressibilities for {2-(2-hexyloxyethoxy)ethanol + n-alkanol} systems at temperatures between (288.15 and 308.15) K	
speedsl	1102.41	m/s	298.15	Apparent molar volumes, expansibilities, and isentropic compressibilities of selected electrolytes in methanol	
speedsl	1104.60	m/s	298.15	Ultrasonic speeds and isentropic compressibilities of {difurylmethane + (C1 C6) n-alkanol} binary mixtures at T = 298.15 K	
speedsl	1136.34	m/s	288.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1127.69	m/s	290.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1119.49	m/s	293.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	

speedsl	1111.28	m/s	295.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1102.98	m/s	298.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1094.69	m/s	300.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1086.46	m/s	303.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1078.30	m/s	305.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1070.15	m/s	308.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}
speedsl	1062.07	m/s	310.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}

speedsl	1053.97	m/s	313.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1045.91	m/s	315.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1037.93	m/s	318.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1029.90	m/s	320.65	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1021.99	m/s	323.15	Thermophysical properties of binary mixtures of {ionic liquid 2-hydroxy ethylammonium acetate + (water, methanol, or ethanol)}	
speedsl	1102.68	m/s	298.15	Volumetric and Speed of Sound of Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate with Acetonitrile and Methanol at T) (298.15 to 318.15) K	
speedsl	1086.37	m/s	303.15	Volumetric and Speed of Sound of Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate with Acetonitrile and Methanol at T) (298.15 to 318.15) K	

speedsl	1070.11	m/s	308.15	Volumetric and Speed of Sound of Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate with Acetonitrile and Methanol at T) (298.15 to 318.15) K
speedsl	1053.96	m/s	313.15	Volumetric and Speed of Sound of Ionic Liquid, 1-Butyl-3-methylimidazolium Hexafluorophosphate with Acetonitrile and Methanol at T) (298.15 to 318.15) K
speedsl	1103.80	m/s	298.15	Compressibility Studies of Binary Solutions Involving Water as a Solute in Nonaqueous Solvents at T) 298.15 K
speedsl	1169.50	m/s	278.15	Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures
speedsl	1135.49	m/s	288.15	Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures
speedsl	1102.29	m/s	298.15	Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures

speedsl	1069.78	m/s	308.15	Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures
speedsl	1037.71	m/s	318.15	Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures
speedsl	1109.00	m/s	298.15	Densities, Sound Speed, and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at (298.15, 303.15, 308.15, and 313.15) K
speedsl	1092.00	m/s	303.15	Densities, Sound Speed, and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at (298.15, 303.15, 308.15, and 313.15) K
speedsl	1074.00	m/s	308.15	Densities, Sound Speed, and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at (298.15, 303.15, 308.15, and 313.15) K
speedsl	1135.85	m/s	288.15	Densities, excess molar volumes, speeds of sound and isothermal compressibilities for {2-(2-hexyloxyethoxy)ethanol + n-alkanol} systems at temperatures between (288.15 and 308.15) K

srf	0.02	N/m	333.81	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	293.15	Thermodynamic study of the surface of liquid mixtures containing pyridinium-based ionic liquids and alkanols
srf	0.02	N/m	293.20	KDB
srf	0.02	N/m	288.15	Surface thermodynamics of binary mixtures of aliphatic alcohols in heavy water
srf	0.02	N/m	298.15	Surface thermodynamics of binary mixtures of aliphatic alcohols in heavy water
srf	0.02	N/m	308.15	Surface thermodynamics of binary mixtures of aliphatic alcohols in heavy water
srf	0.02	N/m	318.15	Surface thermodynamics of binary mixtures of aliphatic alcohols in heavy water
srf	0.02	N/m	298.15	Physicochemical properties of two 1-alkyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide ionic liquids and of binary mixtures of 1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide with methanol or acetonitrile
srf	0.02	N/m	288.15	Physicochemical properties of two 1-alkyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide ionic liquids and of binary mixtures of 1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide with methanol or acetonitrile

srf	0.02	N/m	308.15	Physicochemical properties of two 1-alkyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide ionic liquids and of binary mixtures of 1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide with methanol or acetonitrile
srf	0.02	N/m	303.15	Thermodynamic study of the surface of liquid mixtures containing pyridinium-based ionic liquids and alkanols
srf	0.02	N/m	313.15	Thermodynamic study of the surface of liquid mixtures containing pyridinium-based ionic liquids and alkanols
srf	0.02	N/m	323.15	Thermodynamic study of the surface of liquid mixtures containing pyridinium-based ionic liquids and alkanols
srf	0.02	N/m	298.15	Effect of temperature and composition on the surface tension and surface properties of binary mixtures containing DMSO and short chain alcohols
srf	0.02	N/m	308.15	Effect of temperature and composition on the surface tension and surface properties of binary mixtures containing DMSO and short chain alcohols

srf	0.02	N/m	318.15	Effect of temperature and composition on the surface tension and surface properties of binary mixtures containing DMSO and short chain alcohols
srf	0.02	N/m	328.15	Effect of temperature and composition on the surface tension and surface properties of binary mixtures containing DMSO and short chain alcohols
srf	0.02	N/m	303.20	Investigation of surface tension and viscosity for aqueous solutions of MEA-MeOH and DEA-MeOH
srf	0.02	N/m	313.20	Investigation of surface tension and viscosity for aqueous solutions of MEA-MeOH and DEA-MeOH
srf	0.02	N/m	323.20	Investigation of surface tension and viscosity for aqueous solutions of MEA-MeOH and DEA-MeOH
srf	0.02	N/m	278.20	Thermophysical Characterization of the Mixtures of the Ionic Liquid 1-Ethyl-3-Methylimidazolium Acetate with 1-Propanol or 2-Propanol
srf	0.02	N/m	288.20	Thermophysical Characterization of the Mixtures of the Ionic Liquid 1-Ethyl-3-Methylimidazolium Acetate with 1-Propanol or 2-Propanol

srf	0.02	N/m	298.20	Thermophysical Characterization of the Mixtures of the Ionic Liquid 1-Ethyl-3-Methylimidazolium Acetate with 1-Propanol or 2-Propanol
srf	0.02	N/m	308.20	Thermophysical Characterization of the Mixtures of the Ionic Liquid 1-Ethyl-3-Methylimidazolium Acetate with 1-Propanol or 2-Propanol
srf	0.02	N/m	318.20	Thermophysical Characterization of the Mixtures of the Ionic Liquid 1-Ethyl-3-Methylimidazolium Acetate with 1-Propanol or 2-Propanol
srf	0.02	N/m	293.15	Density and Surface Tension of Binary Mixtures of Acetonitrile + 1-Alkanol at 293.15 K
srf	0.02	N/m	303.15	Measuring Surface Tension of Liquids at High Temperature and Elevated Pressure
srf	0.02	N/m	313.15	Measuring Surface Tension of Liquids at High Temperature and Elevated Pressure
srf	0.02	N/m	323.15	Measuring Surface Tension of Liquids at High Temperature and Elevated Pressure
srf	0.02	N/m	333.15	Measuring Surface Tension of Liquids at High Temperature and Elevated Pressure
srf	0.02	N/m	330.01	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol

srf	0.02	N/m	279.11	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	282.59	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	288.30	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	293.37	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	296.97	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	301.54	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	307.31	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	311.76	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	317.66	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	322.90	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol

srf	0.02	N/m	326.56	Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol
srf	0.02	N/m	343.15	Measuring Surface Tension of Liquids at High Temperature and Elevated Pressure
tcondl	0.19	W/m×K	298.15	Measurement of thermal conductivities of [mmim]DMP/CH3OH and [mmim]DMP/H2O by freestanding sensor-based 3w technique

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbp	337.65	K	96.60	Low cost apparatus for rapid boiling point determination of small air sensitive samples under inert atmosphere
tbp	315.70	K	40.00	Vapor-Liquid Equilibrium Study of the Gamma-Valerolactone-Water Binary System
tbp	319.00	K	46.66	Vapor-Liquid Equilibrium Study of the Gamma-Valerolactone-Water Binary System
tbp	324.30	K	58.80	Vapor-Liquid Equilibrium Study of the Gamma-Valerolactone-Water Binary System
tbp	327.50	K	67.59	Vapor-Liquid Equilibrium Study of the Gamma-Valerolactone-Water Binary System

tbp	330.60	K	76.13	Vapor-Liquid Equilibrium Study of the Gamma-Valerolactone-Water Binary System

Correlations

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/(T + C)
Coeff. A	1.65992e+01
Coeff. B	-3.63914e+03
Coeff. C	-3.40540e+01
Temperature range (K), min.	257.16
Temperature range (K), max.	472.60

Information	Value
Property code	pvap
Equation	ln(Pvp) = A + B/T + C*ln(T) + D*T^2
Coeff. A	7.90941e+01
Coeff. B	-7.02920e+03
Coeff. C	-9.37282e+00
Coeff. D	7.99273e-06
Temperature range (K), min.	175.47
Temperature range (K), max.	512.58

Datasets

Molar heat capacity at constant pressure, J/K/mol

Temperature, K - Liquid	Pressure, kPa - Liquid	Molar heat capacity at constant pressure, J/K/mol - Liquid
248.15	500.00	74.02
248.15	1000.00	74.02
248.15	2500.00	73.95
248.15	5000.00	73.89

248.15	7500.00	73.79
248.15	10000.00	73.79
248.15	12500.00	73.76
273.15	500.00	77.03
273.15	1000.00	77.00
273.15	2500.00	76.93
273.15	5000.00	76.84
273.15	7500.00	76.80
273.15	10000.00	76.77
273.15	12500.00	76.74
298.15	500.00	81.39
298.15	1000.00	81.35
298.15	2500.00	81.19
298.15	5000.00	81.07
298.15	7500.00	81.03
298.15	10000.00	80.91
298.15	12500.00	80.91
323.15	500.00	86.87
323.15	1000.00	86.80
323.15	2500.00	86.64
323.15	5000.00	86.45
323.15	7500.00	86.29
323.15	10000.00	86.13
323.15	12500.00	86.00
348.15	500.00	93.66
348.15	1000.00	93.59
348.15	2500.00	93.43
348.15	5000.00	93.18
348.15	7500.00	92.92
348.15	10000.00	92.73
348.15	12500.00	92.41
373.15	500.00	101.83
373.15	1000.00	101.76
373.15	2500.00	101.41
373.15	5000.00	101.00
373.15	7500.00	100.64
373.15	10000.00	100.23
373.15	12500.00	99.97
398.15	1000.00	111.86
398.15	2500.00	111.28
398.15	5000.00	110.38
398.15	7500.00	109.58
398.15	10000.00	108.97
398.15	12500.00	108.33

423.15	2500.00	122.98
423.15	5000.00	121.41
423.15	7500.00	120.03
423.15	10000.00	118.84
423.15	12500.00	117.85
473.15	5000.00	162.32
473.15	7500.00	152.94
473.15	10000.00	146.91
473.15	12500.00	142.75

Reference *https://www.doi.org/10.1016/j.jct.2005.03.012*

Temperature, K	Pressure, kPa	Molar heat capacity at constant pressure, J/K/mol
280.00	100.00	77.22
280.00	1000.00	74.02
280.00	5000.00	73.70
320.00	100.00	87.15
320.00	1000.00	85.87
320.00	5000.00	84.27
360.00	1000.00	97.41
360.00	5000.00	94.20
360.00	10000.00	94.52
360.00	15000.00	97.09

Reference *https://www.doi.org/10.1016/j.jct.2006.11.001*

Viscosity, Pa*s

Temperature, K - Liquid	Pressure, kPa - Liquid	Viscosity, Pa*s - Liquid
293.15	100.00	0.0005830
293.15	20000.00	0.0006460
293.15	40000.00	0.0007060
293.15	60000.00	0.0007670
293.15	80000.00	0.0008300
293.15	100000.00	0.0008940
313.15	100.00	0.0004450
313.15	20000.00	0.0004970
313.15	40000.00	0.0005460
313.15	60000.00	0.0005930
313.15	80000.00	0.0006400

313.15	100000.00	0.0006830
333.15	100.00	0.0003430
333.15	20000.00	0.0003860
333.15	40000.00	0.0004240
333.15	60000.00	0.0004620
333.15	80000.00	0.0005010
333.15	100000.00	0.0005430
353.15	20000.00	0.0003030
353.15	40000.00	0.0003370
353.15	60000.00	0.0003680
353.15	80000.00	0.0004000
353.15	100000.00	0.0004330

Reference *https://www.doi.org/10.1007/s10765-005-8089-2*

Temperature, K	Pressure, kPa	Viscosity, Pa*s
298.15	81.50	0.0005730

Reference *https://www.doi.org/10.1016/j.jct.2016.12.036*

Temperature, K	Amount density, mol/m3	Viscosity, Pa*s
297.64	3.79	0.0000096
312.54	3.79	0.0000101
324.75	3.79	0.0000105
338.69	3.79	0.0000110
352.91	3.79	0.0000115
352.93	3.79	0.0000114
366.84	3.79	0.0000119
381.27	3.79	0.0000124
395.39	3.79	0.0000129
411.30	3.79	0.0000134
423.50	3.79	0.0000138
440.61	3.79	0.0000144
468.85	3.79	0.0000154
496.65	3.79	0.0000163
525.41	3.79	0.0000173
547.13	3.79	0.0000180
569.26	3.79	0.0000188
597.60	3.79	0.0000198
298.16	6.32	0.0000096
312.25	6.32	0.0000101
325.91	6.32	0.0000105

339.77	6.32	0.0000110
353.30	6.32	0.0000115
355.50	6.32	0.0000115
367.84	6.32	0.0000119
382.15	6.32	0.0000124
396.23	6.32	0.0000129
411.31	6.32	0.0000134
424.73	6.32	0.0000139
440.07	6.32	0.0000144
297.43	8.17	0.0000096
311.23	8.17	0.0000100
325.15	8.17	0.0000105
338.47	8.17	0.0000110
352.62	8.17	0.0000114
353.05	8.17	0.0000115
366.82	8.17	0.0000119
381.38	8.17	0.0000124
394.76	8.17	0.0000129
412.33	8.17	0.0000135
423.31	8.17	0.0000138
437.81	8.17	0.0000143
496.40	8.17	0.0000163
525.42	8.17	0.0000173
546.79	8.17	0.0000180
602.56	8.17	0.0000199
297.41	10.1	0.0000095
313.89	10.1	0.0000101
325.22	10.1	0.0000105
338.62	10.1	0.0000109
352.86	10.1	0.0000114
353.44	10.1	0.0000115
366.59	10.1	0.0000119
380.86	10.1	0.0000124
394.63	10.1	0.0000129
409.51	10.1	0.0000134
423.96	10.1	0.0000139
437.60	10.1	0.0000143
467.33	10.1	0.0000153
496.56	10.1	0.0000163
298.54	13.2	0.0000096
314.18	13.2	0.0000101
325.76	13.2	0.0000105
339.34	13.2	0.0000110
353.22	13.2	0.0000114

353.26	13.2	0.0000114
367.10	13.2	0.0000119
380.97	13.2	0.0000124
395.40	13.2	0.0000129
409.39	13.2	0.0000133
423.77	13.2	0.0000138
438.41	13.2	0.0000143
467.74	13.2	0.0000153
496.43	13.2	0.0000163
526.39	13.2	0.0000173
546.84	13.2	0.0000180
567.40	13.2	0.0000187
596.93	13.2	0.0000197
301.53	17.93	0.0000097
311.12	17.93	0.0000100
325.59	17.93	0.0000105
339.25	17.93	0.0000109
353.58	17.93	0.0000114
355.67	17.93	0.0000115
366.93	17.93	0.0000119
381.53	17.93	0.0000124
395.23	17.93	0.0000128
412.01	17.93	0.0000134
424.38	17.93	0.0000138
439.47	17.93	0.0000143
468.08	17.93	0.0000153
496.41	17.93	0.0000163
527.99	17.93	0.0000173
548.52	17.93	0.0000181
571.83	17.93	0.0000189
597.15	17.93	0.0000197
299.92	24.58	0.0000096
310.88	24.58	0.0000099
325.98	24.58	0.0000104
340.14	24.58	0.0000109
353.71	24.58	0.0000114
355.05	24.58	0.0000114
368.03	24.58	0.0000119
383.55	24.58	0.0000124
395.18	24.58	0.0000128
409.75	24.58	0.0000133
424.41	24.58	0.0000138
439.20	24.58	0.0000143
466.95	24.58	0.0000153

496.44	24.58	0.0000163
526.84	24.58	0.0000173
299.79	32.22	0.0000096
311.60	32.22	0.0000100
324.78	32.22	0.0000104
338.66	32.22	0.0000108
353.78	32.22	0.0000114
355.04	32.22	0.0000114
366.99	32.22	0.0000118
381.92	32.22	0.0000124
395.16	32.22	0.0000128
410.18	32.22	0.0000133
423.88	32.22	0.0000138
439.16	32.22	0.0000143
467.62	32.22	0.0000153
496.97	32.22	0.0000163
526.17	32.22	0.0000173
547.30	32.22	0.0000180
567.53	32.22	0.0000187
597.12	32.22	0.0000197
297.92	38.68	0.0000096
311.60	38.68	0.0000100
326.88	38.68	0.0000104
338.72	38.68	0.0000108
353.06	38.68	0.0000113
353.18	38.68	0.0000113
367.87	38.68	0.0000118
381.90	38.68	0.0000123
395.37	38.68	0.0000128
410.35	38.68	0.0000133
425.10	38.68	0.0000138
441.61	38.68	0.0000144
467.34	38.68	0.0000153
496.21	38.68	0.0000163
527.02	38.68	0.0000173
547.49	38.68	0.0000180
568.11	38.68	0.0000187
598.60	38.68	0.0000198
298.71	49.53	0.0000096
314.20	49.53	0.0000100
324.77	49.53	0.0000104
338.81	49.53	0.0000108
352.35	49.53	0.0000113
353.20	49.53	0.0000113

367.81	49.53	0.0000118
381.27	49.53	0.0000123
394.88	49.53	0.0000128
411.32	49.53	0.0000134
423.52	49.53	0.0000138
439.56	49.53	0.0000143
467.49	49.53	0.0000153
496.48	49.53	0.0000163
525.14	49.53	0.0000172
548.04	49.53	0.0000180
569.93	49.53	0.0000187
597.28	49.53	0.0000197

Reference *https://www.doi.org/10.1021/je050429b*

Pressure, kPa	Temperature, K	Viscosity, Pa*s
101.00	297.80	0.0005463

Reference *https://www.doi.org/10.1021/je1011828*

Pressure, kPa	Temperature, K	Viscosity, Pa*s
101.00	303.15	0.0005230

Reference *https://www.doi.org/10.1021/je900656c*

Refractive index (Na D-line)

Pressure, kPa - Liquid	Temperature, K - Liquid	Refractive index (Na D-line) - Liquid
100.00	298.15	1.3267

Reference *https://www.doi.org/10.1016/j.jct.2016.01.012*

Temperature, K	Pressure, kPa	Refractive index (Na D-line)
298.15	100.00	1.32655

Reference *https://www.doi.org/10.1016/j.jct.2018.02.005*

Mass density, kg/m3

Temperature, K - Liquid	Pressure, kPa - Liquid	Mass density, kg/m3 - Liquid
298.26	235.00	785.98
298.26	5000.00	790.69
298.26	9999.00	795.4
298.26	15013.00	799.88
298.26	19987.00	804.1
298.26	25008.00	808.17
298.26	29997.00	812.04
298.26	34991.00	815.76
298.26	39981.00	819.34
323.22	270.00	762.14
323.22	4990.00	767.53
323.22	9984.00	772.87
323.22	14982.00	777.91
323.22	19989.00	782.69
323.22	24986.00	787.21
323.22	29995.00	791.53
323.22	34987.00	795.64
323.22	39993.00	799.6
348.25	366.00	737.29
348.25	4987.00	743.46
348.25	9986.00	749.65
348.25	14991.00	755.42
348.25	20004.00	760.84
348.25	25020.00	765.94
348.25	30013.00	770.76
348.25	34989.00	775.32
348.25	40000.00	779.7
373.26	534.00	710.55
373.26	4983.00	717.67
373.26	9990.00	724.99
373.26	14998.00	731.69
373.26	19985.00	737.88
373.26	24994.00	743.68
373.26	29997.00	749.13
373.26	35001.00	754.27
373.26	39996.00	759.14
398.28	934.00	680.93
398.28	4984.00	689.0
398.28	9998.00	697.91

398.28	14986.00	705.88
398.28	19987.00	713.16
398.28	24992.00	719.87
398.28	29991.00	726.11
398.28	35005.00	731.99
398.28	40004.00	737.47

Reference *https://www.doi.org/10.1016/j.jct.2005.02.004*

Temperature, K	Pressure, kPa	Mass density, kg/m3
298.15	100.00	792.6
298.15	5000.00	796.2
298.15	9900.00	801.0
298.15	19700.00	808.4
298.15	29500.00	816.0
298.15	39300.00	823.8
298.15	49100.00	830.0
298.15	58900.00	836.3
323.15	100.00	770.3
323.15	5000.00	774.2
323.15	9900.00	778.2
323.15	19700.00	787.0
323.15	29500.00	795.0
323.15	39300.00	803.4
323.15	49100.00	811.0
323.15	58900.00	818.2
348.15	5000.00	748.9
348.15	9900.00	753.9
348.15	19700.00	764.1
348.15	29500.00	773.1
348.15	39300.00	782.6
348.15	49100.00	790.9
348.15	58900.00	798.9
373.15	5000.00	721.1
373.15	9900.00	727.7
373.15	19700.00	739.3
373.15	29500.00	750.4
373.15	39300.00	760.2
373.15	49100.00	769.6
373.15	58900.00	778.2
398.15	5000.00	690.0
398.15	9900.00	697.6
398.15	19700.00	712.8

398.15	29500.00	725.4
398.15	39300.00	736.0
398.15	49100.00	747.2
398.15	58900.00	757.0
423.15	5000.00	652.8
423.15	9900.00	665.2
423.15	19700.00	683.6
423.15	29500.00	698.8
423.15	39300.00	710.8
423.15	49100.00	723.9
423.15	58900.00	735.0
448.15	5000.00	610.4
448.15	9900.00	628.9
448.15	19700.00	652.4
448.15	29500.00	670.8
448.15	39300.00	685.6
448.15	49100.00	700.0
448.15	58900.00	713.0
473.15	5000.00	553.4
473.15	9900.00	585.0
473.15	19700.00	620.2
473.15	29500.00	642.0
473.15	39300.00	660.6
473.15	49100.00	677.2
473.15	58900.00	691.2
498.15	9900.00	525.0
498.15	19700.00	584.8
498.15	29500.00	613.4
498.15	39300.00	636.0
498.15	49100.00	655.0
498.15	58900.00	670.0

Reference *https://www.doi.org/10.1016/j.jct.2005.03.006*

Temperature, K	Pressure, kPa	Mass density, kg/m3
298.26	235.00	785.98
298.26	5000.00	790.69
298.26	9999.00	795.4
298.26	15013.00	799.88
298.26	19987.00	804.1
298.26	25008.00	808.17
298.26	29997.00	812.04
298.26	34991.00	815.76

298.26	39981.00	819.34
323.22	270.00	762.14
323.22	4990.00	767.53
323.22	9984.00	772.87
323.22	14982.00	777.91
323.22	19989.00	782.69
323.22	24986.00	787.21
323.22	29995.00	791.53
323.22	34987.00	795.64
323.22	39993.00	799.6
348.25	366.00	737.29
348.25	4987.00	743.46
348.25	9986.00	749.65
348.25	14991.00	755.42
348.25	20004.00	760.84
348.25	25020.00	765.94
348.25	30013.00	770.76
348.25	34989.00	775.32
348.25	40000.00	779.7
373.26	534.00	710.55
373.26	4983.00	717.67
373.26	9990.00	724.99
373.26	14998.00	731.69
373.26	19985.00	737.88
373.26	24994.00	743.68
373.26	29997.00	749.13
373.26	35001.00	754.27
373.26	39996.00	759.14
398.28	934.00	680.93
398.28	4984.00	689.0
398.28	9998.00	697.91
398.28	14986.00	705.88
398.28	19987.00	713.16
398.28	24992.00	719.87
398.28	29991.00	726.11
398.28	35005.00	731.99
398.28	40004.00	737.47

Reference *https://www.doi.org/10.1016/j.jct.2005.05.003*

Pressure, kPa	Temperature, K	Mass density, kg/m3
1000.00	303.20	783.0
2000.00	303.20	784.0

3000.00	303.20	785.0
4000.00	303.20	786.0
5000.00	303.20	787.0
6000.00	303.20	788.0
7000.00	303.20	788.9
8000.00	303.20	789.9
9000.00	303.20	790.9
10000.00	303.20	791.8
1000.00	323.20	762.8
2000.00	323.20	763.9
3000.00	323.20	765.0
4000.00	323.20	766.2
5000.00	323.20	767.3
6000.00	323.20	768.3
7000.00	323.20	769.4
8000.00	323.20	770.5
9000.00	323.20	771.5
10000.00	323.20	772.6

Reference *https://www.doi.org/10.1016/j.jct.2012.10.002*

Temperature, K	Pressure, kPa	Mass density, kg/m3
298.15	100.00	786.57

Reference *https://www.doi.org/10.1016/j.jct.2017.07.026*

Temperature, K	Pressure, kPa	Mass density, kg/m3
298.15	100.00	786.53

Reference *https://www.doi.org/10.1016/j.jct.2018.07.013*

Temperature, K	Pressure, kPa	Mass density, kg/m3
288.15	100.00	796.19
288.15	5000.00	800.57
288.15	10000.00	804.93
288.15	15000.00	808.85
288.15	20000.00	812.92
288.15	25000.00	816.56
288.15	30000.00	820.09
288.15	35000.00	823.62
288.15	40000.00	827.04

293.15	100.00	791.18
293.15	5000.00	795.97
293.15	10000.00	800.47
293.15	15000.00	804.52
293.15	20000.00	808.43
293.15	25000.00	812.34
293.15	30000.00	815.93
293.15	35000.00	819.32
293.15	40000.00	822.48
298.15	100.00	786.76
298.15	5000.00	791.52
298.15	10000.00	795.8
298.15	15000.00	800.13
298.15	20000.00	804.18
298.15	25000.00	808.04
298.15	30000.00	811.69
298.15	35000.00	815.2
298.15	40000.00	818.33
303.15	100.00	782.07
303.15	5000.00	786.79
303.15	10000.00	791.31
303.15	15000.00	795.85
303.15	20000.00	800.16
303.15	25000.00	804.08
303.15	30000.00	807.78
303.15	35000.00	811.31
303.15	40000.00	814.7
308.15	100.00	777.09
308.15	5000.00	781.85
308.15	10000.00	786.63
308.15	15000.00	791.23
308.15	20000.00	795.58
308.15	25000.00	799.85
308.15	30000.00	803.73
308.15	35000.00	807.42
308.15	40000.00	811.08

Reference *https://www.doi.org/10.1016/j.jct.2019.02.011*

Temperature, K	Pressure, kPa	Mass density, kg/m3
298.15	81.50	786.55

Reference *https://www.doi.org/10.1021/acs.jced.5b00162*

Temperature, K	Pressure, kPa	Mass density, kg/m3
293.15	100.00	791.15
293.15	5000.00	795.92
293.15	10000.00	800.41
293.15	15000.00	804.64
293.15	20000.00	808.67
293.15	25000.00	812.52
293.15	30000.00	816.25
293.15	35000.00	819.89
303.15	100.00	781.84
303.15	5000.00	786.9
303.15	10000.00	791.61
303.15	15000.00	796.01
303.15	20000.00	800.14
303.15	25000.00	804.05
303.15	30000.00	807.78
303.15	35000.00	811.37
313.15	100.00	772.35
313.15	5000.00	777.48
313.15	10000.00	782.37
313.15	15000.00	786.99
313.15	20000.00	791.38
313.15	25000.00	795.59
313.15	30000.00	799.69
313.15	35000.00	803.73

Reference *https://www.doi.org/10.1021/acs.jced.8b00975*

Pressure, kPa	Temperature, K	Mass density, kg/m3
100.00	283.15	800.54
100.00	293.15	791.23
100.00	298.15	786.51
100.00	303.15	781.96
100.00	313.15	772.43
100.00	318.15	767.47
100.00	323.15	762.78
100.00	328.15	757.83
100.00	333.15	752.96
2500.00	283.15	802.75
2500.00	293.15	793.52
2500.00	298.15	788.81

2500.00	303.15	784.36
2500.00	313.15	774.99
2500.00	318.15	770.09
2500.00	323.15	765.48
2500.00	328.15	760.61
2500.00	333.15	755.84
5000.00	283.15	804.88
5000.00	293.15	795.8
5000.00	298.15	791.18
5000.00	303.15	786.78
5000.00	313.15	777.53
5000.00	318.15	772.74
5000.00	323.15	768.2
5000.00	328.15	763.41
5000.00	333.15	758.73
10000.00	283.15	809.06
10000.00	293.15	800.17
10000.00	298.15	795.7
10000.00	303.15	791.48
10000.00	313.15	782.45
10000.00	318.15	777.79
10000.00	323.15	773.39
10000.00	328.15	768.75
10000.00	333.15	764.21
15000.00	283.15	813.06
15000.00	293.15	804.36
15000.00	298.15	800.02
15000.00	303.15	795.84
15000.00	313.15	787.08
15000.00	318.15	782.57
15000.00	323.15	778.3
15000.00	328.15	773.73
15000.00	333.15	769.39
20000.00	283.15	816.88
20000.00	293.15	808.39
20000.00	298.15	804.15
20000.00	303.15	799.97
20000.00	313.15	791.5
20000.00	318.15	787.09
20000.00	323.15	782.93
20000.00	328.15	778.49
20000.00	333.15	774.25
25000.00	283.15	820.6
25000.00	293.15	812.25

25000.00	298.15	808.1
25000.00	303.15	803.95
25000.00	313.15	795.74
25000.00	318.15	791.43
25000.00	323.15	787.34
25000.00	328.15	783.03
25000.00	333.15	778.87
30000.00	283.15	824.14
30000.00	293.15	815.94
30000.00	298.15	811.88
30000.00	303.15	807.83
30000.00	313.15	799.72
30000.00	323.15	791.56
30000.00	333.15	783.33
35000.00	283.15	827.58
35000.00	293.15	819.55
35000.00	298.15	815.52
35000.00	303.15	811.51
35000.00	313.15	803.62
35000.00	323.15	795.6
35000.00	333.15	787.53

Reference *https://www.doi.org/10.1021/je700188w*

Speed of sound, m/s

Temperature, K - Liquid	Pressure, kPa - Liquid	Speed of sound, m/s - Liquid
253.15	101.00	1259.391
253.15	5031.00	1283.569
253.15	10064.00	1307.272
253.15	15070.00	1329.88
253.15	20048.00	1351.494
253.15	25130.00	1372.789
253.15	30260.00	1393.514
273.15	101.00	1187.324
273.15	5017.00	1213.77
273.15	10158.00	1240.041
273.15	15070.00	1264.004
273.15	20132.00	1287.633
273.15	25155.00	1310.139
273.15	30074.00	1331.42

293.15	101.00	1119.106
293.15	5028.00	1147.798
293.15	10032.00	1175.493
293.15	15145.00	1202.422
293.15	20159.00	1227.564
293.15	25062.00	1251.109
293.15	30276.00	1275.096
313.15	101.00	1053.178
313.15	5046.00	1084.848
313.15	10127.00	1115.409
313.15	15085.00	1143.55
313.15	19989.00	1169.962
313.15	25090.00	1196.105
313.15	30009.00	1220.145
333.15	101.00	988.923
333.15	5029.00	1023.676
333.15	10110.00	1056.926
333.15	15215.00	1088.157
333.15	20093.00	1116.297
333.15	25061.00	1143.501
333.15	30122.00	1169.869
353.15	197.00	925.583
353.15	5097.00	963.758
353.15	10106.00	999.623
353.15	15143.00	1033.012
353.15	20216.00	1064.48
353.15	25221.00	1093.69
353.15	30092.00	1120.591

Reference *https://www.doi.org/10.1016/j.jct.2015.10.006*

Temperature, K	Pressure, kPa	Speed of sound, m/s
299.95	99.00	1096.3
220.38	100.00	1387.9
244.25	125.00	1294.5
349.98	201.00	935.8
244.27	761.00	1297.5
399.94	798.00	770.2
299.94	963.00	1101.7
349.98	970.00	941.9
399.94	1015.00	772.5
220.41	1023.00	1391.8
244.28	1200.00	1299.5

220.39	1839.00	1395.3
244.30	1980.00	1303.2
349.98	1998.00	949.9
399.94	2112.00	784.4
299.94	2240.00	1109.5
450.22	2562.00	568.3
349.98	4864.00	971.5
450.19	4910.00	608.8
244.31	5110.00	1317.8
399.93	5110.00	815.0
299.95	5128.00	1126.7
399.92	9339.00	854.2
500.06	9535.00	412.8
244.32	9712.00	1338.5
349.97	9858.00	1006.8
299.95	9896.00	1153.8
220.96	10454.00	1428.5
450.22	14312.00	730.4
499.98	19828.00	611.1
349.99	19881.00	1070.5
220.46	20095.00	1467.9
450.20	20347.00	794.1
299.96	21093.00	1212.5
399.92	21337.00	948.3
499.94	28092.00	708.5
500.06	30612.00	733.2
450.18	39568.00	943.1
499.94	40326.00	818.5
220.39	40357.00	1540.1
299.96	40780.00	1302.9
350.00	41608.00	1186.3
399.89	42375.00	1078.3
299.95	58877.00	1375.6
450.17	59905.00	1062.6
499.94	60313.00	955.4
349.95	60336.00	1270.3
220.26	60890.00	1606.5
399.90	61164.00	1172.4
220.38	69376.00	1631.5
220.37	69581.00	1632.2
450.20	72355.00	1124.9
299.94	80229.00	1452.1
399.91	81158.00	1258.6
349.96	82312.00	1356.2

399.93	84741.00	1273.4
399.73	98358.00	1325.1
299.95	98460.00	1511.3
349.96	99275.00	1415.9
220.37	111490.00	1746.8
399.91	122977.00	1409.6
299.96	123414.00	1585.5
349.97	124114.00	1495.1

Reference *https://www.doi.org/10.1021/acs.jced.8b00938*

Thermal diffusivity, m2/s

Pressure, kPa - Liquid	Temperature, K - Liquid	Thermal diffusivity, m2/s - Liquid
0.00	299.15	9.7000e-08
370000.00	300.15	1.3500e-07
400000.00	299.85	1.3200e-07
860000.00	300.95	1.5700e-07
880000.00	299.15	1.5900e-07
1290000.00	301.05	1.7000e-07
1290000.00	301.05	1.6600e-07
1750000.00	300.75	1.8000e-07
2430000.00	299.15	1.8600e-07
3100000.00	299.15	1.9200e-07
3120000.00	299.15	1.9900e-07
4220000.00	298.15	2.1700e-07
5000000.00	299.75	2.3700e-07
5300000.00	297.95	2.1900e-07

Reference *https://www.doi.org/10.1021/acs.jced.7b00222*

Molar volume, m3/mol

Temperature, K - Liquid	Pressure, kPa - Liquid	Molar volume, m3/mol - Liquid
298.15	100.00	0.0000
298.15	10000.00	0.0000
313.15	100.00	0.0000
313.15	10000.00	0.0000

328.15	100.00	0.0000
328.15	10000.00	0.0000

Reference *https://www.doi.org/10.1021/je800334m*

Sources

Determination of Activity Coefficients at Infinite Dilution of Organic Solutes in the Ionic Liquid 1-(2-Hydroxyethyl)-3-methylimidazolium Nonafluoro-1-butanesulfonate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/acs.jced.8b00080
Temperature Dependence on Mutual Solubility Data of the Binary (Methanol + r-Pinene or β-Pinene) Systems and Ternary Liquid-Liquid Equilibria for the (Methanol + Ethanol + r-Pinene or β-Pinene) Systems:	https://www.doi.org/10.1021/je800407h
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Separation of acetone and methanol azeotropic system using ionic liquid as entrainer:	https://www.doi.org/10.1016/j.fluid.2014.10.011
Solubilities of 2-(6-Oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1,4-dihydroxy Phenylene in the Selected Solvents:	https://www.doi.org/10.1021/je700404u
Cosolvency and Mathematical Modeling Analysis of Chloroxine in Some Binary Solvent Systems:	https://www.doi.org/10.1021/acs.jced.8b00257
Solubility, Solubility Modeling, and Antisolvent Precipitation of 1,3-Bis(9-carbazolyl)benzene in Organic Solvents:	https://www.doi.org/10.1021/acs.jced.9b00432
Activity coefficients of the binary mixtures of o-cresol or p-cresol with C1-C4 aliphatic alcohols near ambient pressure:	https://www.doi.org/10.1016/j.fluid.2006.03.018
(Liquid + liquid) equilibria of four alcohol-water systems containing 1,8-cineole at T = 298.15 K:	https://www.doi.org/10.1016/j.jct.2016.06.010
Isobaric vapor-liquid equilibria of the binary mixtures propylene glycol methyl ether + propylene glycol methyl ether acetate, methyl acetate + propylene glycol methyl ether and methanol + propylene glycol methyl ether acetate at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2014.01.022
Solubility of dimethyl fumarate in water + (methanol, ethanol, 1-propanol) from (278.00 to 313.00) K:	https://www.doi.org/10.1016/j.fluid.2012.12.031
Thermodynamic models for determination of solid liquid equilibrium of the 6-benzyladenine in pure and binary organic solvents:	https://www.doi.org/10.1016/j.jct.2016.12.002
Solubility of Artemether in Methanol + Water and Ethanol + Water from (288.85 to 331.95) K:	https://www.doi.org/10.1021/je800946x
Dissociation Constants and Solubilities of Daidzein and Genistein in Different Solvents:	https://www.doi.org/10.1021/je4010905
Solubility of puerarin in the binary system of methanol and acetic acid solvent mixtures:	https://www.doi.org/10.1016/j.fluid.2012.11.035
Experimental isobaric vapor-liquid equilibrium at atmospheric and sub-atmospheric pressures, excess molar volumes and deviations in molar refractivity from 298.15 K to 318.15 K of diisobutyl ether with methanol and isobutyl alcohol:	https://www.doi.org/10.1016/j.fluid.2014.09.014
Effect of beta-alanine and the solvent composition on the solubility of solvate of calcium D-pantothenate containing four molecules of methanol and one molecule of water (D-PC*4MeOH*1H2O):	https://www.doi.org/10.1016/j.jct.2016.11.011
Excess Molar Enthalpies of 2-Methyl-2-butanol (1) + 1-Alkanols (2) (C1-C4) at 298.15 K:	https://www.doi.org/10.1021/je101031j
Determination and modelling of troxerutin solubility in eleven mono-solvents and (1,4-dioxane + 2-propanol) binary solvents at temperatures from 288.15 K to 323.15 K:	https://www.doi.org/10.1016/j.jct.2016.09.015
Experimental and theoretical study of interaction between organic compounds and 1-(4-sulfobutyl)-3-methylimidazolium based ionic liquids:	https://www.doi.org/10.1016/j.fluid.2014.06.021
Measurement and Modeling of Phase Equilibria for Ethanol + Water + Mesitylene under Isobaric Condition:	https://www.doi.org/10.1021/je0602521
Measurement and Correlation of the Solubility of Antioxidant 626 in Alcohols:	https://www.doi.org/10.1021/acs.jced.5b00823
Measurements of isothermal vapor-liquid equilibrium of binary methanol/dimethyl carbonate system under pressure:	https://www.doi.org/10.1016/j.fluid.2005.05.002
Speed of sound measurements of liquid C1-C4 alkanols:	https://www.doi.org/10.1016/j.jct.2015.10.006
Measurement and Correlation of Solubility and Thermodynamic Properties of Vinpocetine in Nine Pure Solvents and (Ethanol + Water) Binary Solvent:	https://www.doi.org/10.1021/acs.jced.8b00663
Density and Surface Tension of Binary Mixtures of Acetonitrile + 1-Alkanol at 293.15 K:	https://www.doi.org/10.1021/je050519g
Partition Coefficients of Organic Compounds in New Imidazolium and Tetralkylammonium Based Ionic Liquids Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je9003178
Solubilities of 4',5,7-Triacetoxyflavanone in Fourteen Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.6b00929
Measurement of Infinite Dilution Activity Coefficients of Alcohols, Ketones, and Aromatic Hydrocarbons in 4-Methyl-N-butylpyridinium Tetrafluoroborate and 1-Butyl-3-methylimidazolium Hexafluorophosphate by Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je800246v
Volumetric and Viscometric Studies of Salicyl Amide, Salicylic Acid, and Acetylsalicylic Acid in Alcohols at Different Temperatures:	https://www.doi.org/10.1021/je800616p
Investigation of the Solubility of Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine and 1,3,5-Triacetylhexahydro-s-triazine:	https://www.doi.org/10.1021/je301237t
Quantitative NMR spectroscopy of binary liquid mixtures (aldehyde + alcohol) Part I: Acetaldehyde + (methanol or ethanol or 1-propanol):	https://www.doi.org/10.1016/j.jct.2013.03.022
Estimated Solubility Method:	http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt
Solubility of Sulpiride in Pure Organic Solvents between (278 and 333) K:	https://www.doi.org/10.1021/je1002016

Volumetric properties of the boldine + alcohol mixtures at atmospheric pressure from 283.15 to 333.15K A new method for the determination of the density of pure boldine:	https://www.doi.org/10.1016/j.fluid.2007.04.030
Solubility Measurement and Correlation of 2-Oxindole in 12 Pure Organic Solvents:	https://www.doi.org/10.1021/acs.jced.9b00308
Vapor-Liquid Equilibrium for the Carbon Dioxide + Hydrogen + Methanol Ternary System:	https://www.doi.org/10.1021/je0301491
Solubility Modeling and Mixing Properties for Benzoin in Different Monosolvents and Solvent Mixtures at the Temperature Range from 273.15 to 313.15 K:	https://www.doi.org/10.1021/acs.jced.7b00743
Measurement and Prediction of Solubility of Four Arylamine Molecules in Benzene, Hexane, and Methanol:	https://www.doi.org/10.1021/je0495785
Excess molar enthalpies of {diethyl oxalate + (methanol, + ethanol, + 1-propanol, and + 2-propanol)} at T = (288.2, 298.2, 313.2, and 328.2) K and p = 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2013.05.024
Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-hexyl-3-methylimidazolium tetracyanoborate:	https://www.doi.org/10.1016/j.jct.2011.11.025
Mixing thermodynamic properties of ester-containing solutions: A study on the {methyl or ethyl alkanoate (pentanoate and methanoate) + methanol} and the corresponding binaries. New contributions to the (ester + ester) interactions:	https://www.doi.org/10.1016/j.jct.2015.02.019
Effect of alkanolammonium formates ionic liquids on vapour liquid equilibria of binary systems containing water, methanol, and ethanol:	https://www.doi.org/10.1016/j.jct.2012.05.001
Isobaric Vapor-Liquid Equilibria for Binary Mixtures of gamma-Valerolactone + Methanol, Ethanol, and 2-Propanol:	https://www.doi.org/10.1021/acs.jced.6b00384
Co-solvency phenomenon and thermodynamic properties of edaravone in pure and mixed solvents:	https://www.doi.org/10.1016/j.jct.2019.06.018
Thermodynamic Models for Determination of the Solubility of Boc-(R)-3-Amino-4-(2,4,5-trifluorophenyl)butanoic acid in Different Pure Solvents and (Tetrahydrofuran + n-Butanol) Binary Mixtures with Temperatures from 278.15 K to 323.15 K:	https://www.doi.org/10.1021/acs.jced.5b00758
Solubility of 3,4-Dichloronitrobenzene in Methanol, Ethanol, and Liquid Mixtures (Methanol + Water, Ethanol + Water): Experimental Measurement and Thermodynamic Modeling:	https://www.doi.org/10.1021/je400507u
Measurement and Correlation of Solubility of Hydrochlorothiazide in Monosolvents and Binary Solvent Mixtures from 280.15 to 330.15 K:	https://www.doi.org/10.1021/acs.jced.9b00220
Thermophysical Properties of the Binary Mixture of 1-Propylpyridinium Tetrafluoroborate with Methanol:	https://www.doi.org/10.1021/je401120a
Measurement and Correlation of Solubility of Calcium Formate (Form alpha) in Different Binary Solvent Mixtures at Temperatures from 283.15 to 328.15 K:	https://www.doi.org/10.1021/acs.jced.9b00009
Mass density, sound velocity, mixing enthalpy, 1H NMR, Ab initio calculations and intermolecular interactions in binary mixtures of N-methylimidazole + water, +methanol, +ethanol, +1-propanol, +2-propanol:	https://www.doi.org/10.1016/j.jct.2018.12.019
Solubility of Sucralose in Different Solvents from (283.15 to 333.15) K:	https://www.doi.org/10.1021/je9008427
Thermodynamic Models for Determination of Solid-Liquid Equilibrium of the Buprofezin in Pure and Binary Organic Solvents:	https://www.doi.org/10.1021/acs.jced.9b00172
Solubility of propanoic acid 3-(hydroxyphenylphosphinyl)-sodium salts in different solvent:	https://www.doi.org/10.1016/j.fluid.2013.02.001
Solid-Liquid Phase Equilibria of N,N'-[1,3-Phenylenebis(methylene)]bis(phosphoramidic acid) P,P,P',P'-Tetraphenyl Ester in 10 Pure Solvents:	https://www.doi.org/10.1021/je4010917
Solubilities of Phosphonic Acid, P,P'-(1,4-Piperazinediyl)bis-,P,P,P',P'-tetraphenyl Ester in Selected Solvents:	https://www.doi.org/10.1021/je400412z
Activity coefficient at infinite dilution measurements for organic solutes (polar and non-polar) in fatty compounds - Part II: C18 fatty acids:	https://www.doi.org/10.1016/j.jct.2012.12.009
Solid-liquid equilibrium and thermodynamic of 2,5-thiophenedicarboxylic acid in different organic solvents:	https://www.doi.org/10.1016/j.fluid.2014.05.003
Thermodynamic modelling for solubility of 5-chloro-1-methyl-4-nitroimidazole in eleven organic solvents from T = (283.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2016.10.006
Isobaric Vapor-Liquid Equilibria for Methyl Acetate + Methanol + 1-Butyl-3-methylimidazolium Trifluoromethanesulfonate at 100 kPa:	https://www.doi.org/10.1021/je600518s
Measurement and Correlation for Solubilities of 16-Dehydropregnenolone Acetate in Different Solvents:	https://www.doi.org/10.1021/je1013262
Determination and Correlation of Solubility of Cefradine Form I in Five Pure Solvents from (283.15 to 308.15) K:	https://www.doi.org/10.1021/je400218d
Measurement and correlation of the solubility of 2,3,4,5-tetrabromothiophene in different solvents:	https://www.doi.org/10.1016/j.jct.2012.06.005
Solubility of Delphinidin in Water and Various Organic Solvents between (298.15 and 343.15) K:	https://www.doi.org/10.1021/je900851k
Solubility Measurement and Thermodynamic Model Correlation and Evaluation of 2-Chloro-5-nitroaniline in 12 Pure Solvents:	https://www.doi.org/10.1021/acs.jced.8b00931
Isobaric vapor-liquid equilibria for acetone + methanol + lithium nitrate at 100 kPa:	https://www.doi.org/10.1016/j.fluid.2006.09.007
Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0) MPa:	https://www.doi.org/10.1016/j.fluid.2008.03.012
Solution thermodynamics and preferential solvation of sulfamethazine in (methanol + water) mixtures:	https://www.doi.org/10.1016/j.jct.2016.02.002
Solubility determination and thermodynamic modeling of 2,4-dinitroaniline in nine organic solvents from T = (278.15 to 318.15) K and mixing properties of solutions:	https://www.doi.org/10.1016/j.jct.2016.07.009
Effects of Aliphatic Alcohols on Solubility, Physicochemical Properties, and Morphology of Calcium Sulfate Dihydrate (Gypsum) in Aqueous Sodium Chloride Solution at 35 deg.C:	https://www.doi.org/10.1021/acs.jced.8b00723
Solubility Measurements at 296 and 310 K and Physicochemical Characterization of Abiraterone Acetate:	https://www.doi.org/10.1021/acs.jced.8b00566
Solubility of Florfenicol in Different Solvents at Temperatures from (278 to 318) K:	https://www.doi.org/10.1021/je1008284
Volumetric Properties for (Ionic Liquid + Methanol or Ethanol or 1-Propanol + Nitromethane) at 298.15 K and Atmospheric Pressure:	https://www.doi.org/10.1021/je100830b
Thermophysical Properties of Binary Mixtures of Methanol with Chlorobenzene and Bromobenzene from 293K to 313K:	https://www.doi.org/10.1007/s10765-008-0444-7
Measurement and correlation of the solubility of maleic anhydride in different organic solvents:	https://www.doi.org/10.1016/j.fluid.2014.01.008
(Vapor + liquid) equilibria of the binary mixtures of m-cresol with C1 C4 aliphatic alcohols at 95.5 kPa:	https://www.doi.org/10.1016/j.jct.2006.03.006
Thermodynamic functions for solubility of 3-nitro-o-toluic acid in nine organic solvents from T = (283.15 to 318.15) K and apparent thermodynamic properties of solutions:	https://www.doi.org/10.1016/j.jct.2017.02.017

Solubility and thermodynamic functions of cefazolin acid in pure and mixed solvents at (278.15-308.15) K:	https://www.doi.org/10.1016/j.fluid.2014.12.020
Measurement and correlation of liquid-liquid equilibrium for the ternary system 2,2,3,3,4,4,5,5-octafluoro-1-pentanol + methanol + water at (298.15, 308.15, and 318.15) K	https://www.doi.org/10.1016/j.fluid.2015.10.039
Determination and correlation of solubility of N-methyl-3,4,5-trinitropyrazole (MTNP) in [illegible] solvents from 283.15 K to 323.15 K:	https://www.doi.org/10.1016/j.fluid.2017.04.008
High-Pressure Phase Equilibrium for Ethylene + Methanol at 278.15 K and 283.65 K:	https://www.doi.org/10.1021/je050374d
Excess Molar Enthalpies of Acetophenone + (Methanol, + Ethanol, + 1-Propanol, and + 2-Propanol) at Different Temperatures and Pressures:	https://www.doi.org/10.1021/je7006633
Measurement and Modeling of Liquid-Liquid Equilibrium for Ternary and Quaternary Mixtures of Water, Methanol, 2-Propanol, and 2,2,4-Trimethylpentane at 293.2 K:	https://www.doi.org/10.1021/je100916h
Densities and Viscosities for the Ternary Systems of Methyl tert-Butyl Ether + Methanol + Benzene and Methyl tert-Butyl Ether + Methanol + Toluene and Their Sub-binary Systems at 298.15 K:	https://www.doi.org/10.1021/je0600799
Solubility of Camellianin A in Methanol, Acetonitrile, Acetone, and Water from (293.2 to 323.2) K:	https://www.doi.org/10.1021/je900554r
Volumetric properties of ionic liquid 1,3-dimethylimidazolium methyl sulfate + molecular solvents at T = (298.15-328.15) K:	https://www.doi.org/10.1016/j.fluid.2010.01.002
Solubility of L-Lysine Hydrochloride in Dimethyl Sulfoxide, Methanol, Ethanol, Water, and Glycol between (283 and 323) K:	https://www.doi.org/10.1021/je900022k
Thermodynamic models for determination of the solubility of 2,5-bis(2-furylmethylidene) cyclopentan-1-one in different solvents at temperatures ranging from 308.15 to 403.15 K:	https://www.doi.org/10.1016/j.fluid.2014.01.039
Measurement and Correlation of Solubilities of Cefpirome Sulfate in Aqueous Alcohol Solution between (278.15 and 308.15) K:	https://www.doi.org/10.1021/je100870x
Activity coefficients at infinite dilution measurements for organic solutes in the ionic liquid N-butyl-4-methylpyridinium tosylate using GLC at T = (328.15, 333.15, 338.15, and 343.15) K:	https://www.doi.org/10.1016/j.fluid.2008.10.008
Solubility Determination and Modeling of EGCG Peracetate in 12 Pure Solvents at Temperatures from 278.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.9b00428
Measurement and correlation of the solubility of 4,4'-oxydianiline in different organic solvents:	https://www.doi.org/10.1016/j.fluid.2013.07.010
Measurement, correlation and prediction of isothermal vapor liquid equilibria of different systems containing vegetable oils:	https://www.doi.org/10.1016/j.fluid.2015.03.009
Ternary Liquid-Liquid Equilibria for the (Methanol + Methylbenzene + Decane) System at Different Temperatures:	https://www.doi.org/10.1021/je1011554
Measurement and prediction of phase equilibria of ethylene + vinyl acetate + methanol + poly(ethylene-co-vinyl acetate) systems:	https://www.doi.org/10.1016/j.fluid.2016.08.037
Measurement of thermal conductivities of [mmim]DMP/CH3OH and [mmim]DMP/H2O by freestanding sensor-based 3ω technique:	https://www.doi.org/10.1016/j.tca.2013.02.020
Thermodynamic study of solubility for pyrazinamide in ten solvents from T = (283.15 to 323.15) K:	https://www.doi.org/10.1016/j.jct.2017.04.014
Solubility, Density, and Solution Thermodynamics of NaI in Different Pure Solvents and Binary Mixtures:	https://www.doi.org/10.1021/je300754n
Phase equilibrium measurements and thermodynamic modeling of methane alcohol systems at ambient temperature:	https://www.doi.org/10.1016/j.jct.2012.03.028
Measurement and correlation of solubility of carbendazim in lower alcohols:	https://www.doi.org/10.1016/j.tca.2017.12.007
Liquid-liquid equilibria of water + solutes (acetic acid/acetol/furfural/guaiacol/methanol/phenol/propanal) + solvents (isopropyl acetate/toluene) ternary systems for pyrolysis oil fractionation	https://www.doi.org/10.1016/j.fluid.2018.04.016
Isobaric vapor liquid equilibria of 1,1-dimethylethoxy-butane + methanol or ethanol + water at 101.32 kPa	https://www.doi.org/10.1016/j.fluid.2007.01.038
Mutual Diffusion Coefficients of Some Aqueous Alkanolamines Solutions:	https://www.doi.org/10.1021/je049828h
Volumetric Properties of Water + Monoethanolamine + Methanol Mixtures at Atmospheric Pressure from 283.15 to 353.15 K:	https://www.doi.org/10.1021/je049691v
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 6. Activity Coefficients at Infinite Dilution of Hydrocarbons, Alcohols, Esters, and Aldehydes in 1-Methyl-3-octyl-imidazolium Tetrafluoroborate Using Gas-Liquid Chromatography	https://www.doi.org/10.1021/je050134y
A study on the liquid-liquid equilibrium of 1-alkyl-3-methylimidazolium alkylsulphate with methanol and [illegible]	https://www.doi.org/10.1016/j.fluid.2014.09.016
Pressurized Synthetic Methodology for Solubility Determination at Elevated Temperatures with Application to Paracetamol in Pure Solvents:	https://www.doi.org/10.1021/acs.jced.7b00118
Experimental and Predicted (Vapor + Liquid) Equilibrium Data of Ternary Mixtures of Methanol, Water, and Propan-1,2,3-triol at 96 kPa:	https://www.doi.org/10.1021/je1013203
Measuring the Surface Tension of Liquids at High Temperature and Elevated Pressure:	https://www.doi.org/10.1021/je700578f
Isobaric Vapor-Liquid Equilibrium of Acetone + Methanol System in the Presence of Calcium Bromide:	https://www.doi.org/10.1021/je049688b
Probing subsistence of ion-pair and triple-ion of an ionic salt in liquid environments by means of conductometric contrivance:	https://www.doi.org/10.1016/j.jct.2013.03.018
Density and speed of sound of lithium bromide with organic solvents: Measurement and correlation:	https://www.doi.org/10.1016/j.jct.2007.04.006
Evaluation of the solvent structural effect upon the vapor-liquid equilibrium of [C4O1mim][Cl] + Alcohols:	https://www.doi.org/10.1016/j.fluid.2017.02.016
Solubility of Thiotriazinone in Binary Solvent Mixtures of Water + Methanol and Water + Ethanol from (283 to 330) K:	https://www.doi.org/10.1021/je201149u
Solubility of diosgenin in different solvents:	https://www.doi.org/10.1016/j.jct.2011.11.009
Solubility determination and thermodynamic modeling of 3-methyl-4-nitrobenzoic acid in twelve organic solvents from T = (283.15-318.15) K and mixing properties of solutions:	https://www.doi.org/10.1016/j.jct.2016.07.023
Binary Liquid-Liquid Equilibrium (LLE) for Methyl tert-Amyl Ether (TAME) + Water from (288 to 338) K and Ternary LLE for Systems of TAME + C1-C4 Alcohols + Water at 298.15 K:	https://www.doi.org/10.1021/je8006698
Determination and Correlation of Ethyl Vanillin Solubility in Different Binary Solvents at Temperatures from 273.15 to 313.15 K:	https://www.doi.org/10.1021/acs.jced.6b00972
Densities, speeds of sound, and refractive indices for binary mixtures of 1-butyl-3-methylimidazolium methyl sulphate ionic liquid with alcohols at T = (298.15, 303.15, 308.15, and 313.15) K:	https://www.doi.org/10.1016/j.jct.2012.08.030
Determination and Correlation of Solubility of Phenylbutazone in Monosolvents and Binary Solvent Mixtures:	https://www.doi.org/10.1021/acs.jced.6b00911

Solubility of (S)-3-(Aminomethyl)-5-Methylhexanoic Acid in Pure and Binary Solvent Mixtures:	https://www.doi.org/10.1021/acs.jced.5b00736
Thermodynamic Functions for Solubility of 1-Hydroxybenzotriazole in Sixteen Solvents at Temperatures from (278.15 to 313.15) K and Mixing Property of Mixtures:	https://www.doi.org/10.1021/acs.jced.7b00316
Excess Molar Volumes and Viscosities of Binary Mixtures of p-Cresol with Ethylene Glycol and Methanol at Different Temperature and Atmospheric Pressure:	https://www.doi.org/10.1021/je050376y
Thermodynamic Models for Determination of the Solubility of [illegible] Acid in Different Solvents at Temperatures from (278.15 to 328.15) K:	https://www.doi.org/10.1021/je500867u
Thermal Stability and Vapor Liquid Equilibrium for Imidazolium Ionic Liquids as Alternative Reaction Media:	https://www.doi.org/10.1021/je5009558
Solid Liquid Equilibrium of Isomaltulose in Five Pure Solvents and Four Binary Solvents from (283.15 to 323.15) K:	https://www.doi.org/10.1021/acs.jced.8b00823
Research on Dissolution Capability of Several Antofloxacin Salts:	https://www.doi.org/10.1021/acs.jced.8b00288
Solid-Liquid Phase Equilibria of Binary and Ternary Mixtures for 2,6-Dimethylnaphthalene and 2,7-Dimethylnaphthalene with Ethanol or Methanol:	https://www.doi.org/10.1021/je049607b
Separation of acetonitrile and methanol azeotropic mixture using imidazolium-based ionic liquids as entrainers:	https://www.doi.org/10.1016/j.fluid.2018.08.009
Thermodynamics and limiting activity coefficients measurements for organic solutes and water in the ionic liquid 1-dodecyl-3-methylimidzolium bis(trifluoromethylsulfonyl) imide:	https://www.doi.org/10.1016/j.jct.2016.08.008
The dissolution behaviour and apparent thermodynamic analysis of [illegible] in pure and mixed solvents:	https://www.doi.org/10.1016/j.jct.2019.06.007
Measurement of critical temperatures and critical pressures for binary mixtures of methyl tert-butyl ether (MTBE) + alcohol and MTBE + alkane:	https://www.doi.org/10.1016/j.jct.2013.03.002
Solubility Determination and Thermodynamic Modeling of 2-Mercaptobenzimidazole in 12 Solvents from T = 278.15 K to T = 318.15 K:	https://www.doi.org/10.1021/acs.jced.9b00190
Solubilities of 1,1'-[1,2-Ethanediylbis(oxy-1,2-ethanediyl)]bis-[3-methyl-1H-imidazolium-1-yl] Dihexafluorophosphate in Water, Methanol, Ethanol, Dimethylformamide, Dimethyl Sulfoxide, and (Acetone + Water) Binary Solvent Mixtures:	https://www.doi.org/10.1021/je5004466
Organic Salt Effect of Tetramethylammonium Bicarbonate on the Vapor–Liquid Equilibrium of the Methanol–Water System:	https://www.doi.org/10.1021/je200341c
Solubility of 3,7,9,11-Tetraoxo-2,4,6,8,10-pentaaza[3.3.3]Propellane (TOPAP) in Different Pure Solvents at Temperatures between 273.15 and 318.15 K:	https://www.doi.org/10.1021/acs.jced.6b00349
Thermodynamics [illegible] and solubility in pure organic solvents:	https://www.doi.org/10.1016/j.fluid.2014.01.029
The (p,ρ,T) of (methanol + benzene) and (methanol + ethylbenzene):	https://www.doi.org/10.1016/j.jct.2005.03.006
Solubility Measurement and Phase Equilibrium Modeling of 2-Aminobenzamide in 15 Pure Solvents:	https://www.doi.org/10.1021/acs.jced.9b00350
Thermodynamics of 1-alkanol + linear polyether mixtures:	https://www.doi.org/10.1016/j.jct.2012.12.007
Densities, viscosities, and ultrasonic velocity studies of binary mixtures of trichloromethane with methanol, ethanol, propan-1-ol, and butan-1-ol at T = (298.15 and 308.15) K:	https://www.doi.org/10.1016/j.jct.2006.03.010
Solubilities of 4-Bromo-1,8-naphthalic Anhydride in Different Pure Solvents and Binary Solvent Mixtures with the Temperature Range from (278.15 to 333.15) K:	https://www.doi.org/10.1021/je400259a
Measurement and Correlation of Phase Equilibria for Isobutyl Acetate + (Ethanol or Methanol) + Water at 303.15 and 323.15 K:	https://www.doi.org/10.1021/acs.jced.6b00949
Density, Refractive Index, Speed of Sound at 298.15 K, and Vapor-Liquid Equilibria at 101.3 kPa for Binary Mixtures of Methanol + 2-Methyl-1-butanol and Ethanol + 2-Methyl-1-butanol:	https://www.doi.org/10.1021/je0500330
Surface Tension Measurements for Seven Imidazolium-Based Dialkylphosphate Ionic Liquids and Their Binary Mixtures with Water (Methanol or Ethanol) at 298.15 K and 1 atm:	https://www.doi.org/10.1021/je400004j
Isothermal Vapor-Liquid Equilibria for Binary Mixtures of Methyl Cyclopentyl Methyl Ether, Ethyl Acetate, n-Heptane, Methanol, and Toluene:	https://www.doi.org/10.1021/acs.jced.7b00599
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium hexafluorophosphate using gas-liquid chromatography at T = (313.15, 333.15, 353.15, and 363.15) K:	https://www.doi.org/10.1016/j.jct.2012.01.004
Liquid-Liquid Equilibria for the Ternary System n-Butyl Acetate + Pyrocatechol + Water at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.6b00280
Volumetric Properties of Binary Mixtures of 1-Butyl-3-methylimidazolium Chloride + Water or Hydrophilic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je900733j
Density, Viscosity, and Thermal Conductivity of Mixtures of [illegible]2,3,3,4,4-nonafluorobutane (HFE-7200) with Methanol and 1-Ethoxybutane:	https://www.doi.org/10.1021/je1011828
Synthesis and Physicochemical Properties of Amino Acid Ionic Liquid 1-Butyl-3-methylimidazolium Aspartate and Binary Mixture with Methanol:	https://www.doi.org/10.1021/je300932n
Vapor-Liquid Equilibrium for 1-Butene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and 2-Methyl-2-propanol (TBA) at 364.5 K:	https://www.doi.org/10.1021/je800160q
Experimental measurement and modelling of solubility of inosine-5'-monophosphate disodium in pure and mixed solvents:	https://www.doi.org/10.1016/j.jct.2014.04.023
Vapour pressure measurement for binary and ternary systems containing water methanol ethanol and an ionic liquid 1-ethyl-3-ethylimidazolium diethylphosphate:	https://www.doi.org/10.1016/j.jct.2006.11.013
Naphthalene Solubility in Binary Solvent Mixtures of 2,2,4-Trimethylpentane + Alcohols at 298.15 K:	https://www.doi.org/10.1021/je7005049
Vapor Pressure Measurement and Prediction for Ethanol + Methanol and Ethanol + Water Systems Containing Ionic Liquids:	https://www.doi.org/10.1021/je060163o
Measurements of activity coefficients at infinite dilution of aliphatic and aromatic hydrocarbons, alcohols, thiophene, tetrahydrofuran, MTBE, and water in ionic liquid [BMIM][SCN] using GLC:	https://www.doi.org/10.1016/j.jct.2008.12.018
Experimental Investigation of the Influence of NaCl on the Vapor-Liquid Equilibrium of CH_3OH + H_2O:	https://www.doi.org/10.1021/je049783k
Measurement and correlation of the isobaric vapor-liquid equilibria of methanol + methyl carbonate + Bis(trifluoromethylsulfonyl)imide-based ionic liquids at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2018.09.005
Solubility of 2-Hydroxypropane-1,2,3-tricarboxylic Acid Monohydrate in Different Binary Solvents from (278.15 to 303.15) K:	https://www.doi.org/10.1021/je400838e
Solubility of Baicalein in Different Solvents from (287 to 323) K:	https://www.doi.org/10.1007/s10765-014-1740-z
Quantitative NMR spectroscopy of binary liquid mixtures (aldehyde + alcohol). Part II: (Propanal or butanal or heptanal) + (methanol or ethanol or 1-propanol):	https://www.doi.org/10.1016/j.jct.2013.06.002
Liquid-Liquid Equilibrium Data for Ternary Systems Containing Alkanes (n-Pentane, n-Hexane, n-Heptane, and n-Octane) + Alcohol (Methanol and Ethanol) + Protic Ionic Liquid (2-HEAF):	https://www.doi.org/10.1021/acs.jced.9b00375

Thermodynamic models for determination of the solubility of DL-malic acid in methanol plus acetonitrile, N,N-dimethylformamide, isopropyl alcohol binary solvent mixtures:	https://www.doi.org/10.1016/j.jct.2015.02.002
Determination and prediction of solubilities of active pharmaceutical ingredients in selected organic solvents:	https://www.doi.org/10.1016/j.fluid.2015.07.032
Effect of Solvent Properties and Composition on the Solubility of Ganciclovir Form I:	https://www.doi.org/10.1021/acs.jced.8b01080
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate:	https://www.doi.org/10.1016/j.jct.2011.02.012
Measurement and Correlation of the Solubility of Azoxystrobin in Seven Monosolvents and Two Different Binary Mixed Solvents:	https://www.doi.org/10.1021/acs.jced.7b00669
Solubility and Induction Period Study of Asiaticoside and Madecassoside in a Methanol + Water Mixture:	https://www.doi.org/10.1021/je300883a
Influence of temperature on the (liquid + liquid) equilibria of {3-methyl pentane + cyclopentane + methanol} ternary system at T = (293.15, 297.15, and 299.15) K:	https://www.doi.org/10.1016/j.jct.2009.05.016
Activity Coefficients at Infinite Dilution for Organic Solutes Dissolved in Three 1-Alkyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Bearing Short Linear Alkyl Side Chains of Three to Five Carbons:	https://www.doi.org/10.1021/je4001894
The Solid–Liquid Equilibrium and Crystal Habit of L-Carnitine Fumarate:	https://www.doi.org/10.1021/acs.jced.7b00768
Solid–liquid equilibrium of dicyandiamide in different solvents:	https://www.doi.org/10.1016/j.fluid.2013.12.001
Interactions of Volatile Organic Compounds with the Ionic Liquid 1-Butyl-1-methylpyrrolidinium Dicyanamide:	https://www.doi.org/10.1021/je200822w
Determination and correlation of pyridoxine hydrochloride solubility in different binary mixtures at temperatures from (278.15 to 313.15) K:	https://www.doi.org/10.1016/j.jct.2015.09.026
Thermodynamics and selectivity of separation based on activity coefficients at infinite dilution of various solutes in ionic liquid [HMIM][BF4]:	https://www.doi.org/10.1016/j.jct.2018.05.017
Synthesis and Solubility of 5,5-Dimethyl-2-(phenyl(phenylamino)methyl)-1,3,2-dioxaphosphinane 2-oxide in Selected Solvents between 278.15 K and 347.15 K:	https://www.doi.org/10.1021/acs.jced.7b00585
Solubility of Phenylphosphinic Acid in Supercritical Carbon Dioxide and the Influence of Methanol on the Solubility Behavior:	https://www.doi.org/10.1021/acs.jced.9b00732
Solid – Liquid Phase Equilibrium of Some Aliphatic Alcohols + Cesium Sulfate + Water:	https://www.doi.org/10.1021/je049914h
Diffusion Coefficients of Organic Compounds at Infinite Dilution in Mixtures Involving Associating Compounds. Experimental Determination and Modeling by Group Contribution Methods:	https://www.doi.org/10.1021/je700539w
Solubility of HFCs in lower alcohols:	https://www.doi.org/10.1016/j.fluid.2011.01.003
Separation of binary mixtures based on limiting activity coefficients data using specific ammonium-based ionic liquid and modelling of thermodynamic functions:	https://www.doi.org/10.1016/j.fluid.2017.12.029
Density and Excess Molar Volumes of 1-Butanol + Methanol + Electrolyte Systems in the Temperature Range (293.15-308.15) K:	https://www.doi.org/10.1021/acs.jced.5b00366
Investigation of Surface and Solubility Properties of N-Vinylimidazolium Tetrahalogenidoferrate(III) Magnetic Ionic Liquids Using Density Functional Theory:	https://www.doi.org/10.1021/acs.jced.5b00395
Volumetric and Ultrasonic Studies of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid with Methanol, Ethanol, 1-Propanol, and Water at Several Temperatures:	https://www.doi.org/10.1021/je7001804
Effect of Ionic Liquids on the Binary Vapor-Liquid Equilibrium of Ethyl Acetate + Methanol System at 101.3 kPa:	https://www.doi.org/10.1021/acs.jced.8b00424
Excess molar enthalpies for mixtures of carbon dioxide + a modifier (5 mol% methanol or 1-octanol) and hexane at 308.15K and 12.40MPa:	https://www.doi.org/10.1016/j.fluid.2005.12.029
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Infinite Dilution Activity Coefficients in Ethylene Glycol and Ethylene Carbonate:	https://www.doi.org/10.1021/je0102107
Solubility and solution thermodynamics of 2-methyl-6-nitroaniline in ten organic solvents at elevated temperatures:	https://www.doi.org/10.1016/j.jct.2016.05.027
Solubility determination and modelling for phthalimide in mixed solvents of (acetone, ethyl acetate or acetonitrile + methanol) from (278.15 to 313.15) K:	https://www.doi.org/10.1016/j.jct.2016.11.023
Vapor pressure of heat transfer fluids of absorption refrigeration machines and heat pumps: Binary solutions of lithium nitrate with methanol:	https://www.doi.org/10.1016/j.jct.2005.03.004
Solubility of Benzoic Acid in Mixtures of CO2 + Hexane:	https://www.doi.org/10.1021/je300488y
Determination and Study of the Solubility of Methane in Mixtures of Methanol plus Various Hydrocarbons at High Pressures:	https://www.doi.org/10.1021/je050517w
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 1-(2-methoxyethyl)-1-methylpiperidinium trifluorotris(perfluoroethyl)phosphate:	https://www.doi.org/10.1016/j.jct.2012.08.016
Refractive Indices and Deviations in Refractive Indices for Binary Mixtures of 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate with Methanol, Ethanol, 1-Propanol, and 2-Propanol at Several Temperatures:	https://www.doi.org/10.1021/je9006037
Determination of Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquid 1-Hexyl-3-methylimidazolium Tetrafluoroborate Using Gas-Liquid Chromatography at the Temperatures 298.15 K and 323.15 K:	https://www.doi.org/10.1021/je030187k
Solubility of 1,3,5-Benzenetricarboxylic Acid in Different Solvents:	https://www.doi.org/10.1021/acs.jced.5b00870
Solubility and solution thermodynamics of 2-methyl-4-nitroaniline in eleven organic solvents at elevated temperatures:	https://www.doi.org/10.1016/j.jct.2016.10.037
Solubility Modeling and Mixing Thermodynamics of Thiamphenicol in Water and Twelve Neat Organic Solvents from T = (278.15 to 318.15) K:	https://www.doi.org/10.1021/acs.jced.7b00542
Solubilities of Menadione Sodium Bisulfite in Water + (Methanol, Ethanol, 1-Propanol, 2-Propanol, 1,2-Propanediol, and Glycerin, Respectively) from (297.67 to 337.76) K:	https://www.doi.org/10.1021/je800022j
Measurement and correlation solubility and mixing properties of dimethyl [illegible] organic solvents from (278.15 to 333.15) K:	https://www.doi.org/10.1016/j.fluid.2013.06.037
Measurement and correlation of critical properties for binary mixtures and ternary mixtures containing gasoline additives:	https://www.doi.org/10.1016/j.jct.2014.01.025
Gas-liquid chromatography measurements of activity coefficients at infinite dilution of hydrocarbons and alkanols in 1-alkyl-3-methylimidazolium bis(oxalato)borate:	https://www.doi.org/10.1016/j.fluid.2010.08.016
Solubilities of 3-Methoxy-N-phenylaniline and 3-Methyl-N-phenylaniline in Five Organic Solvents (285 K to 333.75 K):	https://www.doi.org/10.1021/je3001816
Isobaric vapor-liquid equilibrium for methyl acetate + methanol system containing different ionic liquids at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2015.07.045

Solubility and Mixing Thermodynamics Properties of p-Toluenesulfonamide and o-Toluenesulfonamide in Seven Monosolvents at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.7b00714
Experimental Measurement and Correlation of the Solubilities of 4-Methoxyphenol in Ethyl Acetate, Methanol, Ethanol, Acetone, Dichloromethane, and Heptane at Temperatures between (295 and 320) K:	https://www.doi.org/10.1021/je9005689
Measurement and correlation of solubility of tetracycline hydrochloride in nine pure solvents and the influence of temperature on the solubility:	https://www.doi.org/10.1016/j.jct.2012.08.007
Measurement and correlation of (solid + liquid) equilibria of 1-methanol + heptane and 1-dodecanol + heptane binary systems:	https://www.doi.org/10.1016/j.fluid.2011.02.022
Thermodynamic analysis and determination of the solubility of omeprazole in pure and mixture solvents from 278.15 to 313.15 K:	https://www.doi.org/10.1016/j.jct.2015.11.005
Measurement, correlation and dissolution thermodynamics of biological active chalcone in organic solvents at different temperatures:	https://www.doi.org/10.1016/j.fluid.2015.01.001
Solubility Measurement and Modeling of 3-Hydroxy-2-nitropyridine in Ten Monosolvents and Two Binary Mixed Solvents from 278.15 to 313.15 K:	https://www.doi.org/10.1016/j.jct.2014.03.026
Measuring the solubility of CO2 and H2S in sulfolane and the density and viscosity of saturated liquid binary mixtures of (sulfolane + CO2) and (sulfolane + H2S):	https://www.doi.org/10.1021/je500939v
Measurement and calculation of vapor liquid equilibria for methanol + glycerol and ethanol + glycerol systems at 493 K:	https://www.doi.org/10.1021/acs.jced.9b00564
Solubility of hydrogen in methanol at temperatures from 278.41 to 308.20K:	https://www.doi.org/10.1016/j.tca.2004.12.001
Solubility, Modeling, Solvent Effect, and Preferential Solvation of Thiamphenicol in Cosolvent Mixtures of Methanol, Ethanol, and 2-Propanol:	https://www.doi.org/10.1016/j.jct.2015.01.001
Measurement and Modeling of Solid–Liquid Equilibria of Glutamic Acid Dihydrochloride in Methanol, Ethanol, and 2-Propanol + Water Binary Mixtures:	https://www.doi.org/10.1016/j.fluid.2009.06.010
Measurement and Correlation of the Solubility of Febuxostat in Four Organic Solvents at Various Temperatures:	https://www.doi.org/10.1021/acs.jced.8b01084
Measurement and Correlation of the Surface Tension-Temperature Relation for Methanol:	https://www.doi.org/10.1021/je049978s
Henry's law constants and infinite dilution activity coefficients of cis-2-butene, dimethylether, chloroethane, and 1,1-difluoroethane in methanol, 1-propanol, 2-propanol, 2-methyl-1-propanol, 2-methyl-2-propanol, 1-pentanol, 2-pentanol, 3-methyl-1-butanol, and 2,2-dimethyl-1-propanol:	https://www.doi.org/10.1021/je300647k
Solubility of Imidacloprid in Different Solvents:	https://www.doi.org/10.1021/je8003468
Lamotrigine solubility in some nonaqueous solvent mixtures at 298.2 K:	https://www.doi.org/10.1016/j.jct.2005.08.004
Measurement of infinite dilution activity coefficients of 1-alkanols (C1 C5) in water as a function of temperature (273 to 313 K) by inert gas-liquid chromatography:	https://www.doi.org/10.1021/je7004038
Solubility of Baicalin in Methanol, Ethanol, and Ethyl Acetate from (298.2 to 328.2) K:	https://www.doi.org/10.1021/acs.jced.5b00355
Liquid–liquid equilibrium in binary and ternary mixtures containing formamide, water, methanol, and 1-butyl-3-methylpyridinium tetrafluoroborate and its mixtures with water and alkanols:	https://www.doi.org/10.1016/j.fluid.2005.08.018
Separation of binary mixtures based on gamma-infinity data using solvent 2-(2-butoxyethoxy) ethanol:	https://www.doi.org/10.1016/j.fluid.2006.06.024
Solubility of N-phenylanthranilic acid in nine organic solvents from T = (293.15 to 313.15) K: Determination and modelling:	https://www.doi.org/10.1021/je101230a
Isothermal Vapor–Liquid Equilibrium Data for the Toluene + Methanol + 1-Butyl-3-methylpyridinium Bromide System:	https://www.doi.org/10.1021/je900171g
Thermodynamic Properties of 1-Butyl-3-methylpyridinium Tetrafluoroborate and Its Mixtures with Water and Alkanols:	https://www.doi.org/10.1016/j.fluid.2016.05.017
Solubility of sulfadiazine in methanol + water, 1-propanol + water, and 2-propanol + water at elevated temperatures:	https://www.doi.org/10.1016/j.jct.2018.09.003
Solubility of Nicotinamide in Seven Monosolvents and Three Binary Solvents at Different Temperatures: Measurement and Thermodynamic Modeling:	https://www.doi.org/10.1016/j.jct.2016.08.017
Solid–liquid phase equilibrium and ternary phase diagrams of cis-Hydroxymethylmethanolate in different solvents:	https://www.doi.org/10.1016/j.jct.2015.12.022
Measurement and correlation of the solubility of dimethyl succinylsuccinate and influence of different adsorption:	https://www.doi.org/10.1021/acs.jced.6b00279
Solubility and Solution Thermodynamics of Gibberellin A4 in Different Organic Solvents from 278.15 K to 333.15 K:	https://www.doi.org/10.1021/je700294p
Liquid–liquid equilibrium of aqueous systems containing acetonitrile and preferential solvation analysis:	https://www.doi.org/10.1016/j.tca.2008.07.011
	https://www.doi.org/10.1016/j.fluid.2014.07.013
	https://www.doi.org/10.1016/j.jct.2019.03.028
	https://www.doi.org/10.1021/acs.jced.9b00471
	https://www.doi.org/10.1021/je5007604
	https://www.doi.org/10.1016/j.jct.2013.10.038
	https://www.doi.org/10.1016/j.fluid.2014.04.012
	https://www.doi.org/10.1021/je0601098
	https://www.doi.org/10.1021/acs.jced.5b00190
	https://www.doi.org/10.1016/j.jct.2005.05.004
	https://www.doi.org/10.1016/j.jct.2018.05.011
	https://www.doi.org/10.1016/j.fluid.2006.08.002

Solubilities of 2,5-Furandicarboxylic Acid in Binary Acetic Acid + Water, Methanol + Water, and Ethanol + Water Solvent Mixtures	https://www.doi.org/10.1021/acs.jced.7b01112
Solubility of Cytidine 5′-Diphosphocholine Sodium in Water and Different Binary Mixtures from (278.15 to 298.15) K:	https://www.doi.org/10.1021/je900465r
Physicochemical properties of binary mixtures of 1,1,3,3-tetramethylguanidine [mim]Cl ionic liquid with water and alcohols:	https://www.doi.org/10.1016/j.jct.2016.01.012
Volumetric measurement for water, methanol, ethanol, and their binary compounds for the Triolein + Palmitic + Stearic + Oleic system	https://www.doi.org/10.1016/j.fluid.2007.04.010
Phase equilibrium of deep eutectic solvents in the presence of 1-butyl-3-methylimidazolium dimethylphosphate:	https://www.doi.org/10.1021/je700711n
Bubble point pressures of binary mixtures of methanol and methyl propionate:	https://www.doi.org/10.1016/j.fluid.2016.02.036
Thermostabilities and solubilities of flame retardant bisphenol S-bis (5,5-dimethyl-1,3-dioxaphosphorinanyl-2-oxy phosphate ester) as a function of temperature and solvent	https://www.doi.org/10.1016/j.fluid.2014.04.006
Physicochemical properties and activity coefficients at infinite dilution for organic solutes and water for a novel sodium iodide in (methanol + benzene)	https://www.doi.org/10.1016/j.jct.2012.09.033
Solubility Measurement and Modeling of 2,6-Dichloro-4-nitroaniline in Ten Pure Solvents and (Ethyl Acetate + Ethanol) Solvent Mixtures.	https://www.doi.org/10.1016/j.jct.2006.06.002
Solubility Measurement and Modeling of 2-Amino-4,6-dichoropyrimidine in Ten Pure Solvents and (Ethyl Acetate + Ethanol) Solvent Mixtures.	https://www.doi.org/10.1021/acs.jced.8b00292
Solubility of ammonium chloride in mixtures of (water + methanol): Experimental measurements and thermodynamic modeling of solid solubility in supercritical carbon dioxide:	https://www.doi.org/10.1016/j.fluid.2018.11.006
Mixing thermodynamic properties of 1-butyl-4-methylpyridinium tetrafluoroborate [b-mpy][BF4] with methanol, ethanol, and 1-propanol at Production of nanoparticles via RESS	https://www.doi.org/10.1016/j.fluid.2007.07.049
Thermodynamics of Betaine in Water and in Water + Methanol Mixtures at Solubility and Solution Thermodynamics of Betaine in Methanol + Pentanol Mixtures	https://www.doi.org/10.1016/j.jct.2008.02.019
Determination, Correlation, and Application of Sodium l-Ascorbate Solubility in Nine Pure Solvents and Two Binary Solvents at Temperatures from 278.15 to 323.15 K	https://www.doi.org/10.1021/je2011659
Solubility of erythritol in methanol + ethanol and methanol + 1-propanol from 278.15 to 323.15 K. Experimental values of thermodynamic modeling.	https://www.doi.org/10.1021/acs.jced.7b00846
Electrical conductances of Tetrabutylammonium Bromide, Sodium Tetraphenylborate, and Sodium Tetraphenylborate in 3,4-Bis(3-nitrofurazan-4-yl)furoxan (DNTF) at 298.15 K	https://www.doi.org/10.1016/j.fluid.2013.09.027
Dissociation Constants and Solubilities of Daibergon and Nordaibergin in Different Solvents.	https://www.doi.org/10.1016/j.tca.2011.05.006
Measurements and correlations of density and viscosity for short chain (C1-C5) alcohol + water mixtures in the temperature range from 350.7 K to 418.2 K at pressures up to 40 MPa.	https://www.doi.org/10.1021/je0600810
Application of ERAS model to (ether + n-alkane) binary mixtures: Densities and Excess Properties of Binary Mixtures of Primary Amines in Alcoholic Solutions: Measurements and modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)	https://www.doi.org/10.1021/je4005992
Activity coefficients at infinite dilution of organic solutes in 1-butyl-1-methylpyrrolidinium dicyanamide ionic liquid by various measurements and modeling: Types of Separation Problems Activity Coefficients at Infinite Dilution Measurements and Modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)	https://www.doi.org/10.1021/acs.jced.5b00098
Measurements of Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Butyl-1-methylpyrrolidinium Dicyanamide Ionic Liquid by Various Methods at 298.15 K and 318.15 K.	https://www.doi.org/10.1016/j.fluid.2015.07.012
Measurements and correlations of density and viscosity for short chain (C1-C5) alcohol + water mixtures in the temperature range from 350.7 K to 418.2 K at pressures up to 40 MPa.	https://www.doi.org/10.1016/j.jct.2015.02.023
Application of phosphonate based ionic liquids in extractive desulfurization of fuels: Densities and Excess Properties of Primary Amines in Alcoholic Solutions: Measurements and modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)	https://www.doi.org/10.1016/j.fluid.2019.03.023
Measurements and Correlations of Density and Viscosity for Binary Mixtures of Dicyanamide Ionic Liquid for Various Types of Separations Problems Activity Coefficients at Infinite Dilution and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)	https://www.doi.org/10.1021/je3013205
Measurements and modeling of LLE and HE for (methanol + 2,4,4-trimethyl-1-pentene), and LLE for (water + methanol + 2,4,4-trimethyl-1-pentene)	https://www.doi.org/10.1016/j.jct.2015.01.013
Measurements of CO2 Solubility in Aqueous Alkanolamine(s) and Mixed Solvents:	https://www.doi.org/10.1021/je049803i
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 5. Activity Coefficients at Infinite Dilution of Chloroalkanes, Alkenes, Esters, and Ethers in 1-Ethyl-3-methylimidazolium Ethyl Sulfate	https://www.doi.org/10.1021/je050125p
Selection of entrainers for the separation of the binary azeotropic mixtures + dimethyl carbonate + methanol: Activity coefficients at infinite dilution of hydrocarbons, alkenes, esters, and ethers in 1-ethyl-3-methylimidazolium ethyl sulfate and 1-butyl-3-methylimidazolium butyl sulfate ionic liquids by GLC	https://www.doi.org/10.1016/j.fluid.2011.08.007
Thermodynamics of dimethyl carbonate + methanol + 1-propanol ternary system at T = 298.15 K and Isobaric Vapor–Liquid Equilibrium Data for Binary Mixtures of Methanol, 2-Butanol, and Methyl Acetate at 101.3 kPa	https://www.doi.org/10.1016/j.fluid.2012.02.011
Solubility of Naphthalene and Diphenylamine in Binary and Ternary Mixtures of Ethanol, Isopropanol, Butanol, and Ethyl Acetate at 298.15 K	https://www.doi.org/10.1021/je049922y
Volumetric properties and enthalpies of solution of alcohols CkH2k+1OH (k = 1, 2, 6) in 1-methyl-3-alkylimidazolium ethyl sulfate ionic liquids at Temperature and Composition Dependence of the Density and Viscosity of Mixtures of 1-Butyl-3-methylimidazolium Chloroacetate + Solvents (1-Alkanols)	https://www.doi.org/10.1016/j.jct.2011.05.033
Liquid–Liquid Phase Behaviors of Geraniol in Aqueous Alcohol Mixtures: Temperature and Composition Dependence of the Density and Viscosity Measurement and Thermodynamic Modeling for 1-Butyl-3-methylimidazolium Chloroacetate + 1-Alkanols + Densities and Viscosities for Aqueous Solutions of Sodium Acetate and Potassium Chlorate + Methanol from (288.15 to 318.15) K at 0.1 MPa:	https://www.doi.org/10.1021/je200940a
Measurements and correlations of density and viscosity for binary mixtures containing ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate: An efficient entrainer for the dehydration of methanol in Binary Azeotropic Mixtures of Methanol + Dimethyl Carbonate + Solvent (Ethanol, 1-Propanol, 2-Propanol, 2-Butanol, and Methyl Acetate) at Ultrasonic study on binary mixture containing dimethylformamide and methanol/dimethylformamide: Solvation modeling, solvent effect and preferential solvation of 6-chloropurine in various binary solvent mixtures at temperatures 303.15 K to 323.15 K	https://www.doi.org/10.1021/je8008254
Solubility of Naphthalene and Diphenylamine in Binary and Ternary Mixtures of Ethanol, Isopropanol, Butanol, and Ethyl Acetate at 298.15 K	https://www.doi.org/10.1021/acs.jced.9b00445
Densities and Viscosities for Aqueous Solutions of Sodium Acetate and Potassium Chlorate + Methanol from (288.15 to 318.15) K at 0.1 MPa:	https://www.doi.org/10.1021/acs.jced.8b01008
Measurements and correlations of density and viscosity for binary mixtures containing ionic liquid 1-ethyl-3-methylimidazolium tetracyanoborate: An efficient entrainer for the dehydration of methanol in Binary Azeotropic Mixtures of Methanol + Dimethyl Carbonate + Solvent (Ethanol, 1-Propanol, 2-Propanol, 2-Butanol, and Methyl Acetate) at Ultrasonic study on binary mixture containing dimethylformamide and methanol/dimethylformamide: Solvation modeling, solvent effect and preferential solvation of 6-chloropurine in various binary solvent mixtures at temperatures 303.15 K to 323.15 K	https://www.doi.org/10.1016/j.jct.2018.11.026
Vapor Pressures and Activity Coefficients of Methanol in Binary Mixtures with 2-Methoxyethanol, 2-Ethoxyethanol, and 2-Butoxyethanol at Temperatures between 283.15 K and 328.15 K	https://www.doi.org/10.1016/j.jct.2018.07.028
Activity Coefficients at Infinite Dilution by GLC in Alkanediamines as Stationary Phases:	https://www.doi.org/10.1016/j.fluid.2013.05.021
	https://www.doi.org/10.1016/j.tca.2013.08.016
	https://www.doi.org/10.1016/j.fluid.2016.04.021
	https://www.doi.org/10.1021/je501033z
	https://www.doi.org/10.1016/j.fluid.2009.04.009
	https://www.doi.org/10.1021/je200628n

ss-Sitosterol Solubility in Selected Organic Solvents:	https://www.doi.org/10.1021/je9009909
Solubility determination and thermodynamic modelling of allisartan isoproxil in different binary solvent mixtures from T = (278.15 to 313.15) K	https://www.doi.org/10.1016/j.jct.2016.08.035
Excess Molar Enthalpies of 1,2-Propanediol + Alkan-1-ols (C1-C6) and Their Correlations and Predictions	https://www.doi.org/10.1021/je060086x
Solubility and thermodynamic properties of lornoxicam in (ethanol + water) mixtures at 298.15 K and Ambient Pressure (81.5 kPa):	https://www.doi.org/10.1021/je5007949
(Liquid + Liquid) Equilibria of (2-Methoxyethanol + Water + Cyclohexane) at (298.15, 308.15, and 318.15) K	https://www.doi.org/10.1021/je300339q
Water Alcohols and Water + Alcohol Mixtures	https://www.doi.org/10.1021/je8001078
Solubility of Ceftazidime Pentahydrate and Ceftazidime Anhydrate in Methanol, Ethanol, 1-Propanol, 2-Propanol, and Water from (283.15 to 323.15) K	https://www.doi.org/10.1021/acs.jced.6b00163
Measurement and Thermodynamic Modeling of the Solubility of Lornoxicam in Pure Solvents and Binary Mixtures of Ethanol + Water from 283.15 to 323.15 K	https://www.doi.org/10.1021/je500050p
Solubility and Solubility Advantage of Itraconazole: How Supersaturation Is Maintained by Hydroxypropyl Methylcellulose	https://www.doi.org/10.1007/s10765-011-1100-1
Solubility and Melting Properties of Salicylamide:	https://www.doi.org/10.1021/je060178m
Solid-liquid equilibria and the physical properties of binary systems of diphenyl carbonate, dimethyl carbonate, methyl phenyl carbonate, anisole, methanol and phenol at T = (298.15 or 313.15) K	https://www.doi.org/10.1016/j.fluid.2014.05.033
Densities, Viscosities, and Refractive Properties of the Binary Mixtures of Methanol + Ethanol + 2-Methylpropan-2-ol at (298.15, 303.15, 308.15, and 313.15) K	https://www.doi.org/10.1021/je2000606
High-pressure vapor−liquid equilibria for mixtures of methanol + 2-methylpropane + methanol, +ethanol, +1-propanol, +2-propanol, +1-butanol and +2-methyl-2-propanol at 323.2 K	https://www.doi.org/10.1016/j.fluid.2016.03.021
Vapour-liquid equilibria for the ternary system 2-propanol + methanol + ethyl acetate at 101.3 kPa	https://www.doi.org/10.1016/j.fluid.2005.03.016
Effects of temperature and concentration on interactions in (1-propanol + water) and (ethanol + water) systems at T = (293.15 to 313.15) K	https://www.doi.org/10.1016/j.tca.2013.12.016
Density, Viscosity, Refractive Index, and Surface Tension of Binary Mixtures of Ethyl Acetate + Ethanol + 2-Methylpropan-1-ol at 298.15 K	https://www.doi.org/10.1021/je800463k
Solubility of 1-Benzyl-1H-1,2,3-triazole-4-yl)methanol in Water and Alcohols at Temperatures from 278.15 K to 323.15 K	https://www.doi.org/10.1016/j.jct.2012.10.008
Gamma-Valerolactone + Water Binary Mixtures: Determination and Measurement about the Solubility of l-Serine in Eight Common Pure Solvents and Four Binary Mixed Solvents at 278.15 K to 323.15 K	https://www.doi.org/10.1021/acs.jced.5b00377
Solubility Measurement and Correlation of Probenecid in 12 Pure Organic Solvents from 283.15 to 323.15 K	https://www.doi.org/10.1016/j.tca.2016.01.009
Ternary liquid equilibria for mixtures containing (dimethyl carbonate + methyl acetate + methanol) at 298.15 K	https://www.doi.org/10.1021/acs.jced.5b00849
Volumetric properties, viscosities and refractive indices of binary liquid mixtures of 1-methyl-2-pyrrolidinone with alcohols at 298.15 K	https://www.doi.org/10.1021/acs.jced.9b00460
Measurement and correlation of the solubility of 1-benzyl-1H-1,2,3-triazole-4-yl)methanol in (ethanol + ethyl acetate) binary solvent mixtures at T = (278.15 to 323.15) K	https://www.doi.org/10.1021/acs.jced.8b00863
Ternary liquid equilibria for (dimethyl carbonate + methyl acetate + ethanol) at 298.15 K	https://www.doi.org/10.1016/j.jct.2018.02.012
Volumetric properties, viscosities and refractive indices of binary liquid mixtures of 1-methyl-2-pyrrolidinone with alcohols at 298.15 K	https://www.doi.org/10.1016/j.jct.2015.06.036
Measurement and correlation of solubility of lower alcohols around ammonium nitrate dissolution on vapor liquid equilibrium for 2-propanol + 1-butanol + 1-pentanol at 101.3 kPa	https://www.doi.org/10.1016/j.jct.2018.05.018
Vapor Liquid Equilibria and HE for Binary Systems of Dimethyl Ether (DME) with C1-C4 Alkan-1-ols at 323.15 K	https://www.doi.org/10.1016/j.fluid.2012.12.020
Activity Coefficients at Infinite Dilution of Organic Solutes and Water in Dimethyl Sulfoxide Using Gas−Liquid Chromatography, Phenylmethanol + Hexane	https://www.doi.org/10.1021/je0603574
Phase equilibria of systems containing dimethyl ether, fluorinated alcohols and liquids with methanol at several temperatures.	https://www.doi.org/10.1021/acs.jced.5b00980
Vapor Liquid Equilibria and HE for Binary Systems of Dimethyl Ether (DME) with C1-C4 Alkan-1-ols at 323.15 K	https://www.doi.org/10.1016/j.fluid.2009.03.011
Solubility Determination and Correlation of Pentaerythritol in Methanol + Ethanol Mixtures from 283.15 to 323.15 K	https://www.doi.org/10.1016/j.jct.2016.10.018
Experimental Study on the Ternary Phase Equilibrium Data of 2-Butoxyethanol with Aliphatic Alcohol and Ester at 298.15 K	https://www.doi.org/10.1016/j.jct.2016.08.003
Cosolvency Effect of Methanol and Acetic Acid on Dibenzofuran Solubility in Supercritical Carbon Dioxide:	https://www.doi.org/10.1021/je800574v
Thermodynamic Models for Determination and Correlation of Solubility and Thermodynamic Properties of 4-(1H-Indol-3-yl)-N-methylpyridine-2-carboxamide in Pure and Binary Solvent Mixtures for (Liquid + Liquid) Equilibria of Aqueous Solutions of Ionic Liquids at 298.15 K	https://www.doi.org/10.1021/acs.jced.8b00165
Phosphine Oxide in Selected Solvents:	https://www.doi.org/10.1021/acs.jced.7b00665
Present status of the modified UNIFAC Model for the prediction of phase equilibria and excess enthalpies for systems with ionic liquids	https://www.doi.org/10.1016/j.fluid.2018.07.015
Solubilities of 1,2:3,4-Diisopropylidene-2-methanol-a,a-5,5-tetramethyl 2-oxide in Selected Solvents at 273.15 K	https://www.doi.org/10.1021/je900730w
Solubility of Reactive Crystallization of Methyl (2,5-Dihydroxyphenyl)diphenyl Phosphine Oxide in Selected Solvents:	https://www.doi.org/10.1016/j.fluid.2012.11.014
Vapour liquid equilibrium of octane enhancing additives in gasolines 7: Vapour pressure data and GE coefficients at Infinite Dilution of Solutes in the ternary mixture (ethanol + methyl tert-amyl ether (TAME) + methanol and hexane at 313.15 K	https://www.doi.org/10.1016/j.fluid.2014.03.006
Solubilities of trifluorotris(perfluoroethyl)phosphate in Water, Ethanol, and Ethanol + Water Mixtures from 283.15 to 323.15 K	https://www.doi.org/10.1021/je4003114
Measurement and Correlation of Solubility of Reactive Crystallization of Methyl 2-(1,4-Hydroxy phenylglycinate: Determination of the solubility, dissolution enthalpy, entropy of transfer and activity coefficient of 1,3-bis(trifluoromethylsulfonyl) imide)	https://www.doi.org/10.1021/acs.jced.6b00415
Vapour liquid equilibrium of octane enhancing additives in gasolines 7: Vapour pressure data and GE coefficients at Infinite Dilution of Solutes in the ternary mixture (ethanol + methyl tert-amyl ether (TAME) + methanol and hexane at 313.15 K	https://www.doi.org/10.1016/j.fluid.2005.10.024
Solubility of 2-(1,4-Hydroxy phenylglycinate: Determination of the solubility, dissolution enthalpy, entropy of transfer and activity coefficient of 1,3-bis(trifluoromethylsulfonyl) imide) in Water, Ethanol, and Methanol: Using Gas-Liquid Chromatography at T = (303.15, 308.15, 313.15, and 318.15) K:	https://www.doi.org/10.1021/je800105r
	https://www.doi.org/10.1016/j.fluid.2012.03.022

Determination and thermodynamic modelling for 2-methyl-6-nitroaniline solubility in binary solvent mixtures of (1-propanol and isopropanol).	https://www.doi.org/10.1016/j.jct.2016.10.043
Partial molar volume of NaCl and CsCl in mixtures of water and methanol	https://www.doi.org/10.1016/j.fluid.2017.10.034
Liquid + liquid extraction of methanol from alkanes using dialkylphosphate-based ionic liquids as solvents.	https://www.doi.org/10.1016/j.jct.2015.04.002
Thermodynamic Properties of Methanol in the Critical and Supercritical Regions.	https://www.doi.org/10.1007/s10765-005-8091-8
Activity Coefficients at Infinite Dilution of Organic Compounds in Trihexyl(tetradecyl)phosphonium Bis(trifluoromethylsulfonyl)amide Using Inverse Gas Chromatography.	https://www.doi.org/10.1021/je800754w
solubility of l-(+)-ascorbic acid in water+ethanol+methanol+propane-2-ol	https://www.doi.org/10.1021/je800056h
Thermodynamics and activity coefficients at infinite dilution for measurements for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium dicyanamide by using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2011.06.007
Measurement and prediction of solubility of pure dicarboxylic acids in organic solvents: Part II. Ternary equilibrium solubility in mono-solvents and mixed solvents	https://www.doi.org/10.1016/j.jct.2016.07.035
Solubility of Andrographolide in Various Solvents from (288.2 to 323.2) K:	https://www.doi.org/10.1016/j.jct.2016.07.048
Measurements and equation-of-state modelling of thermodynamic properties of binary mixtures of 1-butyl-1-methylpyrrolidinium tetracyanoborate ionic liquid with seventeen compounds.	https://www.doi.org/10.1016/j.fluid.2018.12.008
Solubility of 1-(2-Dimethylaminoethyl)-5-mercapto-1H-tetrazole in Water, DMF, Methanol, Ethanol, 1-Propanol, 2-Propanol, 1-Butanol, and 2-Ethanol between (283 and 323) K	https://www.doi.org/10.1021/je100344z
Determination and Correlation of Solubilities of (S)-Indoline-2-carboxylic Acid in Different Solvents from 278.65 K to 345.10 K:	https://www.doi.org/10.1016/j.jct.2015.06.004
Solubility of Hydroquinone in Different Solvents from 283.15 K to 323.15 K.	https://www.doi.org/10.1021/je400188h
Solubility of 1-(2-Dimethylaminoethyl)-5-mercapto-1H-tetrazole in Water, DMF, Methanol, Ethanol, 1-Propanol, 2-Propanol, 1-Butanol, and 2-Ethanol between (283 and 323) K	https://www.doi.org/10.1021/je0502748
Activity Coefficients at Infinite Dilution in 1-Alkyl-3-methylimidazolium Ethyl Sulfate Ionic Liquids Using Inverse Gas Chromatography.	https://www.doi.org/10.1021/je8003244
Effect of tetrabutylammonium bromide on solution behavior of salicylaldehyde and 2-hydroxy-1-naphthaldehyde in methanol at T = (298.15, 308.15, and 318.15) K	https://www.doi.org/10.1021/je050544m
Determination and Study on the Solubility of Methane in Heptane + Cyclohexane and Heptane + Ethanol at 6.0 MPa.	https://www.doi.org/10.1016/j.jct.2013.07.010
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Ethyl-3-methylimidazolium Tris(pentafluoroethyl)trifluorophosphate Ionic Liquid by Gas-Liquid Chromatography.	https://www.doi.org/10.1021/je034138j
Solubility of Acetaminophen in Some Pure and Binary Solvent Mixtures from 278.15 K to 328.15 K.	https://www.doi.org/10.1021/je9008443
Solubility of 4-Methylsulfonylacetophenone in Nine Pure Solvents and Ternary Solvent Mixtures from 278.15 K to 328.15 K.	https://www.doi.org/10.1021/acs.jced.6b00617
Thermodynamic Properties and Solubility Behavior of Isoniazid in Ethanol + Propylene Glycol Mixtures from (278.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2016.06.004
Solubility of Methylparaben in Pure and Binary Solvent Mixtures from 278.15 K to 328.15 K.	https://www.doi.org/10.1021/je050013y
Measurement and correlation of solubilities of apigenin and apigenin 7-O-rhamnosylglucoside in seven solvents at different temperatures.	https://www.doi.org/10.1016/j.jct.2010.09.013
Solubility of 1,3-dimethyl-1,1,3,3-tetraphenyldisiloxane in Different Solvents from (278.15 to 313.15) K.	https://www.doi.org/10.1016/j.tca.2012.04.033
Conformational analysis of branched alcohols using limiting partial molar volumes.	https://www.doi.org/10.1021/je201036h
Solubility of Physalin D in Ethanol, Methanol, Propanone, Trichloromethane, Ethyl Ethanoate, and Water at Temperatures from (283.2 to 313.2) K.	https://www.doi.org/10.1016/j.jct.2017.07.026
Thermodynamic Data and Modeling of Phenolphthalein in Methanol and Propane + Ethanol Systems.	https://www.doi.org/10.1021/je100227k
Determination of the Solubility of Phenothiazine in Different Solvents at Temperatures from (293.15 to 328.15) K.	https://www.doi.org/10.1021/je0340506
Linear and non-linear, volume and isentropic compressibility of ionic liquid solutions. Measurement and Correlation of the Solubility of 5-Fluorouracil in Pure and Binary Solvent Mixtures at Temperatures from (278.15 to 318.15) K.	https://www.doi.org/10.1021/je500437m
Solubilities of Ursolic Acid and Oleanolic Acid in Four Solvents from (283.2 to 329.2) K.	https://www.doi.org/10.1016/j.jct.2005.01.009
Solubility of 2,6-Diaminopyridine in Toluene, o-Xylene, Ethylbenzene, Methanol, Ethanol, 2-Propanol, and Sodium Hydroxide Solutions.	https://www.doi.org/10.1021/acs.jced.8b00425
Limiting activity coefficients in binary mixtures of 1-alkanols and ethylbenzene.	https://www.doi.org/10.1021/je101309a
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 9. Activity Coefficients at Infinite Dilution of Hydrocarbons, Alcohols, Esters, and Aldehydes in [bmim][BF4] Solvent.	https://www.doi.org/10.1021/je700221w
Thermodynamic study of solubility for 2-amino-4-chloro-6-methoxypyrimidine in [emim][EtSO4] ionic liquid at T = 298.15 K to 323.15 K.	https://www.doi.org/10.1016/j.tca.2008.02.015
Dissociation Constant of Quinic Acid and Association Constants of Some Alkali Quinates in Water at 298.15 K.	https://www.doi.org/10.1016/j.fluid.2007.09.021
Solubility of Trimethylsilylmethyl Imide Compounds in Water and Solubility Parameter.	https://www.doi.org/10.1021/je050440b
Solubility of Alkanols and Alkanediols in Water.	https://www.doi.org/10.1016/j.jct.2016.10.020
Determination of Vapor Liquid Equilibrium of Methyl Acetate + Methanol + Dialkylphosphates at 101.3 kPa.	https://www.doi.org/10.1021/je900750c
Density and Viscosities of Binary Mixtures of Cyclopropanecarboxylic Acid with Methanol, Ethanol, 1-Propanol, or 2-Propanol at Different Temperatures.	https://www.doi.org/10.1021/je301347v
Solubility of 3-Methyl-4-nitropyrazole in Pure Solvents and Binary Solvent Mixtures at Different Temperatures from 283.15 K to 323.15 K:	https://www.doi.org/10.1021/je0603473
	https://www.doi.org/10.1021/acs.jced.6b00852
	https://www.doi.org/10.1021/je800930v
	https://www.doi.org/10.1016/j.fluid.2018.05.023

Liquid densities and excess molar volumes for (ionic liquids + methanol + water) ternary system at atmospheric pressure and at temperatures between (293.15 and 313.15) K:	https://www.doi.org/10.1016/j.jct.2007.01.012
Thermodynamic modelling of solubility and preferential solvation for ibuprofen in (1-propanol + water) co-solvent mixtures at various temperatures.	https://www.doi.org/10.1016/j.jct.2017.07.027
Volumetric and surface properties of pure ionic liquid n-octyl pyridinium tetrafluoroborate in (methanol, ethanol, 1-propanol, acetonitrile, 1,4-dioxane, and N,N-dimethylformamide) at T = (298.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2011.10.013
Liquid Liquid Equilibria of Binary Mixtures of the Ionic Liquid 1-Ethyl-3-methylimidazolium Acetate with 1-Propanol or 2-Propanol.	https://www.doi.org/10.1021/acs.jced.5b01023
Liquid−Liquid Equilibrium of (Cyclohexane + 2,2,2-Trifluoroethanol) and (Cyclohexane + Methanol) from 278.15 to 318.15 K.	https://www.doi.org/10.1021/je8001688
Solubilities of 2,4-Dinitrophenylalanine in Monosolvents at (273.15 to 308.15) K.	https://www.doi.org/10.1021/je100352r
Activity coefficients at infinite dilution measurements for organic solutes in the ionic liquid 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide using thermodynamic modeling of (293.15 to 343.15) K.	https://www.doi.org/10.1016/j.jct.2005.03.014
Vapor Liquid Equilibrium of Methane with Water and Methanol	https://www.doi.org/10.1021/je400684k
Solubility determination and thermodynamic modeling of 4-(Phenylazo)-1,3-benzenediamine monohydrochloride in (1,4-dioxane + methanol) binary solvent mixtures at (278.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2016.09.033
Measurement and Correlation of Solubility of 2,6-Dihydroxybenzoic Acid in 1,4-Dioxane + Methanol Binary Solvent Mixtures at Temperatures from 278.15 to 318.15 K and Mixing Properties of Solutions.	https://www.doi.org/10.1021/acs.jced.6b00957
Determination of Gas Concentrations in Liquids by Nuclear Magnetic Resonance: Hydrogen in Organic Solvents.	https://www.doi.org/10.1021/je2013582
Solubility of 5-Amine Salicylic Acid in Different Solvents at Various Temperatures.	https://www.doi.org/10.1021/je900646u
Study on interaction between organic compounds and mono or dicationic oxygenated ionic liquids using gas chromatography.	https://www.doi.org/10.1016/j.fluid.2014.11.020
Tetramethylammonium chloride + glycerol deep eutectic solvent as separation agent for organic liquid mixtures.	https://www.doi.org/10.1016/j.fluid.2018.06.003
Measurement and Correlation of Isothermal Vapor−Liquid Equilibrium for Assessing Solvent Performance in Extractive Distillation.	https://www.doi.org/10.1021/je0503002
Measurement and Correlation of the Solubility of Sodium 2-Chloroquinoline-4-carboxylate in Selected Pure Solvents and Aqueous Organic Solutions.	https://www.doi.org/10.1021/acs.jced.5b00655
Measurement and correlation of infinite dilution activity coefficients of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)-imide: application of the extended real associated solution (ERAS) theory to ionic liquid solutions.	https://www.doi.org/10.1016/j.jct.2009.06.011
Solubility of Tetrabutylammonium Bromide in Pure Solvents and Binary (Methanol + Water) Mixtures at Temperatures between 293.15 K and 313.15 K	https://www.doi.org/10.1016/j.jct.2011.05.014
Solubility of Dexibuprofen in Different Solvents from (293.15 to 323.15) K:	https://www.doi.org/10.1021/je500392g
Solubility of Two Isomers of Chlorpyrifos in Eight Pure Solvents from (293.15 to 323.15) K:	https://www.doi.org/10.1016/j.tca.2012.04.016
Densities, Sound Speed and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at 298.15, 308.15, and 313.15) K:	https://www.doi.org/10.1021/acs.jced.7b00301
Molar conductivities and Association Constants of 1-Butyl-3-methylimidazolium Chloride and 1-Butyl-3-methylimidazolium Tetrafluoroborate in Methanol and Dimethylformamide at 298.15 K	https://www.doi.org/10.1021/je900442b
Solubility and Solution Thermodynamics of Diphenoxylate in Different Solvents.	https://www.doi.org/10.1021/je900531b
Phase behavior of the ternary 1-hexyl-3-methylimidazolium tetrafluoroborate ionic liquid and methanol and hydrocarbon systems at high pressures.	https://www.doi.org/10.1021/je5010033
Solubility and Correlation of Ibuprofen in Different Neat and Binary Solvent Mixtures of Ethanol + Water from 273.15 K to 313.15 K:	https://www.doi.org/10.1016/j.fluid.2010.02.015
Solubility and Correlation of Ibuprofen in Different Neat and Binary Solvent Mixtures of Methanol + Water from (293.15 to 323.15) K:	https://www.doi.org/10.1021/je050394f
Solubility of Two Isomers of Chlorpyrifos in Eight Pure Solvents from (293.15 to 323.15) K:	https://www.doi.org/10.1016/j.jct.2007.05.018
Densities, Sound Speed and IR Studies of (Methanol + 1-Acetoxybutane) and (Methanol + 1,1-Dimethylethyl Ester) at 298.15, 308.15, and 313.15) K:	https://www.doi.org/10.1021/je050195w
Solubility and Solution Thermodynamics of Diphenoxylate in Different Neat and Binary Solvent Mixtures of Methanol + Water from 273.15 K to 313.15 K:	https://www.doi.org/10.1016/j.jct.2015.08.028
Solubility and Correlation of Ibuprofen in Different Neat and Binary Solvent Mixtures of Ethanol + Water from (293.15 to 323.15) K:	https://www.doi.org/10.1016/j.jct.2016.04.004
Solubility and Solution Thermodynamics of Diphenoxylate in Different Neat and Binary Solvent Mixtures of Methanol + Water from 273.15 K to 313.15 K:	https://www.doi.org/10.1021/je0502804
Correlation of Solubility of Paracetamol in Methanol + Water, Ethanol + Water, and 1-Propanol + Water from 273.15 K to 313.15 K:	https://www.doi.org/10.1021/je200140m
Solubility of Ethanone, 1-(6-methoxy-2-naphthalenyl)- in Methoxyethane, Methyl Formate, Methyl Ethanoate, and Methyl Propanoate at Temperatures of (278.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2013.05.035
Measurement and correlation of activity coefficients of volatile organic compounds in two ionic liquids using headspace gas chromatography.	https://www.doi.org/10.1016/j.jct.2005.03.012
Excess enthalpy, density, and isobaric heat capacity of (water + methanol) at T = (288.15 to 318.15) K and atmospheric pressure.	https://www.doi.org/10.1016/j.fluid.2006.05.029
Liquid−liquid equilibria of ternary systems containing 1-hexyl-3-methylimidazolium tetrafluorophosphate (HMIM][PF6]) ionic liquid + methanol + water at different temperatures.	https://www.doi.org/10.1016/j.tca.2019.178375
Thermodynamic analysis and the dissolution behavior of levamisole hydrochloride in three binary solvent mixtures.	https://www.doi.org/10.1016/j.jct.2014.04.024
Thermodynamics and activity coefficients at infinite dilution for organic solutes and water in the ionic liquid choline bis(trifluoromethylsulfonyl)imide.	https://www.doi.org/10.1016/j.jct.2019.06.024
Liquid−liquid extraction of methanol from its mixtures with hexane using 1-ethyl-3-methylimidazolium ethylsulfate ionic liquid: measurements of activity coefficients at infinite dilution for organic solutes in two quaternary ammonium-based ionic liquids.	https://www.doi.org/10.1016/j.fluid.2018.11.011
Surface thermodynamics of binary mixtures of alkoxyl alcohols in heavy water.	https://www.doi.org/10.1016/j.jct.2012.02.017
Phase behavior of the ternary 1-hexyl-3-methylimidazolium tetrafluoroborate ionic liquid + methanol + carbon dioxide + ethanol system.	https://www.doi.org/10.1016/j.fluid.2010.02.005
Solubility of Minoxidil in Methanol, Ethanol, 1-Propanol, 2-Propanol, 1-Butanol, and Water from (278.15 to 323.15) K.	https://www.doi.org/10.1021/je1012839
Solubility of Scutellarin in Methanol, Ethanol, and Ethanol + Water Binary Mixtures from (293.2 to 333.2) K:	https://www.doi.org/10.1021/je100239d

Determination and correlation of solubility of 11alpha,17alpha-dihydroxy-4-pregnene-3,20-dione	https://www.doi.org/10.1016/j.jct.2016.10.046
Extractive distillation of methanol/methanol mixture using different solvents:	https://www.doi.org/10.1016/j.fluid.2018.01.038
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 1-(3-hydroxypropyl)pyridinium bis(trifluoromethylsulfonyl)amide:	https://www.doi.org/10.1016/j.jct.2011.04.018
Determination of Infinite Dilution Partial Molar Excess Enthalpies and Volumes of Organic Solutes and Water in the Ionic Liquid 1-(3-Hydroxypropyl)pyridinium bis(trifluoromethylsulfonyl)amide:	https://www.doi.org/10.1021/je200093f
Determination and Modeling of Solubility of Sorafenib Tosylate Form I in Pure and Binary Solvent Mixtures of Methanol, Ethanol, 1-Propanol, and Water at 278.15 K to 323.15 K:	https://www.doi.org/10.1021/acs.jced.9b00659
Solubility and Data Correlation of D-Arbutin in Different Monosolvents from 288.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.9b00703
Solubility of Ethanol in Ethanol, 1-Propanol, 2-Propanol, 1,2-Propanediol and Glycerol from 283.15 K to 373.15 K and up to 6.0 MPa:	https://www.doi.org/10.1016/j.jct.2019.05.003
Solubility of Acetoguanamine in Twelve Neat Solvents from 283.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.9b00593
Excess Molar Enthalpies of Dimethyl Carbonate and (Methanol, Ethanol, 1-Propanol, and 2-Propanol) at T = (298.15, 313.15, and 328.15) K and p = (0.1, 1.0, and 10.0) MPa:	https://www.doi.org/10.1021/je050052+
Solubility of CF4 in lower alcohols:	https://www.doi.org/10.1016/j.fluid.2010.02.007
Excess Molar Enthalpies of Benzyl Alcohol + Alkanols (C1-C6) and Their Correlations at 298.15 K and Ambient Pressure:	https://www.doi.org/10.1021/je100095p
Henry's law constants of propane, propene, butane, and 2-methylpropane in methanol at 274 and 298 K:	https://www.doi.org/10.1016/j.fluid.2005.12.001
Thermodynamics and solubility of methyl a-D-glucopyranoside in methanol at different temperatures:	https://www.doi.org/10.1016/j.fluid.2015.10.047
Solubility Determination of 2-Chloronicotinic Acid and Analysis of Solvent Effect:	https://www.doi.org/10.1021/acs.jced.9b00661
Excess molar volumes of binary mixtures of 1,3-dimethylimidazolidin-2-one with an alkan-1-ol at the temperatures 298.15 K, 308.15 K, and 318.15 K:	https://www.doi.org/10.1016/j.jct.2006.09.017
Solubilities of Phenylphosphinic Acid, Hydroxymethylphenylphosphinic Acid, and Bis(hydroxymethyl)phosphinic Acid in Water and Methanol:	https://www.doi.org/10.1021/je050377q
Determination and correlation of the solubility for daurinine in Water and Binary Solvent Mixtures:	https://www.doi.org/10.1021/je9009877
Solubility and Thermodynamic Analysis of Vitamin B6: A Thermodynamic Study:	https://www.doi.org/10.1021/je200853g
Solubilities of Nizatidine in Water, Methanol, Ethanol, Acetone, and Ethyl Acetate from (273.15 to 343.15) K:	https://www.doi.org/10.1021/je1000928
Selected Solvents:	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=817
Partition Coefficients of Organic Compounds in Four New Tetraalkylammonium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Using Inverse Gas Chromatography:	https://www.doi.org/10.1021/je200637v
Solubility and preferential solvation of some n-alkylanilines in methanol + 1-octyl-3-methylimidazolium chloride ionic liquid mixtures:	https://www.doi.org/10.1016/j.jct.2017.01.005
Prediction of different thermodynamic properties for systems of alcohols and sulfate based anion ionic Liquids using modified SAFT-VR Approach:	https://www.doi.org/10.1016/j.fluid.2012.11.003
Binary Solvent Mixtures: Anthracene Dissolved in Alcohol + Acetonitrile Mixtures at 298.2 K:	https://www.doi.org/10.1021/je020216b
Equilibrium for Methanol + Methyl Acetate + 1-Octyl-3-methylimidazolium Hexafluorophosphate at 101.3 kPa:	https://www.doi.org/10.1021/je2000588
Measurement and Correlation of Solubility of Loratadine in Different Pure Solvents and Binary Mixtures:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C67561&Units=SI
Experimental and theoretical study on infinite dilution activity coefficients of various solutes in piperidinium ionic liquids:	https://www.doi.org/10.1021/acs.jced.6b00721
Experimental Study of Thermodynamic Properties of Mixtures Containing Ionic Liquids:	https://www.doi.org/10.1016/j.jct.2013.01.005
Solubility Determination and Modeling for Artesunate in Binary Solvent Mixtures of Methanol, Ethanol, 1-Propanol, and Water at 278.15 K to 318.15 K:	https://www.doi.org/10.1021/je0602723
Solubilities of Methanol, Ethanol, 1-Propanol, and 2-Propanol in Selected Solvents between 278.15 K and 313.15 K:	https://www.doi.org/10.1021/acs.jced.8b00988
Solubility of 2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane-3,9-dimethanol, 3,9-dioxide in Selected Solvents:	https://www.doi.org/10.1021/je500806u
Solubility and Saturation Apparent Volume of Propanol in Hydrochloride Aqueous Cosolvent Mixtures at 298.15 K:	https://www.doi.org/10.1016/j.jct.2010.02.006
Measurements of Activity Coefficients at Infinite Dilution for Organic Solutes and Water in the Ionic Liquid 1-Ethyl-3-methylimidazolium Ethyl Sulfate:	https://www.doi.org/10.1021/je700050r
Measurements and correlations of density, viscosity, and vapour-liquid equilibrium for fluoro alcohols:	https://www.doi.org/10.1016/j.jct.2010.12.009
Excess molar volumes and isentropic compressibility of binary systems {trioctylmethylammonium bis(trifluoromethysulfonyl)imide + methanol or ethanol or 1-propanol} at different temperatures:	https://www.doi.org/10.1021/acs.jced.5b00167
	https://www.doi.org/10.1016/j.jct.2016.01.017
	https://www.doi.org/10.1021/je101008y
	https://www.doi.org/10.1021/je0301500
	https://www.doi.org/10.1016/j.jct.2016.07.011
	https://www.doi.org/10.1016/j.fluid.2005.05.012
	https://www.doi.org/10.1016/j.jct.2016.07.042
	https://www.doi.org/10.1021/je050193b
	https://www.doi.org/10.1016/j.jct.2008.03.007

Activity coefficients at infinite dilution measurements for organic solutes in the ionic liquid	https://www.doi.org/10.1016/j.jct.2005.01.015
Influence of Different Solvent Properties and Composition on the Solubility of Desmosterol in Five Monoalcohol (Ethoxy) Ethyl Sulfate using Organic Solvents:	https://www.doi.org/10.1021/acs.jced.8b00416
1-Ethyl-3-methylimidazolium 2-(2-Methoxyethoxy) Ethyl Sulfate Using Activity Coefficients at Infinite Dilution and Physicochemical Properties for Binary Mixtures of Ionic Liquids + Alcohols	https://www.doi.org/10.1021/je8006088
0.15 at T = (298.15, 303.15, and 308.15) K	https://www.doi.org/10.1021/acs.jced.9b00562
Saturated Solubility and Thermodynamic Evaluation of Tryptophan in Eight Pure Solvents at Various Temperatures	https://www.doi.org/10.1016/j.jct.2015.02.024
Activity coefficients at infinite dilution and physicochemical properties for solvents by the gravimetric method at	https://www.doi.org/10.1016/j.fluid.2012.03.002
Determination of the solubility, dissolution enthalpy and entropy of	https://www.doi.org/10.1016/j.jct.2019.05.013
Synergistic effect of salts and methanol in thermodynamic inhibition of sI gas hydrates.	https://www.doi.org/10.1016/j.jct.2014.07.011
Dissolution and correlation of solubility of spironolactone form II in pure solvents and binary solvent mixtures.	https://www.doi.org/10.1016/j.jct.2017.12.012
Separation of binary mixtures based on gamma infinity data using [OMMIM][PF6] ionic liquid and	https://www.doi.org/10.1016/j.fluid.2010.10.008
Activity coefficients at infinite dilution of organic solutes in the ionic liquid	https://www.doi.org/10.1021/acs.jced.7b00245
Solubility Determination and Thermodynamic Modeling of Sodium Thiocyanate in Pure and Binary	https://www.doi.org/10.1021/acs.jced.5b00122
Solubility of Pharmaceutical Compounds in Organic Solvents by	https://www.doi.org/10.1016/j.jct.2015.09.010
Thermodynamics of thymol in six pure organic solvents:	https://www.doi.org/10.1016/j.jct.2013.06.007
Thermodynamic functions of 1-methyl-4-(methylsulfonyl)benzene	https://www.doi.org/10.1016/j.jct.2016.08.021
Determination and correlation of solubility in nine organic solvents from	https://www.doi.org/10.1016/j.jct.2019.02.005
Solubility and solution thermodynamics of bacteriocin in different pure solvents:	https://www.doi.org/10.1021/je700033y
Solubility of Ammonia in Methanol: Isothermal (vapour + liquid) equilibria for binary mixtures of diisopropyl ether	https://www.doi.org/10.1016/j.jct.2012.11.005
Measurement and correlation of solubility of trans-resveratrol in 11	https://www.doi.org/10.1016/j.jct.2007.10.006
Solubility, Correlation, Solvation of 2-methyl-4-nitroaniline in mixed	https://www.doi.org/10.1016/j.jct.2017.05.044
Solvents of Ethyl Acetate + Methanol, Ethanol, n-Propanol and Isopropanol):	https://www.doi.org/10.1016/j.fluid.2006.08.020
Measurement and correlation of Solubility of Resorcinol Bis(cyclic	https://www.doi.org/10.1021/acs.jced.7b00695
Experimental Measurement and Modeling of the Solubility of Methane in	https://www.doi.org/10.1021/acs.jced.5b00793
Effect of Ionic Liquid 1-methylimidazolium chloride on the	https://www.doi.org/10.1016/j.jct.2011.06.002
Effect of Pressure on the Static Relative Permittivities of Alkan-1-ols at	https://www.doi.org/10.1021/je060248p
Solubility measurement and correlation of 4-nitrophthalimide in (methanol,	https://www.doi.org/10.1016/j.jct.2016.08.013
Densities of Water + Diethanolamine + Methanol and Water +	https://www.doi.org/10.1021/je034094e
Solubility of sodium cytidine 5′-monophosphate in different	https://www.doi.org/10.1016/j.tca.2013.04.018
Measurement and correlation of Solubilities of Indole-2-carboxylic Acid in	https://www.doi.org/10.1021/je400813d
Solubility of Isoniazid in Various Organic Solvents from (301 to 313) K:	https://www.doi.org/10.1021/je800156m
Measurement and correlation of the solubilities of	https://www.doi.org/10.1016/j.fluid.2014.01.043
Activity coefficients at infinite dilution of organic solvents and water in	https://www.doi.org/10.1016/j.fluid.2016.02.004
Solubility of Benzimidazole in Different Pure Solvents:	https://www.doi.org/10.1021/acs.jced.8b01262
Preferential Solvation of Dicyanamide: A literature review of	https://www.doi.org/10.1016/j.jct.2009.11.020
Properties of pure 1-methylimidazolium acetate ionic liquid and its binary	https://www.doi.org/10.1016/j.jct.2012.01.013
Thermodynamic functions of solid-liquid phase equilibrium of D-(+)-gluconic acid in H2O,	https://www.doi.org/10.1016/j.jct.2016.04.002
Physicochemical properties of two 1-alkyl-1-methylpyrrolidinium	https://www.doi.org/10.1016/j.jct.2013.12.009
Solubility of Diphosphonomethanamine Derivatives in Different Solvents:	https://www.doi.org/10.1021/je700453v
Solid-liquid phase equilibrium of 1-butyl-1-methylpyrrolidinium	https://www.doi.org/10.1016/j.fluid.2012.05.003
Isothermal Chemical Equilibrium with Isobaric Heat Capacity Measurements for H2O+CH3OH Mixture in the	https://www.doi.org/10.1016/j.fluid.2006.12.005
Solubilities of 4-(Hydroxymethyl)-1-oxido-2,6,7-trioxa-1-phosphabicyclo[2.2.2]octane	https://www.doi.org/10.1021/je4009816
Quantitative NMR spectroscopy of binary liquid mixtures (aldehyde +	https://www.doi.org/10.1016/j.jct.2014.01.027
Vapor Pressure Measurements of Binary Solutions of CaCl2 with Methanol and Ethanol at T = (298.15 to 323.15) K Using a Static Method:	https://www.doi.org/10.1021/je0502086

Measurement and modeling of infinite dilution activity coefficients of organic compounds in an equimolar ionic liquid mixture:	https://www.doi.org/10.1016/j.fluid.2019.01.028
Molar heat capacities for [isomer of butanediol + methanol + ammonium nitrate]:	https://www.doi.org/10.1016/j.jct.2014.07.023
Binary Equilibrium Solubility of [1,1'-Methylenebis(3-hydroxynaphthalene-2-carboxylic acid)] in Monosolvents:	https://www.doi.org/10.1021/acs.jced.9b00458
Thermodynamic and molecular investigation into the solubility, solvent effect and solvent selectivity of Amidinothiourea in Monosolvents: Experimental Determination, Model Correlation, and Solvent Effect Analysis:	https://www.doi.org/10.1016/j.jct.2017.05.041
Solubility of Lovastatin Form in Ethanol, Methanol, Ethanol + 2-Propanol, 1-Propanol, and 1-Butanol from (278 to 343) K:	https://www.doi.org/10.1021/je800196k
Thermodynamic Properties of Benzophenone in Different Pure and Binary Solvent Mixtures:	https://www.doi.org/10.1021/acs.jced.8b00196
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 1-(2-Methoxyethyl)-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1016/j.jct.2013.01.007
Phase Equilibria for the Hydroesterification of 10-Undecenoic Acid to Produce Monomethyl Branched Fatty Esters:	https://www.doi.org/10.1021/acs.jced.6b00360
Isosmotic Studies of Molecular Interactions in Binary Liquid Mixtures. Measurement and Correlation of Isomeric Xylenes with Methanol:	https://www.doi.org/10.1021/acs.jced.7b00971
Solubility of cefmenoxime hydrochloride in pure solvents and binary solvent mixtures:	https://www.doi.org/10.1016/j.jct.2015.11.024
Correlation and thermodynamic analysis of solubility of diphenhydramine hydrochloride in pure and binary solvents:	https://www.doi.org/10.1016/j.jct.2015.09.032
Liquid–Liquid Equilibria of methanol + dimethyl carbonate + azeotropic mixture using ionic liquids as entrainers:	https://www.doi.org/10.1016/j.fluid.2016.11.026
Ionic liquids as entrainers: Vapor–Liquid Equilibrium Data for Methanol + tert-Butyl Alcohol + 1-Butyl-3-methylimidazolium Tetrachloroferrate:	https://www.doi.org/10.1016/j.jct.2006.10.016
Isobaric Vapor–Liquid Equilibria of Binary Mixtures of {dimethylsulfoxide + aliphatic lower alkanols (C1-C6)} at Pressure:	https://www.doi.org/10.1021/je201349k
Solubility Measurement and Modeling of Methane in Methanol and Ethanol Aqueous Solutions:	https://www.doi.org/10.1016/j.jct.2008.04.008
Measurement of activity coefficients at infinite dilution of organic solutes in the ionic liquid	https://www.doi.org/10.1016/j.jct.2018.01.003
Solubility of Form III Piracetam in a Range of Solvents:	https://www.doi.org/10.1021/je1003934
1-Ethyl-3-methylimidazolium 2-(2-methoxyethoxy) ethylsulfate at T = (293.15 to 343.15) K:	https://www.doi.org/10.1021/je300557g
Solubility of Acesulfame Potassium in Ethanol + Water and Methanol + Water Systems from (275.84 to 322.90) K:	https://www.doi.org/10.1021/je700713q
Activity Coefficients at Infinite Dilution in Methylimidazolium Nitrate Ionic Liquids:	https://www.doi.org/10.1021/je100998r
Solubility of Genistein in Water, Methanol, Ethanol, Propan-2-ol, 1-Butanol, and Ethyl Acetate from (280 to 323) K:	https://www.doi.org/10.1021/je100261w
Solubility of Organic Systems Containing 1,4-Dioxan-2-one:	https://www.doi.org/10.1021/acs.jced.9b00360
Vapor-Liquid Equilibrium and Mixing Properties of Methanol + Diethyl Carbonate and Vinyl Acetate + Diethyl Carbonate Systems:	https://www.doi.org/10.1021/je050406x
Measurement and correlation of the solubility of (Phenylsulfonyl)methylmalonodiacetic acid in different organic solvents:	https://www.doi.org/10.1021/je049544x
Separation of binary mixtures, hexane/hex-1-ene, cyclohexane/cyclohexene and cyclohexane/benzene by Pervaporation:	https://www.doi.org/10.1016/j.fluid.2014.08.036
Phase Behavior Data of (CO2 + Toluene + Phenanthrene) and (CO2 + Toluene + Anthracene) at Supercritical Conditions:	https://www.doi.org/10.1016/j.jct.2017.11.017
Solubility measurement and thermodynamic model correlation of salicylic in twelve pure solvents:	https://www.doi.org/10.1021/acs.jced.7b00126
Solubility of antiviral drug in pure alkanols:	https://www.doi.org/10.1021/acs.jced.9b00693
Liquid–liquid equilibria for pseudoternary systems: isooctane + benzene + methanol + water):	https://www.doi.org/10.1021/je400776b
Volumetric behavior of water methanol mixtures in the vicinity of the critical region:	https://www.doi.org/10.1016/j.fluid.2008.11.005
Solubility and Solvent Effect of Acetamiprid in Thirteen Pure Solvents and Aqueous Solutions of Ethanol:	https://www.doi.org/10.1016/j.fluid.2004.12.003
Saturation Composition and Density Data for the Sodium Sulfate + Sulfuric Acid + Methanol System:	https://www.doi.org/10.1021/acs.jced.8b00938
	https://www.doi.org/10.1016/j.fluid.2006.05.007
	https://www.doi.org/10.1021/acs.jced.9b00294
	https://www.doi.org/10.1021/je049712l

(p, rho, T) properties and apparent molar volumes V/ of LiNO3 in methanol:	https://www.doi.org/10.1016/j.jct.2006.01.008
Solubilities of Phosphorus-Containing Compounds in Selected Solvents:	https://www.doi.org/10.1021/je100341q
Effect of temperature on density, sound velocity, and their derived properties for the binary systems glycerol with water or alcohols:	https://www.doi.org/10.1016/j.jct.2017.01.011
Thermodynamic equilibrium of 4-hydroxy-2,5-dimethyl-3(2H)-furanone in different solvent systems:	https://www.doi.org/10.1016/j.jct.2015.08.035
Solubility determination and thermodynamic models for dehydroepiandrosterone acetate in mixed solvents of (ethyl acetate + methanol), (ethyl acetate + ethanol) and (ethyl acetate + isopropanol):	https://www.doi.org/10.1016/j.jct.2016.06.014
Enhancement of the anthracene aqueous solubility by a synergistic [illegible]	https://www.doi.org/10.1016/j.fluid.2005.08.023
Solubility of 1H-Tetrazole-1-acetic Acid in Different Solvents between 283 K and 323 K:	https://www.doi.org/10.1021/je700200b
(Liquid + liquid) equilibria of the quaternary sysytem methanol + isooctane + cyclohexane + benzene at T = 303.15 K:	https://www.doi.org/10.1016/j.fluid.2009.10.007
Ternary Excess Molar Volumes of {Methyltrioctylammonium Bis[(trifluoromethyl)sulfonyl]imide + Methanol + Methyl Acetate or Ethyl Acetate} Systems at (298.15, 303.15, and 313.15) K:	https://www.doi.org/10.1021/je900906j
Activity Coefficients at Infinite Dilution for Hydrocarbons in Fatty Alcohols Determined by Gas-Liquid Chromatography:	https://www.doi.org/10.1021/je1005517
Densities and Viscosities of Diethyl Carbonate + Toluene, + Methanol, and + 2-Propanol from (293.15 to 363.15) K:	https://www.doi.org/10.1021/je050414d
Effect of Ionic Liquids on the Isobaric Vapor-Liquid equilibrium behavior of methanol-methyl ethyl ketone (MEK):	https://www.doi.org/10.1021/je301062g
Liquid-Liquid Equilibria of Mixtures Containing Methyl Acetate + Methanol + Hexane or Heptane:	https://www.doi.org/10.1021/je700397g
Measurement, Correlation, and Thermodynamics Parameters of Biological Active Pyrimidine Derivatives in Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je5003626
Temperature Dependence of the Volumetric Properties of Binary and Ternary Mixtures of Water (1) + Methanol (2) + Ethanol (3) at Ambient Pressure (81.5 kPa):	https://www.doi.org/10.1021/je700300y
Measurement of activity coefficients at infinite dilution of organic solutes in [illegible] 1-hexyl-1,4-diaza[2.2.2]bicyclooctanium bis(trifluoromethylsulfonyl)imide using gas-liquid chromatography:	https://www.doi.org/10.1016/j.jct.2013.10.026
Densities and Viscosities of Binary Mixtures Containing [illegible] and Alcohols:	https://www.doi.org/10.1021/je401124t
Solubility of Forms I and II of Clopidogrel Hydrogen Sulfate in Methanol and 2-Propanol Mixture:	https://www.doi.org/10.1021/je100712s
Electrical Conductivity of Lithium Chloride, Lithium Bromide, and Lithium Iodide Electrolytes in Methanol, Water, and Their Binary Mixtures:	https://www.doi.org/10.1021/acs.jced.9b00405
Solubility Measurement and the Correlation of 1-Naphthaleneacetic Acid in Pure and Methanol + Water Binary Solvents from T = (278.25 to 323.55) K:	https://www.doi.org/10.1021/acs.jced.6b00816
Measurement and Correlation of the Solubility of Prednisone Acetate in Different Solvents:	https://www.doi.org/10.1021/je101201w
Solubility modelling and dissolution properties of 5-phenyltetrazole in thirteen mono-solvents and liquid mixtures of (methanol + ethyl acetate) at elevated temperatures:	https://www.doi.org/10.1016/j.jct.2017.04.019
Determination and Correlation of the Solubility of Musk Ketone in Pure and Binary Solvents at 273.15–313.15 K:	https://www.doi.org/10.1021/acs.jced.9b00310
Density, viscosity, and excess properties in the trihexyltetradecylphosphonium chloride ionic liquid/methanol cosolvent system:	https://www.doi.org/10.1016/j.jct.2015.09.030
Solubility of 3,7-Dinitro-1,3,5,7-tetraazabicyclo [3.3.1]nonane in Ethanenitrile, Methanol, 1,1-Dichloroethane, Dimethyl Sulfoxide, Acetone, and Mixed Solvents:	https://www.doi.org/10.1021/acs.jced.5b00033
Measurement and Correlation of Solubilities of Asiaticoside in Water, Methanol, Ethanol, 1-Propanol, 2-Propanol, and a Methanol + Water Mixture from (278.15 to 343.15) K:	https://www.doi.org/10.1021/je101208p
Vapor-Liquid Equilibrium for Methanol + Methyl Palmitate near the Critical Temperature of Methanol:	https://www.doi.org/10.1021/acs.jced.5b00865
Solubility of Cesium Nitrate in Alcohol Aqueous Solutions at (25, 35 and 45) °C:	https://www.doi.org/10.1021/je050072b
Measurement and Correlation of the Solubility of e-CL-20 in 12 Organic Solvents at Temperatures Ranging from 278.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.6b00761
Liquid-Liquid Equilibrium and Excess Enthalpies in Binary Systems Methylcyclohexane + Methanol and Methylcyclohexane + N,N-Dimethylformamide:	https://www.doi.org/10.1021/je020135f
H2 solubility in methanol in the presence of CO2 and O2:	https://www.doi.org/10.1016/j.jct.2012.03.021
Solubilities of 4,4'-Dichlorodiphenyl Disulfide in Six Organic Solvents between (303.15 and 333.15) K:	https://www.doi.org/10.1021/je301243f
Solubilities of Rutaecarpine in Twelve Organic Solvents from (283.2 to 323.2) K:	https://www.doi.org/10.1021/je4001334
In situ measurement of liquid-liquid equilibria by medium field nuclear magnetic resonance:	https://www.doi.org/10.1016/j.fluid.2017.01.027
Solubility of Formaldehyde and Trioxane in Aqueous Solutions:	https://www.doi.org/10.1021/je030243h
Thermodynamic properties of mixtures containing ionic liquids Vapor pressures and activity coefficients of n-alcohols and benzene in binary mixtures with 1-methyl-3-butyl-imidazolium bis(trifluoromethyl-sulfonyl) imide:	https://www.doi.org/10.1016/j.fluid.2005.07.008
Solubility of 2-nitro-p-phenylenediamine in nine [illegible] and mixture of (methanol [illegible]	https://www.doi.org/10.1016/j.jct.2017.01.006
Isobaric Vapor-Liquid Equilibrium for the Binary Systems of 2-Butanol + 2-(Methoxymethoxy)butane at 101.3 kPa:	https://www.doi.org/10.1021/acs.jced.8b00499
Application of the Prigogine-Flory-Patterson theory to excess molar volumes [illegible] 1-n-butyl-3-methylimidazolium hexafluorophosphate or 1-n-butyl-3-methylimidazolium tetrafluoroborate in methanol and acetonitrile:	https://www.doi.org/10.1016/j.jct.2006.01.016
Liquid-liquid equilibria for systems of water + methanol + methyl anthranilate at several temperatures:	https://www.doi.org/10.1016/j.fluid.2011.07.008
Isobaric Vapor-Liquid Equilibrium for Acetone + Methanol + Phosphate Ionic Liquids:	https://www.doi.org/10.1021/je5007373
Densities, excess volumes, isobaric expansivity, and isothermal compressibility of the (1-ethyl-3-methylimidazolium ethylsulfate + methanol) system at temperatures (283.15 to 333.15) K and pressures from (0.1 to 35) MPa:	https://www.doi.org/10.1016/j.jct.2007.11.011
Solubility and Molecular Interactions of Trimetazidine Hydrochloride in 12 Monosolvents and Solvent Mixtures of Methanol + (Ethanol, N,N-Dimethylformamide or Ethyl Acetate):	https://www.doi.org/10.1021/acs.jced.8b00235

Solubility determination and correlation for 1,8-dinitronaphthalene in (acetone + methanol), (toluene + methanol) and (acetonitrile + methanol) binary solvent mixtures:	https://www.doi.org/10.1016/j.jct.2015.10.015
Ternary and Quaternary Liquid–Liquid Equilibria of Water + Methanol + Methyl Ethyl Ether and Water + Methanol + Diisopropyl Ether + Toluene	https://www.doi.org/10.1021/je050258a
Measurement and Correlation of Solubility of Amorphous Cefmetazole Sodium in Pure Solvents and Binary Solvent Mixtures.	https://www.doi.org/10.1021/acs.jced.6b00741
Solid–Liquid Phase Diagram of the System MgCl2-NH3-CH3OH at 298 K:	https://www.doi.org/10.1021/je9008359
Solubility of Losartan Potassium in Different Pure Solvents from (293.15 to 348.15) K:	https://www.doi.org/10.1021/je7007236
Isothermal Vapor Liquid Equilibrium for 2-Methylpropene + Methanol, + 1-Propanol, + 2-Propanol, + 2-Butanol, and + 2-Methyl-2-propanol and Water	https://www.doi.org/10.1021/je050404c
Solubility of Dimethyl Fumarate in Methanol, Ethanol, 1-Propanol, and 1-Butanol at 283.15 K to 323.15 K	https://www.doi.org/10.1021/je100964a
Solubility of Carbonylcyclic Ethyl Ester Isomers at 283.15 K to 323.15 K	https://www.doi.org/10.1016/j.fluid.2016.02.020
Solubility and Solvent Effect on Preferential Solvation of Organic Molecular Crystals in Binary Solvent Mixtures:	https://www.doi.org/10.1016/j.fluid.2014.04.008
Solubility of Pravastatin in Acetone, Methanol, Ethanol, Ethyl Acetate, and Butyl Acetate between 283 K and 323 K:	https://www.doi.org/10.1021/je0500781
Vapor–liquid equilibria of binary and ternary mixtures containing ethyl lactate and effect of ethyl lactate as entrainer.	https://www.doi.org/10.1016/j.fluid.2015.12.029
Density and Viscosity for Binary Mixtures of the Ionic Liquid 2-Diethyl-1,1,3,3-tetramethylguanidinium Trifluorotris(pentafluoroethyl)phosphate with Water, Methanol, or Ethanol	https://www.doi.org/10.1021/acs.jced.5b00365
Solubility of Pharmaceuticals in Binary Mixtures of C1–C4 Alcohols + Water and Ethanol + Methanol at 298.15 K:	https://www.doi.org/10.1021/je900027h
Solubility of 1,1′-(Oxydi-2,1-ethanediyl)bis[1-methyl-imidazolium] Dihexafluorophosphate in Water, Methanol, Ethanol, and Binary Mixtures of Methanol + Water from (288.00 to 323.00) K:	https://www.doi.org/10.1021/je501026m
Liquid–Liquid Coexistence Curves for Binary Systems: Methanol + Cyclohexane and Ethanol + Cyclohexane and Ternary Liquid–Liquid Equilibrium of Methanol + Ethanol + Cyclohexane at 298.15 K	https://www.doi.org/10.1021/je0505321
Liquid–Liquid Equilibrium of Methyl Acetate + Methanol + Water from (288.00 to 323.00) K:	https://www.doi.org/10.1021/je100932m
1-Ethyl-3-methylimidazolium Acetate: Tetramethylammonium Bicarbonate on Heating	https://www.doi.org/10.1021/je200697m
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-ethyl-3-methylimidazolium ethyl sulfate by static headspace gas chromatography.	https://www.doi.org/10.1016/j.fluid.2009.01.011
Vapor–Liquid Equilibrium of the Ternary Azeotropic System Methanol + Ethanol + Ethyl Acetate and Its Binary Subsystems at 101.3 kPa:	https://www.doi.org/10.1021/je800824h
Solubilities of Isonicotinic Acid in Methanol, Ethanol, 1-Propanol, 2-Propanol, and 1-Butanol from (289.65 to 358.75) K:	https://www.doi.org/10.1021/je034101z
Isochoric Heat Capacities of Alkanols and Their Aqueous Mixtures. 5. Methanol, Ethanol, and 1-Propanol	https://www.doi.org/10.1021/je9005882
Excess Molar Enthalpies of Dibromomethane with Benzene, Methanol, Dimethylsulfoxide, and Cyclohexane at 303.15 K	https://www.doi.org/10.1016/j.jct.2011.11.021
Densities, Viscosities, and Refractive Indices of Binary and Ternary Mixtures of 1-(2-Methoxyethyl)-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)amide and Methanol, Ethanol, or 1-Propanol at Several Temperatures	https://www.doi.org/10.1016/j.fluid.2018.10.024
Activity Coefficients at Infinite Dilution of Polar Solutes in 1-(2-Hydroxyethyl)-3-methylimidazolium Tetrafluoroborate Using Gas–Liquid Chromatography:	https://www.doi.org/10.1021/je900704b
Densities, Excess Molar Volumes, Viscosity, and Refractive Indices of Binary and Ternary Liquid Mixtures of Methanol + Ethanol + 1-Butanol at 313.15 K:	https://www.doi.org/10.1021/je900838a
Measurement and Prediction of Excess Enthalpies for Ternary Solutions Containing Dialkyl Carbonates + Alcohols + Alkanes at 313.15 K and 6.15 kPa:	https://www.doi.org/10.1021/je800633a
Renewable platform chemicals: thermochemical study of levulinic acid and its derivatives	https://www.doi.org/10.1021/je400158p
Dimethyl phosphate + Methanol or Ethanol: Measurement and Correlation of Isobaric Vapor–Liquid Equilibrium Data at 101.3 kPa:	https://www.doi.org/10.1016/j.tca.2017.12.006
2-Chloro-4,6-dinitroresorcinol in Binary and Ternary Mixtures of Methanol, Ethanol, Acetic Acid, and Water:	https://www.doi.org/10.1021/je1011423
Solubility of 2-(4-Ethylbenzoyl)benzoic Acid in Eleven Organic Solvents between 279.59 K and 343.15 K:	https://www.doi.org/10.1021/je1000473
Vapor–liquid equilibria of perfluorohexane +CO2 + methanol, +toluene, and +acetone at 313K:	https://www.doi.org/10.1021/je700426k
Solubility of D-p-Hydroxyphenylglycine in Water, Methanol, Ethanol, Carbon Tetrachloride, and	https://www.doi.org/10.1016/j.fluid.2005.12.041
Temperature dependence on mutual solubility of binary (methanol + 1,2-dimethoxyethane between 278 K and 323 K:	https://www.doi.org/10.1021/je060300h
Isobaric Vapor Liquid and Liquid Liquid Equilibria for Chloroform + Methanol + Limonene mixture and (liquid + liquid) equilibrium data for	https://www.doi.org/10.1016/j.jct.2008.10.013
Low cost apparatus for rapid boiling point determination of small air sensitive samples	https://www.doi.org/10.1021/je900594h
Isobaric Vapor–Liquid Equilibrium for Chloroform + Methanol + 1-Ethyl-3-methylimidazolium Ethyl Sulfate at 100 kPa:	https://www.doi.org/10.1016/j.tca.2017.05.005
1,3-Dimethylimidazolium dimethylphosphate at 101.3 kPa:	https://www.doi.org/10.1021/je400324w
Solubility of polymorphic cytarabine in ionic liquids as Entrainers in Extractive Distillation: Isobaric Vapor–Liquid Equilibria for Acetone + Methanol + 1-Ethyl-3-methylimidazolium Ethyl Sulfate at 100 kPa:	https://www.doi.org/10.1016/j.fluid.2017.04.021
Solubility and Thermodynamic Modeling of Sulfanilamide in 12 Mono Alcohols at Elevated Temperatures	https://www.doi.org/10.1021/je0603170
Vle measurements using a static cell with liquid sampling and vapor phase analysis by in-line gas chromatography: Isobaric Vapor–Liquid Equilibrium for Acetone + Methanol + 1-Ethyl-3-methylimidazolium Ethyl Sulfate at 100 kPa:	https://www.doi.org/10.1021/acs.jced.9b00411
1,3-Dimethylimidazolium dimethylphosphate: solubility of polymorphic cytarabine in a variety of pure solvents.	https://www.doi.org/10.1016/j.jct.2014.08.024
Vapor–Liquid Equilibria for Acetone + Methanol + 1-Ethyl-3-methylimidazolium Ethyl Sulfate at 100 kPa:	https://www.doi.org/10.1021/acs.jced.5b00882
Solubility of Sulfanilamide in 12 Mono Alcohols at Elevated Temperatures:	https://www.doi.org/10.1016/j.jct.2013.05.008
Vapor-phase manual sampling method accompanied with an empirical data consistency test:	
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 1-(2-hydroxyethyl)-3-methylimidazolium trifluorotris(perfluoroethyl)phosphate:	

Phase equilibria of triolein to biodiesel reactor systems:	https://www.doi.org/10.1016/j.fluid.2015.09.049
Measurement and correlation of the vapor-liquid equilibrium for methanol + acetonitrile + imidazolium-based ionic liquids at 101.3 kPa.	https://www.doi.org/10.1016/j.jct.2016.05.011
Densities and Excess Molar Volumes for Binary Mixtures of Ionic Liquid 1-Ethyl-3-methylimidazolium Ethylsulfate with Solvents:	https://www.doi.org/10.1021/je1002237
Solubility of Ethanol in 1-Ethyl-3-methylimidazolium Organic Solvents:	https://www.doi.org/10.1021/je7007457
Vapor Liquid Equilibrium for the Systems 2-Methylpropane + Methanol, + 2-Propanol, + 2-Butanol, and + Methanol + Ethanol at 364.5 K:	https://www.doi.org/10.1021/je800021r
Vapor–Liquid Equilibrium of Butene in 2-Methyl-2-propanol at 323.15 K:	https://www.doi.org/10.1021/je034227w
Densities and Viscosities of Binary Mixtures of Methanol with Dimethyl Phosphonate from (293.15 to 333.15) K.	https://www.doi.org/10.1007/s10765-011-0989-8
Tie-Line Data for Aqueous Mixtures of Methylphosphonate and Dimethyl Butyric Acid with Diisopropyl Ether at Various Temperatures:	https://www.doi.org/10.1021/acs.jced.5b00527
Vapor–liquid equilibria of ternary systems with 1-ethyl-3-methylimidazolium ethyl sulfate ionic liquid at 101.3 kPa.	https://www.doi.org/10.1016/j.fluid.2011.05.016
Determination and Correlation of Solubilities of 2-Isopropylthioxanthone in Monosolvents and Binary Mixtures of Different Solvents from (283.15 to 323.15) K:	https://www.doi.org/10.1021/je501011t
Densities and Viscosities of Binary Liquid Mixtures of Trichloroethylene and Tetrachloroethylene with Some Polar and Nonpolar Solvents:	https://www.doi.org/10.1021/je034203p
Solubilities, thermodynamic properties and molecular simulation of 2-hydroxy-4-methoxybenzophenone in pure solvents and binary solvent mixtures at 298.15 K	https://www.doi.org/10.1016/j.jct.2017.07.012
Solubility of Diphenhydramine Hydrochloride and Water in the Ionic Liquid 1-Butyl-3-methylimidazolium Dibutylphosphate and Thermodynamic Properties	https://www.doi.org/10.1016/j.fluid.2014.12.034
Measurement and Correlation of Solubility of Luteolin in Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je060133l
Vapor–liquid equilibrium for the Trans-2-Butene + Methanol, + Ethanol, + 2-Propanol, + 2-Butanol and + 2-Methyl-2-propanol Systems at 332 K:	https://www.doi.org/10.1021/je0341256
Correlation and thermodynamic analysis of solubility of ofmetazole acid in three (alcohol + water) binary solvents at temperatures from 278.15 K to 303.15 K.	https://www.doi.org/10.1016/j.jct.2016.08.024
Solubility of Alkenes in Water and Single and Binary Solvent Mixtures	https://www.doi.org/10.1021/je100125x
Isobaric vapor–liquid equilibrium for ternary mixtures of acetone + methanol + ionic liquids at 101.3kPa.	https://www.doi.org/10.1016/j.fluid.2017.03.014
Solubility Measurement and Thermodynamic Model Correlation of 5-Nitrosalicylaldehyde in Different Solvents	https://www.doi.org/10.1021/acs.jced.9b00232
Experimental and Computational Thermodynamic Properties of (Benzyl alcohol + Alkanols) Mixtures	https://www.doi.org/10.1021/acs.jced.5b00162
Solubility of 4-methyl-2-nitroaniline in fourteen organic solvents from T = (278.15 to 313.15) K and Mixing Properties of Solutions:	https://www.doi.org/10.1016/j.jct.2017.02.008
Aprepitant Solubility in Pure and Binary Solvent Systems:	https://www.doi.org/10.1021/acs.jced.8b00023
Solubility Study of 2(E)-1-(3-Pyridyl)-3-(dimethylamino)-2-propen-1-one in Different Pure Solvents and Binary Solvent Mixtures from 278.15 to 328.15 K:	https://www.doi.org/10.1021/acs.jced.9b00047
Solubility of Butyl Paraben in Methanol, Ethanol, Propanol, Ethyl Acetate, Acetone, and Acetonitrile:	https://www.doi.org/10.1021/je1006289
Solid–Liquid Phase Equilibrium and Dissolution Properties of Ethyl Vanillin in Pure Solvents:	https://www.doi.org/10.1021/je300613v
Activity coefficients at infinite dilution of organic solutes in diethylene glycol and triethylene glycol from gas–liquid chromatography.	https://www.doi.org/10.1016/j.jct.2016.10.029
Solubility and mixing thermodynamic properties of (2,4,6-trimethylbenzoyl) diphenyl phosphine oxide in pure and binary solvents:	https://www.doi.org/10.1016/j.jct.2013.05.011
Solubility measurement and thermodynamic functions of dimethyl carbonate in different pure solvents at elevated temperatures	https://www.doi.org/10.1016/j.fluid.2018.01.015
Volume and Refractive Indices at T = 298.15 K for the Dimethyl Carbonate + Methanol and Methanol + Water with Ammonium- and Imidazolium-Based Deep Eutectic Solvent	https://www.doi.org/10.1016/j.fluid.2013.09.030
Isothermal Vapor–Liquid Equilibrium Data and Excess Molar Volumes at 313.15 K for Dimethyl Carbonate + Ethanol + Methanol in Hexane, Octane, and Acetonitrile.	https://www.doi.org/10.1016/j.jct.2016.10.040
Measurement of activity coefficient at infinite dilution for organic solutes in 1-hexadecyl-3-methylimidazolium tetrafluoroborate ionic liquid by gas–liquid chromatography at T = (313.2 to 343.2) K.	https://www.doi.org/10.1021/je9008624
Solubility of Imatinib Mesylate in Methanol, Ethanol, Methanol + Water with Different Ratios, and Ethanol + Acetate, Ethanol + Methanol in Hexane, Octane, or Toluene at Elevated Temperatures	https://www.doi.org/10.1016/j.fluid.2018.01.019
Isothermal Vapor–Liquid Equilibrium Data for Systems of Allyl Alcohol with Water, Methanol, and Ethanol at 101.3 kPa	https://www.doi.org/10.1021/je101303e
Measurement and correlation of vapor–liquid equilibria for methanol + methyl laurate and methanol + methyl myristate systems at elevated temperatures.	https://www.doi.org/10.1021/acs.jced.5b01048
Activity coefficients at infinite dilution of organic solutes in the ionic liquid 1-ethyl-3-methylimidazolium trifluoromethanesulfonate using gas–liquid chromatography at T = (313.15, 323.15, and 333.15) K:	https://www.doi.org/10.1016/j.fluid.2007.01.034
Measurement and Correlation of Solubility of 2-Chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine in Different Organic Solvents:	https://www.doi.org/10.1016/j.jct.2009.07.010
Solubility and Density of 2,6-Dimethylnaphthalene in C1-C7 1-Alkanols:	https://www.doi.org/10.1021/je0342365
Solubility of carbon monoxide in bio-oil compounds:	https://www.doi.org/10.1021/je400639m
Vapor Liquid Equilibrium at p/kPa = 101.3 of the Binary Mixtures of Ethenyl Acetate with Methanol and Butan-1-ol:	https://oasischallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa
Solid–Liquid Phase Equilibrium and Thermodynamic Analysis of N,N'-Diethylthiourea in Different Solvent Systems:	https://www.doi.org/10.1021/je049967z
	https://www.doi.org/10.1016/j.jct.2016.10.030
	https://www.doi.org/10.1021/je300835h
	https://www.doi.org/10.1021/acs.jced.9b00854

Solubilities of six lithium salts in five non-aqueous solvents and in a few of their binary mixtures:	https://www.doi.org/10.1016/j.fluid.2017.12.034
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2012.03.015
Bubble point temperatures of the binary mixtures of nitrobenzene with cyclohexanol, 1-hexanol, or 1-octanol at P = 94.05 kPa:	https://www.doi.org/10.1016/j.jct.2005.08.011
Properties of pure 1,1,3,3-tetramethylguanidine imidazole ionic liquid and its binary mixtures with 1-propanol at T = (293.15 to 313.15) K:	https://www.doi.org/10.1016/j.jct.2015.04.027
Solubility of Lithium Bis(trifluoromethylsulfonyl)imide in Eight Pure Solvents and Two Binary Solvent Systems at 313.15-363.15 K:	https://www.doi.org/10.1021/acs.jced.7b00927
Solubility of cefoxitin acid in different solvent systems:	https://www.doi.org/10.1016/j.jct.2016.07.049
Liquid-liquid equilibria for ternary mixtures of methyl tert-amyl ether + methanol (or ethanol) +	https://www.doi.org/10.1016/j.fluid.2011.09.011
Solubilities of Naringin Dihydrochalcone in Pure Solvents and Binary Mixtures of	https://www.doi.org/10.1021/acs.jced.6b00543
Imidazolium-based ionic liquids at 298.15 K: Effects at Different Temperatures:	https://www.doi.org/10.1021/je7002989
Solubility of 2-Methyl-1,4-naphthoquinone in Water + (Methanol, Ethanol, 1-Propanol,	https://www.doi.org/10.1016/j.jct.2015.10.024
Thermodynamic dissolution functions of 1-propanol in 2-propanol, and	https://www.doi.org/10.1016/j.jct.2014.02.021
Ionic molar volumes in methanol, glycerol, respectively, from (293.15 to 333.15) K:	https://www.doi.org/10.1016/j.jct.2010.01.013
Volumetric properties, viscosity and refractive index of the protic ionic liquid, pyrrolidinium Carbonate in	https://www.doi.org/10.1021/je800569v
Solubility, pyrrolidinium Carbonate, in Molecular Solvents:	https://www.doi.org/10.1021/je500368p
Solubility Determination of Tris(hydroxymethyl)aminomethane in Water + Methanol Mixtures at Various	https://www.doi.org/10.1016/j.jct.2010.05.017
Measurement of activity coefficients at infinite dilution of organic solutes using a basic modifying	https://www.doi.org/10.1016/j.jct.2007.01.004
Measurement of activity coefficients at infinite dilution in 1-propyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide	https://www.doi.org/10.1021/acs.jced.6b00361
Measurements and Correlation of the Solubility of Quinoxaline in Nine Pure and Water + Ethanol Mixed	https://www.doi.org/10.1021/je500672d
Liquid-Liquid Equilibria for Ternary System Methanol + Methyl Acetate + 1-Ethyl-3-methylimidazolium	https://www.doi.org/10.1016/j.jct.2018.08.001
Solubility, modeling, solvent effect and preferential solvation of carbandazim in	https://www.doi.org/10.1021/acs.jced.8b00543
Liquid-Liquid Equilibria for Ternary Systems of (Ethyl Methyl Carbonate + Dimethyl Carbonate, or Diethyl	https://www.doi.org/10.1021/je101344v
Solubility of Ethanedioic Acid in Ethanol and 1-Propanol at 298.15, 303.15, and 308.15 K at High Pressures	https://www.doi.org/10.1016/j.fluid.2014.07.005
Effect of salt addition: inorganic salts on isobaric vapor-liquidequilibrium of	https://www.doi.org/10.1016/j.jct.2014.12.023
Solvation parameter model and thermodynamic parameters in a dicationic ionic liquid based On	https://www.doi.org/10.1021/je700633w
Solubility of Gallic Acid in Methanol, Ethanol, Water, and Ethyl Acetate:	https://www.doi.org/10.1021/je1009812
Solubilities of Phenylphosphinic Acid, Methylphenylphosphinic Acid,	https://www.doi.org/10.1016/j.jct.2012.10.002
Experimental measurements and predictions of density, viscosity, and	https://www.doi.org/10.1016/j.jct.2015.08.011
Measurements and modeling for the density of dimethoxy-2,4,4-trimethylpentane, HE for (methanol +	https://www.doi.org/10.1021/je060305e
Activity Coefficients at Infinite Dilution of Polar Solutes in	https://www.doi.org/10.1016/j.fluid.2016.05.007
Measurement and correlation of ternary liquid-liquid equilibria for methanol +	https://www.doi.org/10.1021/acs.jced.8b00555
Solubility determination and modeling of Methyl Palmitate in Binary Solvent	https://www.doi.org/10.1021/je0498412
Measurement and correlation of solubility of thiourea in two solvent	https://www.doi.org/10.1016/j.jct.2015.11.004
Experimental Measurement and Modeling of Solubility Data for	https://www.doi.org/10.1021/je500494d
Measurement of the Solubility of 2-Sulfonic Phenazine in Methanol,	https://www.doi.org/10.1021/acs.jced.9b00353
Binary and Ternary Vapor-Liquid Equilibrium for 2,3-Dimethyl-2-butene + Methanol, +	https://www.doi.org/10.1021/je034106w
Density, viscosity, and saturated vapor-pressure of ethyl trifluoroacetate:	https://www.doi.org/10.1016/j.jct.2015.02.022
Dortmund Data Bank Vapor-Liquid Equilibrium Data:	http://www.ddbst.com/en/EED/VLE/VLE%20Acetonitrile%3BAcetone%3BBenzene%3BMethan
Liquid liquid equilibrium in ternary systems N,N-dimethylformamide +	https://www.doi.org/10.1016/j.fluid.2005.09.025
Effect of mono-, di- and trimethylammonium tetrafluoroborate	https://www.doi.org/10.1016/j.fluid.2011.01.009
Excess molar volumes and partial molar volumes for propionitrile + an alkanol at	https://www.doi.org/10.1016/j.jct.2005.05.007
Solubility and Solution Thermodynamics of	https://www.doi.org/10.1021/acs.jced.9b00778
Solubilities of Piperazine Hydrochloride Hemihydrate between 286 K and 363 K:	https://www.doi.org/10.1021/je0498762
Density and surface tension of pure ionic liquid	https://www.doi.org/10.1016/j.jct.2013.04.015
1-butyl-3-methylimidazolium L-lactate and its binary mixture with alcohol and water:	

Solubility of itaconic acid in different organic solvents: Experimental measurement and thermodynamic modeling	https://www.doi.org/10.1016/j.fluid.2011.09.027
The solubility of mercaptosuccinic acid in water + (methanol, ethanol, acetone) mixtures from 278.15 to 339.15 K):	https://www.doi.org/10.1016/j.fluid.2013.11.001
Measurement and Correlation of the Solubility of Aminocaproic Acid in Some Pure and Binary Solvents:	https://www.doi.org/10.1021/acs.jced.9b00543
Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid	https://www.doi.org/10.1016/j.jct.2012.03.005
Determination and modeling of the solubility of lignin in methanol or ethanol by dynamic method	https://www.doi.org/10.1016/j.jct.2016.03.037
Thermophysical properties of binary mixtures of 1-ethyl-2-methyl imidazolium methanesulfonate + ethanol or methanol at 298.15 K	https://www.doi.org/10.1016/j.jct.2011.01.014
Solubility of Canthaxanthin in Pure Solvents from (293.15 to 343.15) K:	https://www.doi.org/10.1021/je800801x
Isobaric Vapor - Liquid Equilibrium for Ethyl acetate + Methanol + Ionic Liquids Ternary Systems at 101.3 kPa:	https://www.doi.org/10.1021/acs.jced.5b00546
Viscosity Measurements on Methanol, Acetone and Their Binary Mixtures at 101.3 kPa:	https://www.doi.org/10.1021/je050429b
Vapor and Their Evaluation:	https://www.doi.org/10.1021/je060174h
Vapor-Liquid Equilibrium for Binary Systems of Diacetyl with Methanol and Acetone	https://www.doi.org/10.1021/je800662m
Solubility of Hexamethylenetetramine in a Pure Water, Methanol, Acetic Acid, and Ethanol + Water Mixture from 293.15 K to 353.15 K:	https://www.doi.org/10.1016/j.fluid.2011.07.014
Isothermal vapor-liquid equilibria for methanol and 2,3-dimethyl-2-butene at 323.15 K, 333.15 K, 343.15 K, 353.15 K, 363.15 K, 373.15 K:	https://www.doi.org/10.1021/acs.jced.8b00560
Nicotinamide and Its Application for the Cocrystallization with Benzoic Acid:	https://www.doi.org/10.1016/j.jct.2016.01.022
Thermodynamic models for determination of the solubility of 4-(4-aminophenyl)-3-morpholinone in	https://www.doi.org/10.1016/j.jct.2005.07.018
Volumetric and compressibility behaviour of ionic liquid	https://www.doi.org/10.1016/j.fluid.2013.11.008
Solubility of 2,2-dibromo-2-nitroethanol in Pure Solvents and Binary (1,4-Dioxane + Ethyl Acetate) Mixtures with Temperatures from	https://www.doi.org/10.1016/j.jct.2017.03.004
Separation of binary mixtures hexafluorophosphate and hexafluorophosphate in organic	https://www.doi.org/10.1021/je300529j
Phases, Derivatives, and Chemicals: Solvents at T = 298.15 K:	https://www.doi.org/10.1021/je7007582
Ethylbenzene + 1-Butanol Binary Mixtures at Several Temperatures	https://www.doi.org/10.1021/acs.jced.8b01226
Vapor Liquid Equilibrium Behaviors of Activity Coefficients Oxymethylfurfural in Methyl Isobutyl Ketone + Ethanol + Water Solvent Mixtures	https://www.doi.org/10.1016/j.jct.2014.08.012
2-Methyl-2-(methylethyl)phenol in Alcohols: Solubility, Model Correlation, and Solvent Effect of	https://www.doi.org/10.1016/j.jct.2019.01.001
Thermodynamic models for determination of the solubility of 2-Amino-3-methylbenzoic Acid in 12 Pure Solvents:	https://www.doi.org/10.1016/j.fluid.2016.01.010
Effect of 1-ethyl-3-methylimidazolium tetrafluoroborate on the phase equilibria for systems containing	https://www.doi.org/10.1016/j.fluid.2010.10.005
Measurement of binary diffusion coefficient and solubility estimation for 1,1,1,2-tetrafluoroethane in organic solvent in the absence and presence of	https://www.doi.org/10.1021/je800334m
Volumetric behavior and solution microstructure of methanol-water mixture in sub- and supercritical state	https://www.doi.org/10.1021/je700497h
Solubility of Ethanol, 1-Propanol, and Diphenhydramine Hydrochloride in Organic Solvents from (278 to 323) K and 0.1 (0.1 and 10.0) MPa:	https://www.doi.org/10.1016/j.jct.2008.10.017
Solubility and solution thermodynamics of ethyl 5-amino-3-cyano-3-(2-ethoxy-2-oxoethyl)-2-thiophenecarboxylate	https://www.doi.org/10.1016/j.jct.2015.11.025
Solubility and solution thermodynamics of thiomalic acid in different	https://www.doi.org/10.1016/j.fluid.2013.05.002
Solution Thermodynamics of Benzotriazole in Different Pure Solvents:	https://www.doi.org/10.1021/acs.jced.7b01085
Solid-Liquid Equilibrium of Rebaudioside A in Pure and Binary Mixed Solvents at T = (288.15 to 328.15) K:	https://www.doi.org/10.1021/acs.jced.8b00780
Ternary liquid-liquid equilibria of bis(trifluoromethylsulfonyl)-amide	https://www.doi.org/10.1016/j.jct.2013.09.018
Thermodynamic properties of 1-butyl-2,3-dimethylimidazolium	https://www.doi.org/10.1016/j.fluid.2012.01.018
Solubility Modeling and Solvent Effects of Allopurinol in 15 Neat Solvents:	https://www.doi.org/10.1016/j.jct.2016.10.017
Volumetric Properties of Binary Mixtures of 2,4,6-Trimethylpyridine with	https://www.doi.org/10.1021/acs.jced.8b00430
Determination and correlation of solubility and solution thermodynamics	https://www.doi.org/10.1007/s10765-011-1149-x
Solubilities of Intermediates and Products of Ibuprofen in Binary Solvents:	https://www.doi.org/10.1016/j.jct.2015.11.007
Exploration of Solvation Consequence of Ionic Liquid [Bu4PC4H3SO3]in	https://www.doi.org/10.1021/je700297c
Volumetric Properties of the Binary Methanol + Chloroform and Ternary Methanol + Chloroform + Benzene	https://www.doi.org/10.1021/acs.jced.5b00670
Solubility of Dimethyl Fumarate in Eight Pure Solvents at Temperatures from (278.15 to 323.15) K:	https://www.doi.org/10.1021/je060441j
Volumetric Properties of Binary Mixtures of Ethanol + Water at T = (288.15, 293.15, 298.15, 303.15, 308.15, and 313.15) K:	https://www.doi.org/10.1021/je2000292
Solubility and solution thermodynamics of 5-Methoxyindole-2-carboxylic Acid in Different Solvents at Temperatures	https://www.doi.org/10.1021/acs.jced.6b01058
Activity coefficients at infinite dilution of organic solutes in the ionic liquid trihexyl(tetradecyl)phosphonium tetrafluoroborate using gas liquid chromatography at T = (313.15, 333.15, 353.15, and 373.15) K:	https://www.doi.org/10.1016/j.jct.2010.12.005

Isobaric Vapor Liquid Equilibria for Two Binary Systems {Propylene Glycol Methyl Ether Acetate + Methanol) and {Propylene Glycol Methyl Ether Acetate + 2-Propanol} at 30.0 kPa	https://www.doi.org/10.1021/acs.jced.6b01071
Solubilities of Sulfadiazine in Methanol, Ethanol, 1-Propanol, 2-Propanol, 1-Butanol, 2-Butanol, Ethyl Acetate, and N,N-Dimethylformamide from 283.15 to 323.15 K	https://www.doi.org/10.1021/je900742p
Solubility of Cefazolin Sodium Pentahydrate in Different Solvents between 275.15 and 310.15 K	https://www.doi.org/10.1021/je050242k
Solubility of Ammonia in Methanol, Ethanol, Dimethyl Sulfoxide, and Their Binary Mixtures between 275 K and 310 K	https://www.doi.org/10.1021/je800991v
Effects of Concentration, Temperature, and Solvent Composition on the Partial Molar Volumes of Sodium Lauryl Sulfate in Water + Methanol Mixed Solvent Media	https://www.doi.org/10.1021/je2003622
Measurement and correlation of solubility and dissolution properties of thermodynamics and activity coefficients at infinite dilution for organic compounds in the ionic liquid 1-Hexyl-3-methylimidazolium chloride:	https://www.doi.org/10.1016/j.fluid.2015.06.026
Thermodynamics and activity coefficients at infinite dilution for pure and binary solvents	https://www.doi.org/10.1016/j.jct.2018.08.028
Effect of Dissolved Salts on the Enthalpy of Mixing of the Methanol + Formic Acid System at 308.15 K.	https://www.doi.org/10.1021/je800568m
Measurement and correlation of the solubility of 3,4-bis(3-nitrofurazan-4-yl)furoxan (BNFF) in Different Solvents	https://www.doi.org/10.1016/j.jct.2015.06.003
Liquid-Liquid Equilibria of Binary and Ternary Systems Methanol/Water + Tailor-made ionic liquids:	https://www.doi.org/10.1021/acs.jced.6b00022
n-Hexane, + n-Octane, + n-Dodecane, and + n-Hexadecane in the	https://www.doi.org/10.1016/j.jct.2005.04.013
Solubility of o-Phthalic Acid in Methanol + Water and Methanol + Butyl Acetate from 295.87 to 353.15 K:	https://www.doi.org/10.1021/je0600505
Temperature Range between T = 283.15 K and T = 333.15 K. Binary and Ternary Mixtures Containing Diphenyl Carbonate.	https://www.doi.org/10.1021/je101199g
Solubility of Phenanthrene in Binary Mixtures of C1-C4 Alcohols at 298.2 K:	https://www.doi.org/10.1021/je900599q
Isobaric Vapor Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Octyl-3-methylimidazolium Tetrafluoroborate:	https://www.doi.org/10.1021/je2005402
Activity Coefficients at Infinite Dilution of Organic Compounds in Four New Imidazolium-Based Ionic Liquids:	https://www.doi.org/10.1021/je200195q
Measurement and activity coefficients at infinite dilution of organic solutes in 1-butyl-3-methylimidazolium hydrogen sulfate ionic liquid	https://www.doi.org/10.1016/j.jct.2012.08.022
Experimental measurement and modeling of solubility of LiBr and 1-Methyl-3-butylvinylimidazolium	https://www.doi.org/10.1016/j.fluid.2011.03.017
Experimental isobaric vapour-liquid equilibrium data for the binary system ethanol + 2-methoxyethanol and correlation of	https://www.doi.org/10.1016/j.jct.2019.05.005
N,N-dimethyl acetamide + dimethyl sulfoxide) and the quaternary system	https://www.doi.org/10.1021/acs.jced.7b00982
Carbazole in Solvent Mixtures of Methanol + 2-Butanol, + 2-Methyl-1-propanol, + tert-Butyl Alcohol, + Methyl Acetate, + Ethyl Acetate, + Butyl Acetate, + Isobutyl Acetate, + Methyl Propionate, + Ethyl Propionate, and + Butyl Propionate from 298.15 K to 333.15 K.	https://www.doi.org/10.1021/je500787x
Excess Molar Enthalpies of Binary Mixtures Containing Ethyl Acetate + Methanol, + Ethanol, + 1-Propanol, and + 2-Propanol at T = 298.15 K	https://www.doi.org/10.1021/je1006482
Solubility in binary solvent mixtures: Determination and correlation of Solubility of Flubiprofen in CO2 and CO2 + Methanol:	https://www.doi.org/10.1016/j.tca.2012.10.023
Thermodynamics and selectivity of separation based on activity coefficients at infinite dilution of	https://www.doi.org/10.1016/j.fluid.2015.03.022
Measurement of (vapor + liquid) equilibrium for the systems {methanol + 1-Butyl-3-methylimidazolium	https://www.doi.org/10.1016/j.jct.2016.06.028
Isothermal Vapor-Liquid Equilibrium Data for the System Methanol +	https://www.doi.org/10.1016/j.jct.2012.05.002
Experimental Measurements of Vapor-Liquid Equilibrium Data for the Binary	https://www.doi.org/10.1021/je700184q
Solubility of Ammonium Bicarbonate at	https://www.doi.org/10.1021/je400226q
Measurement of Methanol Partition Coefficient in Systems of Methanol + 2-Butyl Acetate,	https://www.doi.org/10.1021/acs.jced.8b00182
2-Butyl Acetate + 2-Butyl Acetate, and	https://www.doi.org/10.1016/j.jct.2009.06.007
Physical and excess properties of Methyl Acetate + 2-Butyl Acetate at	https://www.doi.org/10.1016/j.fluid.2008.06.022
Isobaric vapor-liquid equilibria of 1-propoxy-2-propanol mixtures	https://www.doi.org/10.1021/acs.jced.6b00464
Measurement and Modeling of Solid-Liquid Equilibrium of	https://www.doi.org/10.1016/j.jct.2016.07.017
Separation of Butylbenzoic Acid in Acetic Acid/Methanol + Water and Acetic Acids	https://www.doi.org/10.1016/j.jct.2013.08.023
+ para-tert-Butyltoluene Binary	https://www.doi.org/10.1016/j.fluid.2005.10.010
Solubility of 1,3-dioxaphosphorinane, 5,5-dimethyl-2-[(4-methylphenyl)amino]-, 2-oxide in Selected Solvents:	https://www.doi.org/10.1016/j.jct.2016.01.003
Solubilities and Dissolution Thermodynamic Properties of 4-Chloro-N-(2-methoxy-5-sulfamoylphenyl)-3-nitrobenzamide in Pure and Binary Mixtures of 1,4-Dioxane + Methanol at T = (298.15 to 323.15) K: Determination and	https://www.doi.org/10.1016/j.jct.2005.01.004
Liquid-Liquid Equilibrium for Ternary Systems, Water +	https://www.doi.org/10.1021/acs.jced.8b00120
Solubility of 1,3-Dihydroxymethylfurfural + (1-Butanol, 2-Butanol, 1-Pentanol, and 1-Hexanol) at	https://www.doi.org/10.1016/j.fluid.2013.09.023
Partial Molar Volumes and Viscosity of Tetrabutylammonium Bromide in Selected Solvents:	https://www.doi.org/10.1021/je200145r
Solubilities and Thermodynamic Properties of Chloramphenicol in Pure and Binary Mixtures of 1,4-Dioxane + Methanol at T = (298.15 to 313.15) K	https://www.doi.org/10.1021/je900328c
Supercritical CO2 in the Presence and Absence of Cosolvents: Measurement and Correlation of Binary Mixtures of 1,4-Dioxane + Methanol at T = (298.15, 303.15, 308.15, and 313.15) K: A new semi-empirical model for correlating the solubilities of solids in supercritical carbon dioxide with cosolvents:	https://www.doi.org/10.1016/j.fluid.2011.08.021

(Liquid + liquid) equilibria for ternary mixtures of (methanol or ethanol + toluene or n-xylene + n-dodecane)	https://www.doi.org/10.1016/j.jct.2005.04.004
Determination of Ternary Vapor–Liquid Equilibrium of Dimethyl Oxalate Methanol 1,2-Butanediol under Atmosphere Pressure	https://www.doi.org/10.1021/acs.jced.8b00918
Absorption of CO2 with methanol and ionic liquid mixture at low temperatures.	https://www.doi.org/10.1016/j.fluid.2015.02.002
Thermodynamic Functions for the Solubility of 3-Nitrobenzonitrile in 12 Organic Solvents from T = (278.15 to 308.15K.	https://www.doi.org/10.1021/acs.jced.7b00615
High pressure densities and derived volumetric properties (excess, apparent, and partial molar volumes) of [BMIM][BF4] + (1,4-dioxane or 1,3-dioxolane) + methanol system at temperatures from (313.15 to 353.15) K and pressures from (0.1 to 29) MPa.	https://www.doi.org/10.1016/j.jct.2008.05.005
Viscous synergy and antagonism and isentropic compressibility of ternary mixtures of methanol + 1,3-dioxolane + water and monoalkanols at 303.15K.	https://www.doi.org/10.1016/j.fluid.2006.02.023
Densities and Excess Volumes of 1,3-Dialkylimidazolium Methylsulfate + Methanol System at Temperatures from (313.13 to 353.19) K and Pressures from (0.1 to 29) MPa.	https://www.doi.org/10.1021/je700188w
Methanol + 2-Propanol + Dimethyl Carbonate at 101.32 kPa: Experimental Vapor−Liquid Equilibrium Data and Binary Systems at 101.32 kPa.	https://www.doi.org/10.1021/je060476j
Activity coefficient at infinite dilution measurements for organic solutes in 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide at T = (298.15 to 328.15) K.	https://www.doi.org/10.1016/j.jct.2019.01.004
Activity coefficients at infinite dilution measurements for organic solutes and water in the ionic liquid 1-methyl-1-propylpiperidinium bis(trifluoromethylsulfonyl)imide at T = (298.15 to 328.15) K.	https://www.doi.org/10.1016/j.jct.2012.06.009
Isothermal partial ternary phase diagrams of methanol/sodium (methylsulphonium bis(trifluoromethylsulfonyl)imide.	https://www.doi.org/10.1016/j.jct.2008.12.005
Viscosity, Density, Speed of Sound, and Refractive Index of Water and Their Binary Mixtures at Several Temperatures.	https://www.doi.org/10.1016/j.tca.2010.10.012
Solubility of Solvent + Ionic Liquid Mixtures: Experimental Data and Predictions for Synthesized Diagrams: 4-Bromophenol + 1-Butyl-3-methylimidazolium Hexafluorophosphate at 298.15 K.	https://www.doi.org/10.1021/je700338t
Solubility of chlorophos in different solvents:	https://www.doi.org/10.1021/je060329l
Solubility of 11r-Hydroxy-16r,17r-Epoxyprogesterone in Different Solvents between 283 K and 323 K.	https://www.doi.org/10.1016/j.fluid.2012.06.010
Measurement and correlation of solubility of boscalid with thermodynamic analysis in pure and mixed solvents from 288.15 to 313.15 K.	https://www.doi.org/10.1021/je0495435
Measurements of activity coefficients at infinite dilution of organic solutes in 1-methyl-2-pyrrolidone, dimethyl formamide and dimethyl sulfoxide at 298.15 K.	https://www.doi.org/10.1016/j.jct.2017.04.017
Solubility and Solution Thermodynamics of 4-Chloro-3-nitrobenzamide in Different Solvents at Temperatures from 278.15 to 323.15 K.	https://www.doi.org/10.1016/j.jct.2018.02.002
Measurements of activity coefficients at infinite dilution of organic solutes in 1-methyl-2-pyrrolidone, dimethyl formamide and dimethyl sulfoxide at 298.15 K.	https://www.doi.org/10.1016/j.jct.2010.10.026
Solubility and Solution Thermodynamics of 4-Chloro-3-nitrobenzamide in Different Solvents at Temperatures from 278.15 to 323.15 K.	https://www.doi.org/10.1021/acs.jced.8b01250
Measurements of activity coefficients at infinite dilution of organic solutes in 1-methyl-2-pyrrolidone, dimethyl formamide and dimethyl sulfoxide at 298.15 K.	https://www.doi.org/10.1016/j.jct.2010.11.014
Solubility of Solvent + Ionic Liquid Mixtures: Experimental Data and Predictions for Synthesized Diagrams: 4-Bromophenol + 1-Butyl-3-methylimidazolium Hexafluorophosphate at 298.15 K.	https://www.doi.org/10.1021/je700313j
Thermodynamic models for determination of solubility of 5-chloro-N-phenylphthalimide in different monohydric alcohols.	https://www.doi.org/10.1016/j.jct.2016.04.007
Binary Solid–Liquid Equilibria for Ternary Systems of Water + Monohydric Alcohols (Methanol, Ethanol, 1-Propanol, or 2-Propanol) + Dibenzyl Ether (DBE) at 298.15 K: Solubility, Solvent Effect, and Preferential Solvation.	https://www.doi.org/10.1021/acs.jced.5b00803
Solubility of Oxacillin Sodium in Different Binary Solvents:	https://www.doi.org/10.1021/je800446c
Excess Molar Volumes of 1,3-Diethyl Propanedioate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-2-ol, 2-Methylpropan-1-ol, and Pentan-1-ol at T = (288.15, 298.15, 308.15, and 318.15) K and Atmospheric Pressure.	https://www.doi.org/10.1021/je800164w
Solubility of Pimelic Acid in Ethanol + Water Binary Systems Dimethyl Disulfide + C1 C4 n-Alkanol at 40.000 and 101.325 kPa	https://www.doi.org/10.1021/je800730k
Solubility and Crystal Size of Sirolimus in Different Organic Solvents:	https://www.doi.org/10.1021/je100100n
Isobaric vapor–liquid equilibrium for methanol + methyl acetate with ionic liquids [C4mim][Tf2N] and [C6mim][Tf2N] as entrainers at 101.3 kPa.	https://www.doi.org/10.1021/je900629v
Study on the Solubilities of Monomino Substituted Products of Nitrobenzene Chlorate in Gas Liquid Chromatography and in Several Solvent at Temperatures between 283.15 and 331.75 K.	https://www.doi.org/10.1021/acs.jced.7b00078
Solubility of Methimazolium Nitrate in Five Binary Solvents: Measurement and Modeling	https://www.doi.org/10.1021/acs.jced.5b00714
Solubility and Crystal Size of Sirolimus in Different Organic Solvents:	https://www.doi.org/10.1021/je100626x
Isobaric vapor–liquid equilibrium for methanol + methyl acetate with ionic liquids [C4mim][Tf2N] and [C6mim][Tf2N] as entrainers at 101.3 kPa.	https://www.doi.org/10.1016/j.fluid.2018.05.031
Study on the Solubilities of Monomino Substituted Products of Nitrobenzene Chlorate in Gas Liquid Chromatography and in Several Solvent at Temperatures between 283.15 and 331.75 K.	https://www.doi.org/10.1021/je700560s
Solubility of Methimazolium Nitrate in Five Binary Solvents: Measurement and Modeling	https://www.doi.org/10.1021/acs.jced.7b00431
Measurement and correlation of solubility of vinyl acetate system, and in five binary subsystems: Ic in pure and mixed solvents.	https://www.doi.org/10.1021/je200050q
Solubility of Methimazolium Nitrate in Five Binary Solvents: Measurement and Modeling	https://www.doi.org/10.1021/acs.jced.9b00097
Solvent Mixtures: Experimental Measurement, Thermodynamic Modeling, and Preferential Solvation Analysis.	https://www.doi.org/10.1016/j.fluid.2006.06.005
Measurement and correlation of quaternary water + methanol + acetic acid + methyl acetate system, and in five binary subsystems: Ic in pure and mixed solvents.	https://www.doi.org/10.1016/j.jct.2019.01.015
Density, dynamic viscosity and derived properties of binary mixtures of methanol or ethanol with water, ethyl acetate and methyl acetate at T = (293.15, 298.15 and 303.15) K.	https://www.doi.org/10.1016/j.jct.2007.05.004
Solubility of 4-Aminobenzamide in Different Pure Solvents:	https://www.doi.org/10.1016/j.fluid.2005.07.002
High selective water/butan-1-ol separation on investigation of limiting activity coefficients with [P8,8,8,8][[NTf2] ionic liquid:	https://www.doi.org/10.1021/acs.jced.8b01144
	https://www.doi.org/10.1016/j.fluid.2017.06.001

Isobaric vapor-liquid equilibrium for methanol + methyl ethyl ketone + bis(trifluoromethylsulfonyl)imide-based ionic liquids at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2016.06.048
Osmotic and activity coefficients in the binary solutions of 1-butyl-3-methylimidazolium chloride and bromide in methanol or ethanol at 298.15 K from isopiestic measurements:	https://www.doi.org/10.1016/j.jct.2011.06.018
Solubility of 2,6-Diamino-3,5-dinitropyridine and Its Isomer in Methanol at 278.15−323.15 K:	https://www.doi.org/10.1021/je900367v
Measurement and Correlation of Solubility of Formamide, Dimethylsulfoxide, Ethanol, and Water + Ethanol Mixtures at Various Temperatures:	https://www.doi.org/10.1021/je101351w
Solubility of Nitrofurazone in Dimethylsulfoxide, Ethanol, and Water + Ethanol Mixtures at Various Temperatures:	https://www.doi.org/10.1021/acs.jced.7b01134
Solubility of Syringic Acid in Eight Pure and Water + Methanol Mixed Solvents:	https://www.doi.org/10.1021/acs.jced.7b00333
Ternary Mixtures of Hexane + Methanol, Hexane + Carbon Dioxide, Methanol + Carbon Dioxide and Hexane + Carbon Dioxide: Methanol Influence of Some Ionic Liquids Containing the [emim][Tf2N] Anion on Liquid−Liquid Equilibria of the Acetone + Methanol System:	https://www.doi.org/10.1021/je034127q
Solubility of Dicationic Ionic Liquid Containing Bromide Anion in Pure and Binary Solvent Mixtures of Methanol, Ethanol, and Water at Various Temperatures:	https://www.doi.org/10.1021/je200305n
Isobaric vapor−liquid equilibria for mixtures containing water, methanol, fatty acid methyl esters, and glycerol:	https://www.doi.org/10.1016/j.fluid.2010.10.010
D-(-)-p-Hydroxyphenylglycine Dane Salt in Mixtures of Methanol and Ethanol:	https://www.doi.org/10.1021/je060294p
	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=817
Using binary mixtures of dicationic ionic liquids for determination of activity coefficients at infinite dilution by gas-liquid chromatography:	https://www.doi.org/10.1016/j.fluid.2013.05.038
Measurement of activity coefficients at infinite dilution using polar and non-polar solutes in the ionic liquid Tetrahydrofuran + Methanol + [HMIM][MeSO4]:	https://www.doi.org/10.1016/j.jct.2005.07.003
Vapor−Liquid Equilibrium for Methyl Propanoate + Methanol + 1-Ethyl-3-methylimidazolium Ethylsulfate at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2013.09.060
Partial Molar Volumes of Ionic Liquids at Infinite Dilution in Single Solvents at 298.15 K and in Binary Solvent Mixtures at 298.15 K:	https://www.doi.org/10.1021/je900542y
Solubility of Theobromine, Theophylline, and Caffeine in Water and Organic Solvents at Various Temperatures:	https://www.doi.org/10.1021/acs.jced.7b00065
Vapor−Liquid Equilibrium for the cis-2-Butene + Methanol + 2-Propanol, Isobaric vapor−liquid equilibria for systems composed by 2-methyl-2-propanol + 2-ethoxy-2-methylbutane, methanol or ethanol and water at 101.3 kPa:	https://www.doi.org/10.1021/je800088e
Solubilities of Salicylic Acid in Pure Solvents and Binary Mixtures Containing Cosolvent:	https://www.doi.org/10.1016/j.fluid.2005.04.003
Vapor−liquid equilibrium and excess properties of the binary mixtures formed by ethyl isobutyrate and 1-alkanols:	https://www.doi.org/10.1021/je800475d
Solubility measurement and thermodynamic functions of dehydroepiandrosterone acetate in 2-Amino-6-chloropurine and Twelve Solubilities of Phloretin in 12 Solvents at Different Temperatures:	https://www.doi.org/10.1016/j.jct.2019.105884
Measurement and Correlation of the Solubility of Dienogest in Twelve Pure and Water + Methanol Binary Solvents at Temperatures from 273.15 to 318.15 K:	https://www.doi.org/10.1016/j.jct.2016.01.023
Solubility Modeling and Solvent Effect of 2-Amino-6-chloropurine and Twelve Solubilities of Phloretin in 12 Solvents at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.8b01014
Measurement and Correlation of the Solubility of Dienogest in Twelve Pure and Water + Methanol Binary Solvents at Temperatures from 273.15 to 318.15 K:	https://www.doi.org/10.1021/je101168w
Solubility evaluation and thermodynamic modeling of fully automated apparatus for determining solubility at different temperature and pressure	https://www.doi.org/10.1021/acs.jced.9b00696
Solubility of Diflorasone Diacetate in Methanol, Ethanol, and Isopropanol from (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.fluid.2018.05.005
Solubility and thermodynamic functions of tebuconazole in nine organic solvents from T = (278.15 to 318.15) K and mixing properties of solutions:	https://www.doi.org/10.1016/j.jct.2016.09.022
Density, Viscosity, and Refractive Index Properties for the Binary Mixtures of Quinoline + 1-Butyl-3-methylimidazolium Tetrafluoroborate, in Organic Solvents at 298.15 K:	https://www.doi.org/10.1021/je800742d
Isobaric Vapor−Liquid Equilibrium for Two Binary Systems (Methanol + Dibutyl Carbonate and (n-Butanol + Dibutyl Carbonate) at p = 40.0, 70.0, and 100.0 kPa:	https://www.doi.org/10.1016/j.jct.2016.11.032
Solubility Determination and Modelling of 4-nitro-1,2-phenylenediamine in Cosolvent Mixtures of Methanol, Ethanol, Isopropanol, and Transcutol + Water at Different Temperatures:	https://www.doi.org/10.1021/je200707b
Solubility of Quetiapine Fumarate in Different Solvents: Measurement and Correlation at Various Temperatures and Thermodynamic Properties of Solutions:	https://www.doi.org/10.1007/s10765-008-0395-z
Solubility of 3-Hydroxy-2-naphthoic Acid in Ten Pure and Binary Mixed Organic Solvents from T = 293.15 to 353.15 K:	https://www.doi.org/10.1021/acs.jced.6b00517
Solubility Measurement and Correlation of Fosfomycin Sodium in Six Organic Solvents and Different Binary Solvent Mixtures from 283.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.8b00719
Solubility of Quetiapine Fumarate in Solubility and Dissolution Two Aqueous Binary Solvents:	https://www.doi.org/10.1016/j.jct.2016.11.014
Experimental solubility evaluation and thermodynamic analysis of biologically Solubility of Quetiapine Fumarate in Solubility and Dissolution Two Aqueous Binary Solvents:	https://www.doi.org/10.1021/je900462z
Solubility Measurement and Correlation of 2,6-Diamino-3,5-dinitropyridine-1-oxide in Different Solvents at Temperatures between 283.15 and 328.15 K:	https://www.doi.org/10.1021/acs.jced.8b00578
Solubility and dissolution characteristics of capecitabine in pure lower alcohols and water with methanol Solubility of Quetiapine Fumarate in Solubility and Dissolution Two Aqueous Binary Solvents:	https://www.doi.org/10.1021/acs.jced.7b00638
Vapour-Liquid equilibrium for the systems butane + methanol, butane + 2-methyl-2-propanol and butane + methanol + 2-methyl-2-propanol at 364.5K:	https://www.doi.org/10.1021/acs.jced.7b00518
Isobaric ternary vapour-liquid equilibrium of methanol (1) + 2-butanol (2) + isopropyl acetate (3) along with methanol + isopropyl alcohol binary data at atmospheric and sub-atmospheric pressures:	https://www.doi.org/10.1016/j.fluid.2017.12.024
Measurement and correlation of solubility and thermodynamic analysis of 2-amino-4-chloro-6-methoxypyrimidine in aqueous mixtures and modelling by cubic EOS mixing rules:	https://www.doi.org/10.1016/j.jct.2018.08.018
Vapour-liquid equilibrium for the systems butane + methanol, butane + 2-methyl-2-propanol and butane + methanol + 2-methyl-2-propanol at 364.5K:	https://www.doi.org/10.1016/j.fluid.2007.02.028
Determination and correlation of solubility and thermodynamic properties of 2-Amino-6-chloropurine in 12 pure solvents at temperatures between 283.15 and 323.15 K:	https://www.doi.org/10.1016/j.fluid.2015.07.023
Effect of temperature on the excess molar volumes of acetonitrile + propanol mixtures and modelling by cubic EOS mixing rules:	https://www.doi.org/10.1016/j.jct.2016.07.014
	https://www.doi.org/10.1016/j.fluid.2005.10.022

Determination and correlation of solubility and solution thermodynamics of etherzamide in different pure solvents:	https://www.doi.org/10.1016/j.fluid.2016.08.019
Thermodynamic Properties of Mixtures Containing Ionic Liquids. 8. Activity Coefficients at Infinite Dilution of Hydrocarbons, Alcohols, Esters, and Water in 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je0503554
Measurement and Correlation of the Solubility of Pyrimethanil in Seven Monosolvents and Two Different Binary Mixed Solvents from 283.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.8b00124
Liquid–Liquid Equilibrium Data for Systems Containing 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide and Alkanols:	https://www.doi.org/10.1021/acs.jced.7b00119
Thermodynamic Properties of Polymorphs of 2,2-Dichloroethylene Sulfate:	https://www.doi.org/10.1021/je500869p
Solubility of Lumefantrine in Bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:	https://www.doi.org/10.1016/j.fluid.2011.08.029
Solubility Data and Thermodynamic Correlation of Isoniazid in Different Pure Solvents and Different Binary Mixtures from 288.15 to 318.15 K:	https://www.doi.org/10.1016/j.fluid.2018.01.008
Ternary liquid–liquid equilibrium of an azeotropic mixture (hexane + methanol) with different imidazolium-based ionic liquids at T = 298.15 K and 101.325 kPa:	https://www.doi.org/10.1021/je7003947
Vapor–Liquid Equilibrium for Butane + Methanol + Ethanol + 2-Propanol + 2-Butanol, Data Reconciliation and Correlation:	https://www.doi.org/10.1021/acs.jced.9b00385
Solubility Determination, Correlation and Solute–Solvent Molecular Interaction Prediction of 5-Aminotetrazole in Various Pure Solvents:	https://www.doi.org/10.1021/je050509f
Molar Volumes and Viscosities of Aqueous Solutions of ZnCl2 in CH3OH:	https://www.doi.org/10.1021/je500606d
Isobaric Vapor Liquid Equilibria for the Binary and Ternary Systems of Methanol, Epichlorohydrin, and Glycerol Dimethyl Ether at 101.3 kPa:	https://www.doi.org/10.1016/j.fluid.2012.04.008
Measurement and Correlation of the Solubility of 1-Hydroxyethyl-3-methylimidazolium Diethylphosphate using Gas Liquid Chromatography and Mixed Solvents Model:	https://www.doi.org/10.1021/acs.jced.8b01062
Solubility of Mifepristone in Eight Pure and Binary Solvent Mixtures at T = (278.15 to 318.15) K:	https://www.doi.org/10.1021/acs.jced.5b01000
Measurement and Correlation of the Solubility of 1,1-Dimethylacetamide in Methanol and Ethanol:	https://www.doi.org/10.1021/je501111d
4,4′-Diaminodiphenylmethane in Different Solvents:	https://www.doi.org/10.1016/j.jct.2010.10.014
Solubility of Paracetamol in Seven Different Pure Solvents from (283.15 to 323.15) K:	https://www.doi.org/10.1021/je800515w
Solubility of Rofecoxib in the Presence of Methanol, Ethanol, and Sodium Lauryl Sulfate at (298.15, 308.15, and 318.15) K:	https://www.doi.org/10.1021/je020213z
Solubility of L-Phosphinothricin and Its Hydrochloride in Water + (Methanol and Ethanol) Binary Solvent Mixtures from 278.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.9b00004
Solubility of D/L-p-Hydroxyphenylglycine Dane Salt in Eight Alcohol Solvent (298 and 343 K):	https://www.doi.org/10.1021/je800506q
Solubility of Pure and Binary Solvent Systems:	https://www.doi.org/10.1021/acs.jced.8b00632
Activity coefficients at infinite dilution of organic solutes in the ionic liquid trihexyltetradecylphosphonium bis(2,4,4-trimethylpentyl)phosphinate using gas–liquid chromatography:	https://www.doi.org/10.1016/j.jct.2013.05.030
Equilibrium solubility, solvent effect and preferential solvation of Imatinib Mesylate in Nine Monosolvents and Two Binary Solvent Mixtures from 278.15 to 318.15 K:	https://www.doi.org/10.1016/j.jct.2018.09.008
Dynamic Viscosities of (1,4-Dioxane + Methanol and 1,4-Dioxane + Ethanol at Temperatures between (293.15 and 313.15) K and Pressures up to 1 MPa:	https://www.doi.org/10.1021/je049808f
Measurement and Correlation of the Solubility of Marbofloxacin in 12 Pure Solvents from 283.15 to 328.15 K:	https://www.doi.org/10.1021/acs.jced.8b00551
On the Solubility of Carbon Dioxide in Binary Water Methanol Mixtures:	https://www.doi.org/10.1021/je050146j
Determination of Activity Coefficients at Infinite Dilution of 35 Solutes in the Ionic Liquid 1-Butyl-3-methylimidazolium Tosylate, Using Gas–Liquid Chromatography:	https://www.doi.org/10.1021/acs.jced.9b00490
Thermodynamic properties of a CO2-rich mixture (CO2 + CH3OH) in the critical region:	https://www.doi.org/10.1021/je300332b
Solubility and Thermodynamic Modeling of Dimethyl Terephthalate in Various Solvents at Various Temperatures:	https://www.doi.org/10.1021/je100410k
Solubility of Erythromycin Sodium in Various Solvents at Various Temperatures:	https://www.doi.org/10.1016/j.jct.2016.03.026
Determination and correlation of solubilities of 5,12-bis(2-oxo-3-oxazolidinyl)-10,12-dioxophosphacyclohexyl-2-imine) benzene in selected solvents:	https://www.doi.org/10.1021/acs.jced.9b00658
Solid–liquid equilibrium data for the binary system methacrylic acid + methanol in the high methacrylic acid concentration range:	https://www.doi.org/10.1021/je8005826
Thermodynamic Investigation of Uracil and Its Halo Derivatives. Enthalpies of Solution and Solvation in Methanol:	https://www.doi.org/10.1016/j.fluid.2013.09.058
Solubility in Various Solvents at Different Temperatures:	https://www.doi.org/10.1016/j.fluid.2013.03.028
Measurement and Correlation of the Solubility of L-Carnitine in Different Pure Solvents and Ethanol Acetone Solvent Mixtures:	https://www.doi.org/10.1016/j.fluid.2011.09.002
Temperature dependent solubility of sodium cyclamate in selected pure solvents and binary methanol + water mixtures:	https://www.doi.org/10.1021/je049656o
Gas–liquid chromatography measurements of activity coefficients at infinite dilution of various organic solutes and water in trihexyltetradecylphosphonium bis(2,4,4-trimethylpentyl)phosphinate ionic liquid:	https://www.doi.org/10.1021/je4010257
Solubility of Fluconazole in Methanol:	https://www.doi.org/10.1021/je500078n
Solubilities of povidone in twelve organic solvents from T = (283.2 to 328.2) K at the temperature on the physical properties of the pure ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate and characterization of its binary mixtures with alcohols:	https://www.doi.org/10.1016/j.fluid.2015.01.012
Gas–liquid chromatography measurements of activity coefficients at infinite dilution of various organic solutes and water in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide ionic liquid:	https://www.doi.org/10.1016/j.jct.2010.01.004
Solubility of Ibrutinib in Pure and Binary Solvent Mixtures:	https://www.doi.org/10.1016/j.jct.2012.11.021
Experimental and theoretically study of interaction between organic compounds and trioxomethanide based ionic liquids:	https://www.doi.org/10.1016/j.jct.2014.01.030
	https://www.doi.org/10.1016/j.jct.2014.12.027

A novel static analytical apparatus for phase equilibrium measurements:	https://www.doi.org/10.1016/j.fluid.2012.11.008
Solubility and Solvent Effect of 1-(2-Bromo-phenyl)-pyrrole-2,5-dione in 14 Pure Solvents from 278.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.9b00560
Phase behavior of (CO2 + methanol + lauric acid) system:	https://www.doi.org/10.1016/j.jct.2011.02.017
Vapor pressure measurement for binary and ternary systems containing a phosphonic ionic liquid:	https://www.doi.org/10.1016/j.fluid.2006.07.007
Apparent molar volumes and compressibilities of alkaline earth metal ions in methanol and dimethylsulfoxide:	https://www.doi.org/10.1016/j.jct.2010.04.013
Solid–Liquid Equilibria of N-Methylephedrine Enantiomers and Their Mixtures in Two Chiral Ionic Liquids:	https://www.doi.org/10.1021/acs.jced.8b01245
Experimental Measurement and Correlation of Solubility Data and Thermodynamic Properties of Protocatechuic Acid in Four Organic Solvents:	https://www.doi.org/10.1021/je500519y
Diffusion Coefficients of 1-Alkyl-3-methylimidazolium Ionic Liquids in Water, Methanol, and Chloroform:	https://www.doi.org/10.1021/je800817b
Measurement and Correlation of the Solubilities of m-Phthalic Acid in Water, Methanol, and Monobasic alcohols:	https://www.doi.org/10.1021/je800520w
Solubility at Infinite Dilution: Effect of Organic Cosolvents on the Solubility of Ionic Liquids in Supercritical CO2:	https://www.doi.org/10.1021/je034286+
Henry's Law Constants of Organic Compounds in Water and n-Octane at T = 293.2 K:	https://www.doi.org/10.1021/je900711h
Measurement and correlation of solubility of 4-chloro-2,5-dimethoxynitrobenzene and 4-chloro-2,5-dimethoxyaniline in Methanol, ethanol, xylene and toluene:	https://www.doi.org/10.1016/j.jct.2014.09.003
Measurement of Diffusion Coefficients in Thermodynamically Nonideal Systems Using a Taylor Dispersion Technique:	https://www.doi.org/10.1021/je0497303
Determination and Correlation of Solubility Data and Dissolution Thermodynamic Data of l-Lactide in Different Pure Solvents:	https://www.doi.org/10.1021/je301014d
Solubility of Toltrazuril and the Effect of Cosolvent:	https://www.doi.org/10.1021/acs.jced.8b00581
Measurement and correlation of isobaric vapor-liquid equilibria of Methanol + tetrahydrofuran + 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide at different temperatures:	https://www.doi.org/10.1016/j.fluid.2016.04.012
Isothermal (vapour + liquid) equilibria for the binary mixtures of (propylene oxide + methanol or ethanol or 1-propanol or 2-propanol) at several temperatures:	https://www.doi.org/10.1016/j.jct.2015.02.006
Measurement and correlation of solubility of Maltitol in Different Pure Solvents and Binary Solvent Mixtures:	https://www.doi.org/10.1016/j.fluid.2017.09.005
Measurement and Correlation of the Solubility of Maltitol in Different Pure Solvents and Binary Solvent Mixtures at Temperatures from 278.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.5b00565
Measurements of activity coefficients at infinite dilution of aromatic and aliphatic hydrocarbons, alcohols, and water in the new ionic liquid [EMIM][SCN] using GLC:	https://www.doi.org/10.1016/j.jct.2008.01.004
Vapor Pressure Measurements of Binary Liquid Solutions at Different Temperatures:	https://www.doi.org/10.1021/je034197x
Gas solubilities of carbon dioxide in ethanol and some new data at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2017.12.004
Investigation of surface tension and viscosity for aqueous solutions of MEA+MeOH and DEA+MeOH:	https://www.doi.org/10.1016/j.jct.2017.08.024
Vapor–Liquid Equilibria of Ternary Systems of Hexafluoroisopropanol + Perfluorobenzene + Water or Methanol at 298.15 K:	https://www.doi.org/10.1021/je500455u
Vapor liquid equilibria, density and sound velocity measurements of (water or methanol or ethanol) + 3-propanediol binary systems at different temperatures:	https://www.doi.org/10.1016/j.tca.2016.09.005
Measurements of activity coefficients at infinite dilution for organic solutes in 1-hexadecyl-3-methylimidazolium tetrafluoroborate ionic liquid using two different gas chromatographic methods:	https://www.doi.org/10.1016/j.jct.2013.07.004
Thermodynamic study of the solubility of 4,4′-dihydroxydiphenyl sulfone in Ionic Solvent Interactions of Some Imidazolium Halides of Common Cations with Different Anions by Conductometric Volumetric Viscometric Refractometric Techniques:	https://www.doi.org/10.1016/j.jct.2016.07.001
Solubility of 3,5-Dinitrobenzamide in Different (Ethanol + Water) Binary Solvent Mixtures from T = (278.15 to 313.15) K and Thermodynamic Dissolution Properties:	https://www.doi.org/10.1021/je900656c
Thermodynamic properties of binary mixtures of 2,2,2-Trifluoroethanol with Water or Alkanols at T = 298.15 K:	https://www.doi.org/10.1016/j.fluid.2009.10.019
Experimental and Modeling Studies on the Solubility of d-Pantolactone in Four Pure Solvents and Ethanol + Water Mixtures:	https://www.doi.org/10.1016/j.tca.2007.04.012
Determination and Thermodynamic Modeling of Solid Liquid Phase Equilibrium for Esomeprazole Sodium in Monosolvents and in the Ethanol + Ethyl Acetate Binary Solvent Mixtures:	https://www.doi.org/10.1021/je500996n
Solubility Measurement, Correlation, and Molecular Interactions of Ethanol and Dimethylsulfoxide in Different Neat Solvents and Mixed Solvents from T= 278.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.6b01044
Solubility Modeling of 4-(Methylsulfonyl)benzaldehyde in Nine Organic Solvents at Elevated Temperatures:	https://www.doi.org/10.1021/acs.jced.8b01256
Thermophysical properties of pure 1-ethyl-3-methylimidazolium methanesulfonate and its binary mixtures with alcohols:	https://www.doi.org/10.1016/j.fluid.2006.01.008
Isothermal Vapor–Liquid Equilibrium Data for the Butan-2-one + Methanol or Ethanol Systems Using a Static Analytic Microcell:	https://www.doi.org/10.1021/acs.jced.5b01053
Solid–Liquid Phase Equilibrium of Phosphoramidinic acid-N,N′-1,2-Ethanediylbis-P,P,P′,P′-tetraphenyl Ester in Selected Solvents:	https://www.doi.org/10.1016/j.fluid.2011.03.008
Solubility determination and thermodynamic modelling of 3,5-dimethylpyrazole in nine organic solvents at (293.15 to 313.15) K:	https://www.doi.org/10.1021/je400065j
Experimental measurements of vapor liquid equilibria at low pressure: Investigation of sodium 4-nitrotoluene-2-sulfonate solubility in aqueous organic solutions:	https://www.doi.org/10.1021/je5010565
Solubility determination and thermodynamic modelling of 4-nitrophenol in mono-solvents and binary mixtures of (ethanol + water) from (283.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2017.02.011
Phase equilibrium study of binary and ternary mixtures of ionic liquids + acetone + methanol:	https://www.doi.org/10.1016/j.fluid.2009.10.002
	https://www.doi.org/10.1016/j.jct.2011.04.004
	https://www.doi.org/10.1021/je800668j
	https://www.doi.org/10.1021/je500418f

Thermodynamic modelling for solubility of 4-nitrobenzaldehyde in different solvents at temperature range of 278.15 K to 313.15 K and mixing properties of solutions.	https://www.doi.org/10.1016/j.jct.2016.09.012
Solubility measurement and modelling of 4,8-dimethoxynaphthalene in seventeen monosolvents at (273.15 to 313.15) K and mixing properties of solutions.	https://www.doi.org/10.1016/j.jct.2015.07.010
Excess volumes of mixing (N,N-Dimethylacetamide + methanol + water) at the temperatures (273.15 to 308.15) K and Application of Cubic-Plus-Association and Kirkwood-Buff Theories.	https://www.doi.org/10.1016/j.jct.2007.09.009
Solid-Liquid Equilibrium, Solubility, and Thermodynamic Properties of Isoxsuprine Hydrochloride in Pure and Binary Solvents.	https://www.doi.org/10.1021/je034254m
Solubility and Thermodynamic Analysis of Macitentan in Different Pure Solvents and Binary Mixtures of Ethanol + Water at Various Temperatures.	https://www.doi.org/10.1016/j.jct.2007.07.001
Measurement and correlation of solubility of 1-methyl-2-pyrrolidone (NMP) in (water + NMP) mixtures from T = 283.15 K to T = 323.15 K.	https://www.doi.org/10.1016/j.fluid.2013.03.022
Liquid-Liquid Equilibria of Methanol + Toluene + Water at 298.15 K: Experimental Data and Correlation.	https://www.doi.org/10.1021/je200646r
Solubility and Viscosity Study for the Binary Mixtures of Dichloromethane + Cyclohexanone at T = 293.15 K to 313.15 K.	https://www.doi.org/10.1021/acs.jced.8b00965
Experimental study on the calorimetric data of cyclohexanol with alkanols (C6 to C10) and correlation with Wilson, NRTL and UNIQUAC models.	https://www.doi.org/10.1016/j.jct.2012.02.037
Bubble and Dew Point Measurements of the Ternary System Carbon Dioxide + Methanol + Hydrogen at 319.2 K.	https://www.doi.org/10.1021/je0498614
Separation of water/butan-1-ol based on activity coefficients at infinite dilution in 2,3-dicyclo-2-methylthiadiazolium dicyanamide ionic liquid.	https://www.doi.org/10.1016/j.jct.2017.10.003
Solubility Behavior and Data Modeling of l-Proline in Different Neat and Binary Solvent Systems from 283.15 to 328.15 K.	https://www.doi.org/10.1021/acs.jced.9b00802
Solubility Determination and Correlation for Pyridoxal 5-Phosphate Monohydrate in Different Binary Solvents from 278.15 K to 318.15 K:	https://www.doi.org/10.1021/acs.jced.8b00309
Thermal Diffusivity of Methanol to a Pressure of 65 MPa.	https://www.doi.org/10.1021/acs.jced.7b00222
Activity Coefficients at Infinite Dilution for Organic Compounds Dissolved in 1-Alkyl-1-methylpyrrolidinium Bis(trifluoromethylsulfonyl)imide Ionic Liquids Using Gas-Liquid Chromatography at Temperatures from 298.15 to 328.15 K.	https://www.doi.org/10.1021/je300692s
Determination and Correlation of Solubilities of Vortioxetine Hydrobromide in Ethanol, Ethyl Acetate, Ethanol + Water, and Ethyl Acetate + Ethanol from 283.15 to 323.15 K.	https://www.doi.org/10.1021/acs.jced.9b00381
Solubility Measurement and Analysis of Guanylurea Dihydrogen Phosphate in Four Pure Solvents and Binary Solvent Mixtures from 283.15 to 323.15 K.	https://www.doi.org/10.1021/je0502391
Determination and Correlation of Pyridazin-3-amine Solubility in Eight Organic Solvents at Temperatures Ranging from (288.05 to 333.35) K.	https://www.doi.org/10.1021/acs.jced.8b00763
Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Butyl-3-methyl-imidazolium Trifluoromethanesulfonate.	https://www.doi.org/10.1021/je300517q
Solubility Measurement and Thermodynamic Properties of Ethyl Acetate in Pure and Mixed Solvents.	https://www.doi.org/10.1021/je1000582
Determination of Activity Coefficients at Infinite Dilution of Polar and Nonpolar Solutes in Ionic Liquid 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate Using Gas-Liquid Chromatography at Temperatures from 298.15 K to 328.15 K.	https://www.doi.org/10.1021/acs.jced.9b00676
Solubility Measurement and Thermodynamic Modeling of Dipyridamole p-Toluene Sulfonate in Seven Alcohol Solvents and Three Binary Solvents.	https://www.doi.org/10.1016/j.fluid.2018.07.028
Effect of ternary mixture and the physical properties of pure solvents.	https://www.doi.org/10.1021/acs.jced.7b00825
Determination of Activity Coefficients at Infinite Dilution of Polar and Nonpolar Solutes in Ionic Liquid 1-Ethyl-3-methylimidazolium Ethylsulfate Using Gas-Liquid Chromatography at Temperatures from 298.15 K to 328.15 K.	https://www.doi.org/10.1021/acs.jced.8b00720
Characterization of the binary mixtures with 1-ethyl-3-methylimidazolium trifluoromethanesulfonate ionic liquid by using gas-liquid chromatography.	https://www.doi.org/10.1016/j.jct.2011.08.028
Liquid-Liquid Phase Equilibrium of Ternary Mixtures of Methyl tert-Butyl Ether + Methanol + Water at 298.15 K.	https://www.doi.org/10.1021/je0498107
Liquid liquid equilibria at 298.15 K for ternary mixtures of methyl tert-butyl ether + 2-propanol + water.	https://www.doi.org/10.1016/j.fluid.2012.12.010
Solubility Measurement and Thermodynamic Modeling of Trans-Cinnamic Acid in Several Monosolvents at Temperatures from 278.15 K to 318.15 K.	https://www.doi.org/10.1021/acs.jced.5b00814
Thermodynamic Modeling of Solubility, Apparent Thermodynamic Analysis, and Solvent Effect of Ethyl Paraben in Nine Pure Solvents at 278.15 K to 318.15 K.	https://www.doi.org/10.1016/j.jct.2015.02.004
Thermodynamic modeling for solubility of 4-nitrobenzaldehyde in different organic solvents.	https://www.doi.org/10.1021/je500380x
Density, Viscosity, and Conductivity of Binary Mixtures of the Ionic Liquid N-(2-Hydroxyethyl)piperazinium Propionate with Water, Methanol, and Ethanol.	https://www.doi.org/10.1016/j.jct.2019.03.029
Determination and correlation of solubility and solution thermodynamics of Ethyl Paraben in different pure solvents.	https://www.doi.org/10.1016/j.jct.2015.08.017
Screening of environmental friendly ionic liquid as a solvent for the different types of separations problem: Insight from activity coefficients at infinite dilution measurement using gas-liquid chromatography and theoretical study.	https://www.doi.org/10.1016/j.jct.2019.04.023
Densities and viscosities of binary mixtures of 1-butyl-3-methylimidazolium tetrafluoroborate with methanol, ethanol, 1-propanol, 2-propanol, 1-butanol, and 2-butanol at T = (293.15 to 323.15) K and atmospheric pressure.	https://www.doi.org/10.1016/j.jct.2013.12.021
Isothermal vapor-liquid equilibria for systems containing ethanol + 2-butanol + 2-butyl acetate at P = 20.0 kPa.	https://www.doi.org/10.1016/j.jct.2011.08.006
Excess molar enthalpies of ethane-1,2-diamine plus primary and secondary alcohols (C1 to C4) and correlation with Redlich-Kister, Wilson, NRTL and UNIQUAC models at T = 298 K.	https://www.doi.org/10.1016/j.jct.2016.12.036
Measurement and correlation of Excess Molar Enthalpies for Ethylene Glycol + Alkanol Systems at the temperatures 298.15, 308.15, and 318.15 K.	https://www.doi.org/10.1021/acs.jced.8b01265
Solubilities of crotonic acid in different organic solvents at several temperatures from (278.15 to 328.15) K.	https://www.doi.org/10.1021/je030207i
Infinite Dilution Activity Coefficients for Trihexyltetradecyl Phosphonium Ionic Liquids: Measurements and COSMO-RS Prediction.	https://www.doi.org/10.1016/j.tca.2019.03.024
THERMODYNAMICS OF MIXTURES CONTAINING AMINES. XIV. CpEm OF BENZYLAMINE WITH METHANOL AT 293.15 K AND VISCOSITIES OF BENZYLAMINE + CHLOROBENZENE + 1-HYDROXYALKANOL OR 1-PHENYLALKANOL AT (293.15-308.15) K:	https://www.doi.org/10.1016/j.fluid.2013.06.038
Solubility and Solution Thermodynamics of Crotonic Acid in Different Pure Solvents: Measurement and Correlation at Temperatures from 283.15 to 323.15 K.	https://www.doi.org/10.1021/je0602925
Solubility Measurement and Thermodynamic Analysis of Cytarabine in Different Pure Solvents and Binary Solvent Mixtures.	https://www.doi.org/10.1016/j.tca.2014.03.027
Solubilities of 3-Nitrophthalic Anhydride in Different Pure Solvents:	https://www.doi.org/10.1021/acs.jced.5b00526

Isobaric Vapor Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Butyl-3-methylimidazolium Methanesulfonate	https://www.doi.org/10.1021/je301290c
Solubility modelling and thermodynamic aspect of 2,3-dihydro-6-propyl-2-thioxo-4(1H)-pyrimidinone in binary aqueous solutions of several pharmaceutical excipients at the Temperature Range from 288.15 to 308.19 K:	https://www.doi.org/10.1016/j.jct.2018.12.038
Determination and Correlation of the Solubility of Leucose in Four Binary Solvent Systems at the Temperature Range from 278.15 to 313.15 K	https://www.doi.org/10.1021/acs.jced.8b00361
Isobaric Vapor–Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Ethyl-3-methylimidazolium Hydrogen Sulfate	https://www.doi.org/10.1021/je1000796
Liquid–Liquid Equilibrium Mixtures Containing Adipic Acid, Glutaric Acid, Dimethyl Adipate, Dimethyl Glutarate, Methanol, and Water	https://www.doi.org/10.1021/je700027n
Solubility of Vitamin D3 in Six Organic Solvents at Temperatures from (248.2 to 273.2)K	https://www.doi.org/10.1021/je300401c
Solubility of Aspartame in Water, Methanol, Ethanol and Different Binary Mixtures in the Temperature Range of 278.15 to 333.15 K	https://www.doi.org/10.1021/je500259m
Measurement, correlation of the solubility and solution thermodynamics of p-Hydroxybenzoic Acid in Several Neat Solvents: Determination, Correlation, and Solvent Effect Analysis	https://www.doi.org/10.1016/j.jct.2015.05.025
Solubility of Benzoic Acid in Several Water + Ethanol Binary Solvent Systems from T = (283.19 to 323.15) K	https://www.doi.org/10.1021/acs.jced.9b00320
Activity coefficients at infinite dilution of hydrocarbons, alkylbenzenes, and alcohols in the paramagnetic ionic liquid 1-Butyl-3-methyl Imidazolium Tetrachloroferrate(III)	https://www.doi.org/10.1016/j.jct.2008.09.004
Separation Effects of Renewable Solvent Ethyl Lactate on the Vapor Liquid Equilibria of the Methanol + Dimethyl Carbonate Azeotropic System	https://www.doi.org/10.1021/acs.jced.7b00185
Solubility of Methanol in Ionic Liquid 1-Butyl-3-methyl Imidazolium Dicyanamide and Tetrafluoroborate	https://www.doi.org/10.1021/je900609f
Solubility Measurement and Modeling of 4-Bromo-3,5-dinitrobenzoic Acid in Eight Pure Solvents at Temperatures between 278.15 and 323.15 K	https://www.doi.org/10.1021/acs.jced.9b00243
Solubility Determination and Modeling of MgCl2 in Methanol, Ethanol, 2-Propanol and Their Mixtures from 283 to 323 K	https://www.doi.org/10.1021/acs.jced.5b00624
Solubility and mixing thermodynamic properties of levamisole hydrochloride in twelve pure solvents at various temperatures	https://www.doi.org/10.1016/j.jct.2019.105882
Solubility Measurement and Correlation of (−)-Biotin Intermediate Lactone in Different Organic Solvents from (287.15 to 323.15) K	https://www.doi.org/10.1021/acs.jced.5b00857
Isothermal Vapor–Liquid Equilibria Measurement of (Methanol + Ethanenitrile + Bis(trifluoromethylsulfonyl)imide) Ternary System at 101.3 kPa	https://www.doi.org/10.1021/acs.jced.5b00796
Density of Methanol + Alkali Halide Salt Solutions and Excess and Molar Volumes at 298.15 K	https://www.doi.org/10.1021/je5009944
Solubility and Solution Thermodynamic Properties of Carbonyldiazole Salt (CDH) in Various Pure Solvents and a Binary Mixture	https://www.doi.org/10.1021/je201116t
Solubility Measurement and Correlation of Ethyl 4-(4-Methylpiperazin-1-yl)benzoate in Pure Solvents and Binary Mixtures of Methanol + Ethyl Acetate from 278.15 to 323.15 K	https://www.doi.org/10.1021/acs.jced.9b00275
Solubility of 5,6-Dimethoxy-3-oxo-1,3-dihydroisobenzofuran-1-yl 3,4,5-trimethoxybenzoate [(+)-Acetylcorypalline] in Various Solvents and Dissolution Properties in Ethanol + Water Binary Solvent Mixtures at Temperatures from 278.15 to 323.15 K	https://www.doi.org/10.1016/j.jct.2008.01.015
Isobaric specific heat capacity of (1-Butanol + 1-Hexanol) at Pressures of 0.1000, 5.0000, 10.000, 15.000, and 20.000 MPa in the Temperature Range from 293.15 to 360.15 K	https://www.doi.org/10.1016/j.jct.2006.11.001
Solubility Measurement and Correlation of Ibuprofen in Mixtures of (Isopropanol + Water) from 288.15 K to 328.15 K	https://www.doi.org/10.1021/je500545s
Solubility of Ethyl 4-(4-Methylpiperazin-1-yl)benzoate in Pure Solvents and Binary Mixtures of Ethyl Acetate + Methanol from 278.15 to 323.15 K	https://www.doi.org/10.1016/j.jct.2017.05.037
Solubility and thermodynamic properties of nitrofurantoin in solvent mixtures containing light alcohols and ethanol + propanol and isopropanol):	https://www.doi.org/10.1016/j.jct.2009.07.009
Compact apparatus for rapid measurement of high-pressure phase equilibria of carbon dioxide expanded liquids	https://www.doi.org/10.1016/j.fluid.2009.12.030
Ammonium ionic liquids in extraction of bio-butan-1-ol from water phase	https://www.doi.org/10.1016/j.fluid.2018.09.024
(Solid + liquid) phase diagram for (indomethacin + nicotinamide)-methanol or methanol/ethyl acetate mixture and solubility behavior of 1:1 (indomethacin + nicotinamide) cocrystal at T = (298.15 to 313.15) K:	https://www.doi.org/10.1016/j.jct.2015.01.015
Solubility Measurement and Modeling of 1-(3-nitrophenyl)ethanone and 1-(4-nitrophenyl)ethanone in Nine Pure Solvents	https://www.doi.org/10.1016/j.jct.2018.07.013
Binary Mixtures Containing the Isothermal Vapor–Liquid Equilibrium for Methanol and 2,3-Dimethyl-1-butene at 343.06 K, 353.27 K, 363.19 K, and 372.90 K:	https://www.doi.org/10.1021/acs.jced.8b00192
Isobaric Vapor–Liquid Equilibrium for Methanol + Dimethyl Carbonate + 1-Ethyl-3-methylimidazolium Trifluoromethanesulfonate	https://www.doi.org/10.1021/je049859c
Excess Enthalpies of Ethyl Acetate + Alkanols at T=298.15K, P=10MPa.	https://www.doi.org/10.1021/je101304x
Assessment of Pyrrolidinium-Based Ionic Liquids for the Separation of Binary Mixtures Based on Activity Coefficients at Infinite Dilution.	https://www.doi.org/10.1016/j.tca.2005.03.009
Measurement and Correlation of the Solubility of 2,6-Diaminohexanoic Acid Hydrochloride in Aqueous Methanol and Aqueous Ethanol Mixtures.	https://www.doi.org/10.1021/je500443v
Bis(2,4,6-trimethylbenzoyl)phenylphosphine Oxide in Different Organic Solvents at Several Temperatures: Solubility, Solvent Effect, and Preferential Solvation	https://www.doi.org/10.1021/acs.jced.9b00341
Solubility of Erythromycin A Dihydrate in Different Pure Solvents and Acetone + Ethyl Acetate Binary Mixtures between 293 K and 323 K	https://www.doi.org/10.1021/je300173v
Activity coefficients at infinite dilution of organic solutes in the ionic liquid Tributyl-n-octylammonium Bis(trifluoromethylsulfonyl)imide by Inverse Gas Chromatography.	https://www.doi.org/10.1021/je300343y
Binary Liquid Equilibria at 323.15 K: Experimental Measurement and Correlation with Cubic Equations of State and Group Contribution Models	https://www.doi.org/10.1016/j.fluid.2008.02.021
Solubility of Aspartame in Different Organic Solvents: Determination, Correlation, and Molecular Simulation	https://www.doi.org/10.1021/je0505265
Solubility Determination, Modeling, and Solution Thermodynamic Properties of Pyrimethamine in Pure and Binary Solvent Systems at Various Temperatures	https://www.doi.org/10.1021/acs.jced.7b00244
Activity coefficients at infinite dilution of organic solutes in N-Butylpyridinium Nitrate, N-Octylpyridinium Nitrate by Gas-Liquid Chromatography	https://www.doi.org/10.1016/j.jct.2009.12.004
Thermodynamic Properties of Binary Mixtures Containing Hexamethyldisiloxane + 1-Propanol at T = (298.15, 318.15, and 328.15) K and at P) 0.1 MPa:	https://www.doi.org/10.1021/je060123k
Experimental measurement and correlation of isothermal vapour–liquid equilibrium of (ethanol + water) at T = (313.15, 323.15, and 333.15) K	https://www.doi.org/10.1016/j.jct.2016.02.020

Ebulliometric Determination of Vapor-Liquid Equilibria for Methanol + Ethanol + Dimethyl Carbonate.	https://www.doi.org/10.1021/je0601309
Experimental Vapor-Liquid Equilibria and Thermodynamic Modeling of the Methanol + n-Heptane and 1-Butanol + Aniline Binary Systems.	https://www.doi.org/10.1021/acs.jced.7b00766
Measurement and modelling of econazole nitrate in twelve pure organic solvents at temperatures from 278.15 K to 318.15 K.	https://www.doi.org/10.1016/j.jct.2016.07.043
Solubility in pure organic solvents: Systems with ionic liquids:	https://www.doi.org/10.1016/j.fluid.2014.04.028
Measurement of VLE and c1 data and prediction of their thermodynamic consistency.	https://www.doi.org/10.1016/j.jct.2005.04.010
Liquid-liquid equilibria for the binary system of diisopropyl ether (DIPE) + 1-butanol and DIPE + water + the ternary systems of DIPE + water + 1-butanol or + 2-butanol at 298.15 K.	https://www.doi.org/10.1016/j.fluid.2008.04.010
Solubility of Avermectin B1a in Some Pure and Mixed Solvents from 278.2 to 318.2 K.	https://www.doi.org/10.1021/je900772h
Excess molar volume of ternary amines in methanol at T = 298.15 K.	https://www.doi.org/10.1016/j.jct.2012.07.012
Measurement and Correlation of Solubility of Gatifloxacin in 12 Pure Solvents from 273.15 K to 318.15 K.	https://www.doi.org/10.1021/acs.jced.8b00902
Determination of activity coefficients at infinite dilution of organic solutes in the ionic liquid,	https://www.doi.org/10.1016/j.fluid.2005.04.021
Solubility of tridecanedioic acid in pure solvent systems: An experimental and computational approach	https://www.doi.org/10.1016/j.jct.2015.05.026
Physicochemical properties of the pure 1-methyl-1-propylpyrrolidinium trifluorotris(pentafluoroethyl)phosphate ionic liquid and its binary mixtures with alcohols.	https://www.doi.org/10.1016/j.jct.2013.08.021
Solubility Determination of Phenazopyridine Hydrochloride in Different Pure Solvents by Gas Liquid Chromatography	https://www.doi.org/10.1021/acs.jced.8b00717
Solubility of Phenanthrene in 14 Organic Solvents and Thermodynamic Analysis for Solid Solvent Systems	https://www.doi.org/10.1016/j.fluid.2015.02.008
Liquid-Liquid Equilibria of Isovaleric Acid + Water + Methanol, + Ethanol, + 1-Propanol, + 2-Propanol at T = (298.15, 308.15, and 318.15) K	https://www.doi.org/10.1021/je500205z
Density, Speed of Sound, and Derived Thermodynamic Properties of Ionic Liquids [EMIM][OF3(OCH2CH2)2OSO3]- + Methanol or + Acetone at T = (298.15 to 313.15) K	https://www.doi.org/10.1016/j.jct.2016.09.001
Solubility Determination and Modeling of Cefdinir in Different Solvents and Thermodynamic Dissolution Properties in Methanol + Water Mixtures at 278.15 K to 323.15 K	https://www.doi.org/10.1021/je700648c
Excess Enthalpies of 2,4-Pentanedione + Methanol or + Ethanol or + 1-Propanol, + 2-Propanol, or + 2-Methyl-2-propanol at T = (298.15 and 308.15) K	https://www.doi.org/10.1021/je700492k
Excess Volumes of Ternary Mixtures 2,2,4-Trimethylpentane + Diisopropyl Ether + Ethanol or + 1-Propanol at 298.15 K	https://www.doi.org/10.1021/je2011314
Liquid-Liquid Equilibria for the Ternary Systems of Methyl tert-Butyl Ether + Methanol, Ethanol, or 1-Propanol at 298.15 K	https://www.doi.org/10.1021/je050029o
Thermal Conductivity of Solutions of Ionic Liquids with Methanol, Ethanol, or 1-Propanol	https://www.doi.org/10.1021/je200616t
Solubilities of Propylene Carbonate: 3,9-Dimethyl-2,9-dioxide-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane in Selected Solvents.	https://www.doi.org/10.1021/je9004189
Thermodynamic and spectroscopic study of binary mixtures containing (dimethyl carbonate (DMC) + alcohols) at T = (298.15-308.15) K and p = (0.1-40) MPa.	https://www.doi.org/10.1016/j.jct.2019.02.011
Liquid-liquid equilibria for binary systems of tert-amyl ethyl ether (TAEE) + water and ternary systems with water and (methanol, ethanol, or 1-propanol) at T = 298.15 K	https://www.doi.org/10.1016/j.fluid.2007.04.018
Thermodynamic properties and solubility of 1-methylimidazolium dihydrogen phosphate in (water + methanol) binary solvent mixtures at T = (298.15 to 318.15) K	https://www.doi.org/10.1016/j.fluid.2018.06.013
Solubility Determination and Thermodynamic Modeling of Isonicotinamide in Different Solvents and Dissolution Properties in Methanol + Water Mixtures at T = 298.15 K	https://www.doi.org/10.1021/acs.jced.8b01099
Excess Molar Enthalpies of Diethyl Malonate + (Methanol, + Ethanol, + 1-Propanol, and + 2-Propanol) at T = (288.2, 298.2, and 328.2) K and p = 0.1013 MPa.	https://www.doi.org/10.1016/j.jct.2009.07.001
Determination of the solubility, dissolution enthalpy and entropy of Ethylparaben in Pure and Binary Solvents.	https://www.doi.org/10.1016/j.fluid.2015.05.016
Binary LLE for Propyl Vinyl Ether (PVE) + Water, Ternary LLE for PVE + Methanol or Ethanol + Water at 298.15 K, and VLE and Ternary VLE at 298.15 K for the Mixture of PVE + Ethanol + Cyclopentane.	https://www.doi.org/10.1021/je900890u
Modeling of Aniline Hydrochloride Solubility and Mean Ionic Properties of the Mixture of Water + Ethanol + Salicylic Acid.	https://www.doi.org/10.1016/j.jct.2010.06.009
Solubility of N-tert-Butylbenzothiazole-2-sulfenamide in Several Pure and Binary Solvents:	https://www.doi.org/10.1016/j.jct.2005.07.008
Determination and Model Correlation of Quinalphos-Methyl in Different Pure Solvents.	https://www.doi.org/10.1021/acs.jced.5b00746
Equilibrium solubility of dinitolmide in several neat solvents and binary solvent mixtures:	https://www.doi.org/10.1021/je9003806
Solute-Solvent Interactions: Experimental determination and thermodynamic analysis.	https://www.doi.org/10.1016/j.jct.2009.08.012
{N,N'-bis[(2-pyridinyl)methylene]-1,2-benzenediamine]-bis(nitrato)}Cu(II)	https://www.doi.org/10.1016/j.fluid.2012.01.019
Thermodynamic properties of mixtures containing alkoxypropanol and n-alkanol.	https://www.doi.org/10.1021/je7003512
	https://www.doi.org/10.1021/je201047m
	https://www.doi.org/10.1021/je060134d
	https://www.doi.org/10.1021/acs.jced.8b00954
	https://www.doi.org/10.1021/acs.jced.8b01181
	https://www.doi.org/10.1016/j.jct.2019.01.013
	https://www.doi.org/10.1016/j.jct.2014.02.022
	https://www.doi.org/10.1016/j.fluid.2008.02.005

Solubility in Different Solvents, Crystal Polymorph and Morphology, and	https://www.doi.org/10.1021/acs.jced.7b00538
Volumetric and viscometric properties of binary mixtures of {methyl tert-butyl	https://www.doi.org/10.1016/j.jct.2011.02.018
Optimization of Crystallization Process of Ibuprofen:	https://www.doi.org/10.1016/j.jct.2016.08.007
Solubility determination and thermodynamic modeling of	https://www.doi.org/10.1016/j.jct.2015.05.019
Experimental results and application of the NRTL model to correlate the solubility of genistein in eleven organic solvents from (278.15 to 318.15) K and 100 kPa:	https://www.doi.org/10.1021/je8007028
Solubilities of Phosphoramidic Acid, N-(phenylmethyl)-, Diphenyl Ester in Selected Solvents:	https://www.doi.org/10.1021/acs.jced.5b00007
Solid-liquid equilibrium of sulbactam in pure solvents and binary solvent mixtures:	https://www.doi.org/10.1016/j.fluid.2014.09.008
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
Measurement and Correlation of Liquid Liquid Equilibrium for Quaternary	https://www.doi.org/10.1021/acs.jced.6b01031
Solid-Liquid Phase Equilibrium of Ni(NO3)2·6H2O in Ethanol + Ethyl Acetate at	https://www.doi.org/10.1021/acs.jced.7b00206
Ternary Isobaric Vapor Liquid Equilibria for Systems of Water + Methanol +	https://www.doi.org/10.1021/je060396f
Solubility of Tris(hydroxymethyl)aminomethane (THAM) in Pure Solvents and	https://www.doi.org/10.1021/je8008039
Solubility of 2-Ethylanthraquinone in Ethanol, Propan-1-ol, Propan-2-ol, and	https://www.doi.org/10.1021/acs.jced.6b00334
Isobaric Vapor Liquid Equilibrium for Ternary Systems of Methanol +	https://www.doi.org/10.1021/je301219c
Solubility of Solutes at Infinite Dilution in Ionic Liquids: Measurements for	https://www.doi.org/10.1016/j.fluid.2009.08.017
Activity coefficients at infinite dilution of organic solutes in	https://www.doi.org/10.1016/j.jct.2013.02.006
Measurement and Correlation of Binary Mixture Densities of Ionic	https://www.doi.org/10.1021/je0504156
Measurement of Activity Coefficients at Infinite Dilution of Organic Solutes in	https://www.doi.org/10.1016/j.jct.2012.09.017
Solubilities of succinimide in different pure solvents and binary	https://www.doi.org/10.1016/j.tca.2012.03.007
Excess molar volumes and excess molar enthalpies in binary systems	https://www.doi.org/10.1016/j.fluid.2013.11.025
Measurement and Prediction of Vapor Pressure of Binary and Ternary	https://www.doi.org/10.1021/je700038w
Solubility Measurement and Simulation of Ethyl 2-(benzofuran-2-yl)-2-(4-	https://www.doi.org/10.1021/acs.jced.5b00667
Solubilities of pyrimidine derivatives in different solvents at T = 283.15, 298.15, 313.15, 323.15, and 333.15K:	https://www.doi.org/10.1016/j.fluid.2007.07.030
Isobaric Vapor-Liquid Equilibria for Tetrahydropyran and Alcohol Systems:	https://www.doi.org/10.1021/je800145h
Solid Liquid Equilibrium of Theophylline in Solvent Mixtures:	https://www.doi.org/10.1021/je400864f
Solubility of Anthracene in Binary and Ternary Mixtures of Cyclohexanone,	https://www.doi.org/10.1021/je900852t
Liquid-Liquid Equilibria for the Ethyl Acetate, alkyl Methanol at 298.2 K:	https://www.doi.org/10.1021/je034018b
Epichlorohydrin + Water + Methanol and Allyl Chloride + Water + Methanol	https://www.doi.org/10.1016/j.fluid.2010.07.005
Thermodynamic properties of new heat pump working pairs:	https://www.doi.org/10.1016/j.jct.2005.02.004
1,3-Dimethylimidazolium dimethylphosphate and water, ethanol and 1-butanol:	https://www.doi.org/10.1021/je500222s
Determination and Correlation of Solubility of Lauric Acid in Eight Alcohols:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
The Yaws Handbook of Vapor Pressure:	https://www.doi.org/10.1021/je025629r
Ternary Liquid-Liquid Equilibria for Mixtures of 1-Methyl-3-octylimidazolium Chloride +	https://www.doi.org/10.1016/j.jct.2016.10.019
Solubility of 2-methyl-4-nitrobenzoic acid in binary solvent mixtures of an Alkanol + an Alkane at 298.2 K and 1	https://www.doi.org/10.1016/j.tca.2005.06.016
Thermochemistry of adducts of some bivalent transition metal bromides with	https://www.doi.org/10.1021/je300585v
Ternary and Quaternary Liquid Liquid Equilibria for Systems of Water +	https://www.doi.org/10.1021/je800658v
Measurement of activity coefficients at infinite dilution of organic solutes in	https://www.doi.org/10.1016/j.jct.2018.07.024
Separation of binary hydrocarbons mixtures based on differences in	https://www.doi.org/10.1021/je700209v
Solubility of Paracetamol in Tetrahydrofuran + Methanol Measurements:	https://www.doi.org/10.1021/je030226s
Methanol, Ethanol, 1-Propanol, 1-Butanol, 1-Pentanol, Tetrahydrofuran, and Refractive Indexes for Binary	https://www.doi.org/10.1016/j.jct.2013.02.004
Measurement of activity coefficients at infinite dilution of organic solutes in	https://www.doi.org/10.1021/je500744k
Solubility Measurement and Correlation for 2,6-Dichloroaniline in (Methanol + Water) and (Ethanol + Water) Mixed	https://www.doi.org/10.1021/je800846j
1-Butyl-3-methylimidazolium Tetrafluoroborate(I): Activity Coefficients at Infinite Dilution of	https://www.doi.org/10.1021/je200972w
Diamannite as a Very Efficient Entrainer for the Extractive Distillation of the Acetone + Methanol System:	

Phase equilibria of (water + propionic acid or butyric acid + 2-methoxy-2-methylpropane) ternary systems at 298.2 K and 323.2 K:	https://www.doi.org/10.1016/j.fluid.2015.06.003
Investigation of the vapor pressure of zinc bromide and zinc chloride solutions with methanol by static method:	https://www.doi.org/10.1016/j.jct.2005.05.017
Solubilities of Betulinic Acid in Thirteen Organic Solvents at Different Temperatures:	https://www.doi.org/10.1021/je200531k
Solubility of Hesperetin in Mixed Solvents:	https://www.doi.org/10.1021/je400513s
Solubility of daidzin in different organic solvents and (ethyl alcohol + water) mixed solvents:	https://www.doi.org/10.1016/j.jct.2015.04.025
Activity Coefficients at Infinite Dilution of Various Solutes in Tetrapropylammonium Bromide + 1,6-Hexanediol Deep Eutectic Solvent:	https://www.doi.org/10.1021/acs.jced.8b00600
Solubility Measurement and Thermodynamic Modeling of 4-Nitrophthalimide in Twelve Pure Solvents at Elevated Temperatures	https://www.doi.org/10.1021/acs.jced.6b00230
Liquid–liquid equilibria of binary mixtures of propane-1,2-diol with methanol, ethanol or 1-propanol at temperatures (293.15 to 318.15) K	https://www.doi.org/10.1016/j.jct.2012.12.003
Physical properties of binary mixtures of 1-butyl-3-methylimidazolium Ethyl Sulfate with Several Polar Solvents at T = (293.15, 313.15, and 328.15) K and Atmospheric Pressure	https://www.doi.org/10.1021/je700029q
Thermophysical properties of biodiesel and related systems. Part I: Vapour liquid equilibrium at low pressures of binary and ternary systems involving methanol, ethanol, glycerol, water and methyl oleate	https://www.doi.org/10.1016/j.jct.2019.07.017
Ternary solutions of Diethanolamine + Water with Methanol, Ethanol at 298.15 K and Binary Mixtures of Dipropylene glycol Methyl Ether with 2-Alkanols at 298.15 K	https://www.doi.org/10.1016/j.jct.2012.09.032
Effect of temperature on mixing thermodynamics of a new ionic liquid: 2-Hydroxy Ethylammonium Formate + Short Hydroxylic Solvents	https://www.doi.org/10.1016/j.tca.2012.01.007
Solubility of Sorbitol in Ethanol + Water Mixtures from (293.15 to 333.15) K:	https://www.doi.org/10.1016/j.tca.2006.10.025
Isobaric vapor-liquid equilibrium data for the binary system methyl acetate + isopropyl acetate and the quaternary system methyl acetate + methanol + isopropanol + isopropyl acetate at 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2008.01.008
Activity coefficients at infinite dilution of organic solutes in 1-ethyl-3-methylimidazolium ethylsulfate using gas-liquid chromatography:	https://www.doi.org/10.1021/je800468h
Experimental Measurement and Thermodynamic Modeling of Ethanol + Toluene Binary System:	https://www.doi.org/10.1016/j.jct.2007.05.011
Measurement of vapor-liquid-liquid phase equilibrium - Equipment and results:	https://www.doi.org/10.1016/j.jct.2013.12.031
Activity Coefficients at Infinite Dilution of Polar Solutes in 1-Propyl-2,3-dimethylimidazolium Tetrafluoroborate Using Gas–Liquid Chromatography	https://www.doi.org/10.1021/je900435t
Effect of composition and temperature variations on thermophysical properties of binary and ternary mixtures containing 1-ethyl-3-methylimidazolium ethylsulfate and 1-butyl-3-methylimidazolium ethylsulfate ionic liquids with polar solvents	https://www.doi.org/10.1016/j.fluid.2013.01.024
Solubility of Benzoin in Six Monosolvents and in Some Binary Mixtures Containing Ethanol at Temperatures from 278.15 K to 313.15 K and Pressures of Light Gases:	https://www.doi.org/10.1016/j.fluid.2012.05.006
Dimethylphosphate on the Vapor Pressure of Water, Methanol, Ethanol, and Their Binary Mixtures:	https://www.doi.org/10.1016/j.fluid.2012.12.018
Solubilities of Inulin in Methanol and Water + Ethanol from (292.8 to 333.6) K:	https://www.doi.org/10.1007/s10765-005-8089-2
Excess enthalpies of methyl isobutyl ketone (MIBK) with alkan-1-ols (C1–C6) and their correlations at 298.15 K	https://www.doi.org/10.1016/j.fluid.2015.07.009
Solubility of -Aminobutyric Acid in Different Binary Solvents:	https://www.doi.org/10.1021/je700640r
Solubility Determinations and Modeling for 4,4'-Dihydroxydiphenyl Sulfone in Mixed Solvents of (Acetone, Ethyl Acetate + Acetonitrile) + Methanol and Acetone + Methanol from 278.15 to 318.15 K	https://www.doi.org/10.1016/j.fluid.2017.01.019
Solubility parameter of lenalidomide for predicting the type of solubility profile in binary solvent mixtures	https://www.doi.org/10.1021/acs.jced.8b00975
Solubility of Benzoic Acid in Some Pure Solvents and Binary Mixtures of Ethanol + Water at Different Temperatures	https://www.doi.org/10.1021/acs.jced.7b00238
Experimental Solubility and Density Functional Theory Studies of Nitrofurantoin in Several Monosolvents and Molar Excess Enthalpies of Binary Mixtures of [tributyl phosphate + $CH_3(CH_2)_nOH$ (n = 0 to 3)] at 298.15 K	https://www.doi.org/10.1021/je100948e
Solubility Measurements and Thermodynamic Modeling of Sorbic Acid in Five Different Solvent Mixtures:	https://www.doi.org/10.1016/j.fluid.2018.07.024
Solubility of Quercetin in Water + Ethanol from (293.15 to 323.15) K:	https://www.doi.org/10.1021/je9010757
Excess properties of binary mixtures containing 2-(Methoxymethoxy)-butane + (+-)-Di-sec-butoxymethane System:	https://www.doi.org/10.1016/j.fluid.2008.02.013
Solubility of Nifuroxime in Ethanol + 1-Butanol Mixed Solvents at (293.15 to 323.15) K:	https://www.doi.org/10.1016/j.tca.2004.09.012
Solubility of Piperine in Several Monosolvents and Molar Excess Enthalpies of Binary Mixtures of [Tributyl Phosphate + Ethanol or 1-Propanol] at 298.15 K	https://www.doi.org/10.1021/acs.jced.5b00829
Solubility measurements and thermodynamic modeling of Sorbic Acid in Five Different Solvent Mixtures:	https://www.doi.org/10.1021/acs.jced.6b00421
Solubility of aspirin in supercritical carbon dioxide/alcohol mixtures:	https://www.doi.org/10.1016/j.jct.2011.11.007
	https://www.doi.org/10.1016/j.jct.2018.12.035
	https://www.doi.org/10.1016/j.jct.2016.09.007
	https://www.doi.org/10.1021/acs.jced.8b01001
	https://www.doi.org/10.1021/acs.jced.9b00005
	https://www.doi.org/10.1016/j.jct.2006.08.001
	https://www.doi.org/10.1016/j.fluid.2019.06.004
	https://www.doi.org/10.1021/acs.jced.8b01247
	https://www.doi.org/10.1016/j.fluid.2005.08.004

Experimental Isobaric Vapor-Liquid Equilibrium for Binary Systems of Ethyl Methyl Carbonate + Methanol, + Ethanol, + 1-Propanol, or + Dimethyl Carbonate at 101.3 kPa:	https://www.doi.org/10.1021/je100494z
Boiling temperature measurement for water-methanol-ethanol and their binary solvent mixtures	https://www.doi.org/10.1016/j.jct.2008.10.001
Solubility, solution thermodynamics and preferential solvation for 4-(4-methylpiperazin-1-yl)-2-(1H-pyrrolo[2,3-b]pyridin-5-yloxy)benzamide in (methanol/ethanol + water) from T = (293.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2017.05.005
Isothermal vapour-liquid equilibria for binary systems of methanol + 1 (methoxymethoxy) propane and 2 propanol +	https://www.doi.org/10.1016/j.jct.2014.07.001
Experimental vapour-liquid equilibrium data for the ternary system methanol + 1,1-dimethoxymethane + 2-propanol at 101.3 kPa	https://www.doi.org/10.1016/j.jct.2005.05.003
Solubility and Solubility Advantage of Ganfloxacin in Nonaqueous Solvent Mixtures of N,N-Dimethylformamide + Ethanol at Different Temperatures	https://www.doi.org/10.1016/j.fluid.2015.07.017
Solubility of Ethyl p-Aminobenzoate, Isoniazid, Phenacetin, and Acetanilide in Ethanol + Ethyl Acetate Cosolvent Mixtures at 298.15 K	https://www.doi.org/10.1021/je700430g
Solubility and thermodynamics of vitamin C in binary liquid mixtures involving water, methanol, ethanol and 2-propanol at different temperatures:	https://www.doi.org/10.1016/j.fluid.2015.09.052
1-Butyl-3-methylimidazolium Octylsulfate + Water + Ethanol: Volumetric and Viscosity Behavior	https://www.doi.org/10.1021/je7006988
Volumetric and Speed of Sound of Ionic Liquid 1-Butyl-3-methylimidazolium Octylsulfate with Acetonitrile and Methanol at T = (298.15 to 318.15) K	https://www.doi.org/10.1021/je700069g
Solubility of Clindamycin Phosphate in Methanol, Ethanol, Ethanol + Water, and 1-Propanol + Water Solvent Mixtures at Different Temperatures	https://www.doi.org/10.1021/acs.jced.9b00930
Measurement and Modeling of Solubility of para-tert-Butylbenzoic Acid in Pure and Mixed Organic Solvents at Different Temperatures	https://www.doi.org/10.1016/j.fluid.2015.08.014
Solubility and Thermodynamic Properties of Sodium Acetate in Binary Ethanol + Water Solvent Mixtures at Various Temperatures	https://www.doi.org/10.1021/acs.jced.6b00037
Density and Viscosity of Binary Mixtures of Ethyl 2-methylbutyrate and Ethyl 3-methylbutyrate with Alcohols at Several Temperatures	https://www.doi.org/10.1016/j.jct.2018.02.005
Isobaric Vapor-Liquid Equilibrium for Nine Binary Systems of Cracking C5 Fraction at 250 kPa.	https://www.doi.org/10.1021/je050165t
Determination of Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquid 1-Butyl-3-methylimidazolium Octyl Sulfate Using Gas-Liquid Chromatography	https://www.doi.org/10.1016/j.fluid.2014.07.004
Solubility determination and thermodynamic functions of 2-chloro-4-nitroaniline in nine organic solvents from T = 273.15 K to T = 318.15 K and mixing properties of mixtures	https://www.doi.org/10.1016/j.jct.2010.03.016
Solubility of Carbamazepine Form III in 11 Organic Solvents from (277 to 343) K	https://www.doi.org/10.1021/je800291t
Measurement and Correlation of the Solubility for Camptothecin in Different Organic Solvents.	https://www.doi.org/10.1021/acs.jced.6b00965
Thermodynamic properties of binary mixtures combining two pyridinium based ionic liquids and two alkanols from (298.2 to 333.2) K and Thermodynamic Solubility and Mixing Properties of Phenformin in 14 Pure Solvents at Temperatures Ranging from 278.15 to 323.15 K:	https://www.doi.org/10.1016/j.jct.2012.01.019
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 1-(2-methoxyethyl)-1-methylpyrrolidinium trifluoromethanesulfonate ionic liquid with alcohols at several temperatures:	https://www.doi.org/10.1021/je500991b
Solubility of Clindamycin Phosphate in Methanol, Ethanol, and Dimethyl Sulfoxide.	https://www.doi.org/10.1016/j.jct.2018.12.029
Liquid-liquid equilibria for azeotropic mixtures of methanol + methyl tert-butyl ether and methanol + ethyl tert-butyl ether at 101.3 kPa	https://www.doi.org/10.1021/je5009685
Solubility and Thermodynamic Analysis of Isradipine in Methanol + 1-Propanol Mixtures at Various Temperatures:	https://www.doi.org/10.1016/j.jct.2017.12.009
1-Butyl-1-methylpyrrolidinium Trifluoromethanesulfonate Ionic Liquid with Alcohols at Several Temperatures:	https://www.doi.org/10.1021/je0500633
Effect of Cosolvents on the Solubility of Ethanol and 1-Propanol in Supercritical CO2 at 308.15, and 313.15 K: Data and Correlation	https://www.doi.org/10.1021/acs.jced.9b00331
Isobaric Vapor-Liquid Equilibrium for Nine Binary Systems of Cracking C5 Fraction at 250 kPa.	https://www.doi.org/10.1016/j.fluid.2010.12.012
Determination of Activity Coefficients at Infinite Dilution of Solutes in the Ionic Liquid 1-Butyl-3-methylimidazolium Octyl Sulfate Using Gas-Liquid Chromatography:	https://www.doi.org/10.1021/acs.jced.6b00180
Thermodynamic Properties of Inorganic Salts in Nonaqueous Solvents: Standard Molar Volumes, Compressibilities, and Heat Capacities of Tetraphenylarsonium Tetraphenylborate in Methanol and Dimethylformamide	https://www.doi.org/10.1021/je0500375
Solubility of Carbamazepine Form III in Ethanol + Water Mixtures from (277 to 343) K	https://www.doi.org/10.1021/je900732r
Measurement and Correlation of the Solubility for Camptothecin in Different Organic Solvents.	https://www.doi.org/10.1021/je060033f
Solubility of Antharanone in C1-C3 Alcohols from (298.2 to 333.2) K and Thermodynamic Solubility and Mixing Properties of Phenformin in 14 Pure Solvents at Temperatures Ranging from 278.15 to 323.15 K:	https://www.doi.org/10.1016/j.fluid.2018.08.020
Solubility of Carbamazepine Form III in Methanol and Dimethylformamide	https://www.doi.org/10.1016/j.jct.2010.07.014
Thermodynamic properties of binary mixtures containing 1-butylpyridinium tetrafluoroborate and thermophysical properties	https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=817
1-Propenyl-3-alkylimidazolium Bromide Ionic Liquids:	https://www.doi.org/10.1016/j.tca.2017.12.010
Reverse gas chromatography: A new analysis method for improving collection of vapor-liquid equilibrium	https://www.doi.org/10.1016/j.jct.2016.11.029
Solubility determination and thermodynamic functions of 2-chloro-4-nitroaniline in nine organic solvents from T = 273.15 K to T = 318.15 K and mixing properties of mixtures	https://www.doi.org/10.1016/j.jct.2010.12.019
Determination and thermodynamic properties of organic solutes in the ionic liquid 1-butyl-3-methylimidazolium octylsulfate using gas liquid chromatography at T = (313.15, 323.15, 333.15, 343.15) K	https://www.doi.org/10.1016/j.jct.2018.09.023
Solubility of Carbamazepine Form III in 11 Organic Solvents from (277 to 343) K	https://www.doi.org/10.1021/je8002157
Measurement and Correlation of the Solubility for Camptothecin in Different Organic Solvents.	https://www.doi.org/10.1021/acs.jced.5b00994
Thermodynamic properties of binary mixtures combining two pyridinium based ionic liquids and two alkanols from (298.2 to 333.2) K and	https://www.doi.org/10.1016/j.jct.2012.02.023
Solubility of Antharanone in C1-C3 Alcohols from (298.2 to 333.2) K and Thermodynamic Solubility and Mixing Properties of Phenformin in 14 Pure Solvents at Temperatures Ranging from 278.15 to 323.15 K:	https://www.doi.org/10.1021/je1001945
Thermodynamic Solubility and Mixing Properties of Phenformin in 14 Pure Solvents at Temperatures Ranging from 278.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.9b00844

Solubility determination and thermodynamic modeling of 5-nitro-8-hydroxyquinoline in ten organic solvents at T = (278.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2016.04.018
Isobaric Phase Equilibria of Diethyl Carbonate with Five Alcohols at 101.3 kPa.	https://www.doi.org/10.1021/je0201018
Measurement and Correlation of the Solubility of Baicalin in Several Mixed Solvents:	https://www.doi.org/10.1021/acs.jced.8b01186
Liquid–liquid equilibrium for the ternary systems of water + methanol + acrylonitrile:	https://www.doi.org/10.1016/j.jct.2016.09.037
Speed of Sound and Derived Properties of the Binary Systems Acetic Acid with Water, Methanol, Ethanol, 2-Propanol, Acetonitrile, and Methyl Acetate at Various Temperatures.	https://www.doi.org/10.1021/je2009208
Solubility of Nifedipine in Model Solvents at 278.15 K and Correlation with Abraham Model.	https://www.doi.org/10.1021/je0342825
Vapor–liquid equilibrium in the n-butane + methanol system: measurement and modeling from 323.2 to 443.2K:	https://www.doi.org/10.1021/acs.jced.8b01051
Study of intermolecular interactions in binary mixtures of 2-(methylamino)ethanol with methanol and ethanol at various temperatures.	https://www.doi.org/10.1016/j.fluid.2014.06.030
Solubility of 2,5-Di-tert-butylhydroquinone and Ultrasonic Speeds and Isentropic Compressibilities of (difurylmethane + (C1-C6)-1-alkanol) binary mixtures at T = (293.15 to 313.15) K:	https://www.doi.org/10.1021/acs.jced.5b00919
Viscosity and density measurement for binary mixtures of water (methanol or ethanol) with an ionic liquid 1-Methyl-2-pyrrolidinone and 1-Methyl-2-pyrrolidinone and Isothermal at temperatures between 293.15 and 313.15 K and Atmospheric Pressure.	https://www.doi.org/10.1016/j.fluid.2008.12.001
Thermodynamic properties of mixtures of 1-methyl-2-pyrrolidinone and 1-ethyl-3-methylimidazolium ethyl sulfate at temperatures between 298.15 and 318.15 K and at atmospheric pressure.	https://www.doi.org/10.1016/j.fluid.2012.02.018
Solubility of Hydroxychloroquine Sulfate in Pure Solvents and Binary Mixtures of Methanol, 1-Propanol, Acetonitrile, and Water at 298.2 K:	https://www.doi.org/10.1016/j.tca.2014.03.038
Measurements of activity coefficients at infinite dilution of solutes in 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide using the dilutor technique:	https://www.doi.org/10.1021/je501049c
Solubility of Sucrose in Binary Mixtures Formed by Water Methanol, Ethanol, and Methanol + Ethanol at 293 and 313 K:	https://www.doi.org/10.1016/j.jct.2010.05.016
Separation of water/butan-1-ol binary systems based on activity coefficients at infinite dilution with phosphonium ionic liquid.	https://www.doi.org/10.1021/je200600p
Activity coefficients at infinite dilution and physicochemical properties for organic solutes and water in the ionic liquid 4-(2-methoxyethyl)-4-methylmorpholinium trifluorotris(pentafluoroethyl)phosphate:	https://www.doi.org/10.1016/j.jct.2008.08.003
Solubility of Hesperetin in Various Solvents from (288.2 to 323.2) K:	https://www.doi.org/10.1016/j.jct.2016.12.028
New vapour-liquid equilibrium data on the ternary system carbon dioxide + methanol + dimethyl sulphoxide:	https://www.doi.org/10.1021/je800355e
Vapor Liquid Equilibrium Behavior of Tolan in Alcohols:	https://www.doi.org/10.1021/acs.jced.5b00770
Isobaric vapor liquid equilibrium for binary system of methanol and ethyl-dimethyl-(2-methoxyethyl)ammonium trifluorotris(pentafluoroethyl)phosphate:	https://www.doi.org/10.1021/je301029j
Vapor-liquid equilibria at 383.15-413.15 K for the binary system methanol + dimethyl carbonate and the pressure dependency of the azeotropic point.	https://www.doi.org/10.1016/j.fluid.2013.10.035
Solubility of Naringin and Neohesperidin in Different Solvents and Dissociation Constants of Naringenin in eight solvents within the temperature range T = (288.15 to 308.15) K:	https://www.doi.org/10.1021/je400625f
Solid–liquid equilibrium of diphenyl anilinophosphonate in the different organic solvents:	https://www.doi.org/10.1021/acs.jced.5b01102
Temperature dependence of the volumetric properties of some alkoxypropanols + n-alkanol mixtures:	https://www.doi.org/10.1016/j.jct.2019.05.011
Solubility of 2-Cyanoacetamide in 14 Pure Solvents and the Mixing Properties of Solutions:	https://www.doi.org/10.1016/j.jct.2006.02.017
Carbamazepine and Saccharin in Methanol/Water Mixed Solvent: Basic Data, Liquid Equilibrium Data for Ternary System, Solubility Determination and Correlation.	https://www.doi.org/10.1016/j.jct.2012.05.017
Methanol + 1,3-Dioxolane + Water and Methanol + 1,4-Dioxane + Water Ternary Liquid–Liquid Equilibria at 101.3 kPa.	https://www.doi.org/10.1021/je800078j
Solubility Determination and Thermodynamic Mixing Properties of 5-Methyl-2-pyrazinecarboxylic Acid in Different Solvents.	https://www.doi.org/10.1016/j.fluid.2019.05.024
Solubility of Nifedipine in Aqueous Solutions of Glycerin, Methanol, Polyethylene Glycols 200, 400, 600, and Propylene Glycol at 298.2 K:	https://www.doi.org/10.1016/j.jct.2015.05.022
Liquid–liquid equilibria for mixtures of (methyl acetate + methanol + n-alkane (C10 – C12)) at several temperatures and 1 atm.	https://www.doi.org/10.1021/je049778g
Isobaric Vapor–Liquid Equilibrium Data of 2-Methylpropan-2-ol (1) + Heptan-1-ol (2), Methanol (1) + Heptan-1-ol (2), and 1-Propan-1-ol (1) + Heptan-1-ol (2) at 96.5 kPa:	https://www.doi.org/10.1021/je2009208
	https://www.doi.org/10.1016/j.fluid.2012.12.003
	https://www.doi.org/10.1016/j.fluid.2019.03.019
	https://www.doi.org/10.1021/je501004g
	https://www.doi.org/10.1016/j.jct.2016.09.011
	https://www.doi.org/10.1016/j.fluid.2015.03.036
	https://www.doi.org/10.1016/j.jct.2003.11.003
	https://www.doi.org/10.1021/acs.jced.8b01205
	https://www.doi.org/10.1021/acs.jced.7b00920
	https://www.doi.org/10.1021/je0201166
	https://www.doi.org/10.1021/acs.jced.9b00406
	https://www.doi.org/10.1021/acs.jced.7b00709
	https://www.doi.org/10.1021/je300696c
	https://www.doi.org/10.1016/j.jct.2003.11.009

Dynamic Viscosities of Diethyl Carbonate with Linear and Secondary Alcohols at Several Temperatures:	https://www.doi.org/10.1021/je0341413
Solubility of 6-Chloropyridazin-3-amine in Different Solvents:	https://www.doi.org/10.1021/je3001188
Solubility of 4-Chloro-2,5-dimethoxynitrobenzene, 4-Chloro-2,5-dimethoxyaniline, and 2,5-Dimethoxyaniline in Binary and Pure Solvents: Determination and Modeling.	https://www.doi.org/10.1021/acs.jced.9b00011
Determination and correlation of solubility of linezolid form II in different monosolvents at measurements in binary mixtures of dichloromethane and 1-alkanols (C1 - C4)	https://www.doi.org/10.1016/j.fluid.2016.10.021
Measurement and correlation of solubility of pronamide in five organic solvents at (278.15 to 323.15) K:	https://www.doi.org/10.1016/j.fluid.2015.11.037
Separation abilities of three acetate-based ionic liquids for benzene-methanol mixture through vapor-liquid equilibrium experiment at 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2016.03.039
Liquid Phase Equilibria of (Ethanol or Methanol + Water) + 1-(2-Methoxyethyl)-3-methylimidazolium bis(trifluoromethylsulfonyl)imide Ionic Liquid Ternary Systems at T = 298.15 K and Correlation	https://www.doi.org/10.1016/j.fluid.2019.03.022
The molar surface quasi-Gibbs energy and its application to the binary system: Liquid equilibrium at 101.3 kPa.	https://www.doi.org/10.1016/j.jct.2019.06.005
Liquid Phase Equilibria of (Ethanol or Methanol + Water) + 1-(2-Methoxyethyl)-3-methylimidazolium bis(trifluoromethylsulfonyl)imide Ionic Liquid Ternary Systems at T = 298.15 K and Correlation	https://www.doi.org/10.1021/je050408h
Ternary liquid-liquid equilibria for isomeric hydrocarbon mixtures at 298.15 K and 101.3 kPa and correlation with the UNIQUAC and NRTL models.	https://www.doi.org/10.1016/j.jct.2012.04.019
Solubility Prediction and Correlation of Two Erlotinib Hydrochloride Polymorphs in Alcohols and Ketones from 273.15 to 323.15 K:	https://www.doi.org/10.1021/acs.jced.6b00796
Solubility of Organic Semiconductors and Nonsteroidal Anti-inflammatory Drugs in Ethanol and Propan-1-ol from 278.15 to 318.15 K:	https://www.doi.org/10.1021/acs.jced.8b00536
Solubility of Calcium Diacetate in Organic Solvents: Measurement and Modeling with Hansen Solubility Parameter.	https://www.doi.org/10.1021/je0501989
Determination of the crystallization thermodynamics and solubility of L-tryptophan in alcohols + water systems.	https://www.doi.org/10.1016/j.fluid.2011.09.028
Towards automated characterisation of liquid-liquid equilibria:	https://www.doi.org/10.1016/j.fluid.2013.10.048
Solid-Liquid Equilibrium Solubility, Thermodynamic Properties, and Densities and Viscosities of Binary Mixture of the Ionic Liquid Methylphosphonic Acid in 15 Pure Solvents at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.9b00362
Molecular Simulations of Correlation of solubility and calculation of thermodynamic properties of 1-Propanol at T = (298.15 to 338.15) K:	https://www.doi.org/10.1021/je100848r
Measurement and Correlation for Solubilities of Adipic Acid, Glutaric Acid, and Succinic Acid in Dimethyl Adipate + Methanol Mixtures:	https://www.doi.org/10.1016/j.fluid.2014.12.037
Solubility of Ethylenediamine in Methanol, Ethanol, Isopropanol, 1-Butanol, and Ethyl Acetate between 278.15 and 323.15 K:	https://www.doi.org/10.1021/acs.jced.7b00255
Activity coefficients at infinite dilution for different alcohols and ketones in [Emyl][EtSO4]: Experimental data and modelling with PC-SAFT.	https://www.doi.org/10.1021/je034136z
Solubility of 1,6,6-Trimethyl-6,7,8,9-tetrahydrophenanthro[1,2-b]furan-10,11-dione in Binary 2-Methylpropane + C1-C4 Alcohol Systems.	https://www.doi.org/10.1021/je700186v
Activity coefficients at infinite dilution for different alcohols and ketones in [Emyl][EtSO4]: Experimental data and modelling with PC-SAFT.	https://www.doi.org/10.1016/j.fluid.2015.09.003
Determination and thermodynamic modelling for 4-nitropyrazole solubility in (methanol + water), (ethanol + water) and (acetone + water) binary solvent mixtures at T = (278.15 to 318.15) K.	https://www.doi.org/10.1016/j.jct.2016.08.023
Solubility of 1,6,6-Trimethyl-6,7,8,9-tetrahydrophenanthro[1,2-b]furan-10,11-dione in Binary Alcohol + Water Solvent Mixtures at T = (278.15 to 318.15) K.	https://www.doi.org/10.1021/je800238y
Solubility of Ammonium Nitrate in Different Solvents:	https://www.doi.org/10.1021/je800621p
Activity Coefficients at Infinite Dilution of Organic Solutes in 1-Hexyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide:	https://www.doi.org/10.1021/je0256481
Densities, Viscosities, and Liquid Diffusivities in Aqueous Piperazine and Piperazine + (N-Methyldiethanolamine + Water) Solutions:	https://www.doi.org/10.1021/je800031p
Physicochemical and volumetric properties of (choline chloride+urea) deep eutectic solvent and methanol mixtures in the temperature range of 293.15–323.15 K:	https://www.doi.org/10.1016/j.jct.2018.04.010
Thermodynamic Functions for Solubility of 2-mercaptobenzothiazole in eleven pure Organic Solvents at temperatures from 278.15 to 323.15 K:	https://www.doi.org/10.1021/je700690q
Solubility and preferential solvation of aconazole nitrate in binary solvent mixtures of (1,4-dioxane + water):	https://www.doi.org/10.1016/j.jct.2017.05.013
Determination and correlation of solubility of lysine tartrate in alcohol mixtures:	https://www.doi.org/10.1016/j.jct.2017.03.038
Liquid Equilibria for Ethyl Acetate + Methanol at (0.1, 0.5, and 0.7) MPa: Measurements with New apparatus for vapor-liquid equilibrium for acetone + methanol system containing different ionic liquids at 101.3 kPa:	https://www.doi.org/10.1016/j.jct.2014.08.026
A new high pressure vapour-liquid equilibrium apparatus:	https://www.doi.org/10.1021/je100614r
Solubility of 2-(2,4,6-Trichlorophenoxy)ethyl Bromide in Methanol, Ethanol, 1-Propanol, 2-Propanol, Acetonitrile, 1-Pentanol, and Acetone:	https://www.doi.org/10.1016/j.fluid.2017.11.035
Research on the application of 2-chloroquinaldine adducts in 2-chloro-6-(chloromethyl)pyridine production.	https://www.doi.org/10.1016/j.fluid.2008.05.002
Solubility Measurement and Correlation in Seven Pure Organic Solvents from (278.15 to 333.15) K:	https://www.doi.org/10.1021/je200074c
Solubility Determination of 1,5-Naphthalenediamine and 2,6-Naphthalenediamine in Different Solvents and Mixing Properties of Solutions:	https://www.doi.org/10.1016/j.jct.2019.02.002
Solid–Liquid Equilibrium of Azacyclotridecan-2-one in 15 Pure Solvents and Data Correlation:	https://www.doi.org/10.1021/je500286x
Solubility Data from 273.15 to 323.15 K: Comparison in Different Pure and Binary Solvents and Thermodynamic Modeling.	https://www.doi.org/10.1016/j.jct.2013.08.030
Experimental Determination and Correlation of Isothermal Vapor–Liquid Equilibrium Data at 323.15 K: Solubilities of Ethanol + Water + Ethyl Acetate + Ethyl Lactate and Their Binary Subsystems.	https://www.doi.org/10.1021/acs.jced.8b01214
Solubility Determination of 1,5-Naphthalenediamine and 2,6-Naphthalenediamine in Different Solvents and Mixing Properties of Solutions:	https://www.doi.org/10.1021/acs.jced.8b01193
Solubility from T = 278.15 to 323.15 K: Comparison in Different Pure and Binary Solvents and Thermodynamic Modeling.	https://www.doi.org/10.1021/acs.jced.8b00785
Experimental Determination and Correlation of Isothermal Vapor–Liquid Equilibrium Data at 323.15 K: Solubilities of Ethanol + Water + Ethyl Acetate + Ethyl Lactate and Their Binary Subsystems.	https://www.doi.org/10.1016/j.jct.2004.03.011
Solubilities k, and thermal expansivities alpha of {(1-x)H2O+xCH3OH} at T =(298.15 to 523.15) K and pressures up to 60 MPa:	

PHYSICAL AND EXCESS PROPERTIES OF BINARY AND TERNARY MIXTURES OF 1,1-DIMETHYLETHOXY-BUTANE, METHANOL, ETHANOL AND 1-PROPANOL at 298.15K:	https://www.doi.org/10.1016/j.tca.2005.04.030
Thermodynamic study of molecular interaction in binary mixtures of 1-propanol with 1-butanol, 2-butanol, 2-methyl-1-propanol, and 2-methyl-2-propanol at 298.15 K based on limiting activity coefficients.	https://www.doi.org/10.1016/j.jct.2018.02.014
Volumetric properties of the monoethanolamine methanol mixture at atmospheric pressure from 283.15 to 353.15K.	https://www.doi.org/10.1016/j.tca.2004.11.015
Solubility and Liquid-Liquid Equilibrium of Aqueous Systems of 1-Propanol at Temperature 298.15 K and Pressure 101.3 kPa.	https://www.doi.org/10.1021/je900059e
Effect of Temperature on Phase Equilibrium of the Mixed Solvent Ethanol + Methanol + Water.	https://www.doi.org/10.1021/je8002964
Measurement and correlation of vapor liquid equilibria for binary systems containing the ionic liquids [EMIM](CF3SO2)2N], [BMIM](CF3SO2)2N], [EMIM](C2H5SO4) and [MMIM](CH3)2PO4] at 101.3 kPa.	https://www.doi.org/10.1016/j.fluid.2005.01.002
Solubility of Pyridoxol in Different Solvents: Measurement, Correlation, Dissolution Thermodynamics, and Molecular Simulation.	https://www.doi.org/10.1021/je0501033
Isobaric (Vapor + Liquid) Equilibrium Data for Binary Mixtures of Methanol + Propionate and Vinyl Acetate + Vinyl Propionate.	https://www.doi.org/10.1021/je049909d
Vapor Pressures of Vinyl Propionate and Evaluation of the Performance of Different Equations.	https://www.doi.org/10.1021/acs.jced.8b00888
Experimental and Correlation of Solubility of Pyridoxol in Different Binary Solvents: Methanol + Water, Ethanol + Water, 1-Propanol + Water, 2-Propanol + Water, Acetone + Water, Ethyl Acetate + Water, and Acetonitrile + Water: Measurement and Correlation of Solubility of Pyridoxol in Different Binary Solvents: Methanol + Water, Ethanol + Water, 1-Propanol + Water, 2-Propanol + Water, Acetone + Water, Ethyl Acetate + Water, and Acetonitrile + Water.	https://www.doi.org/10.1021/je201129y
Guidelines for Selection of Ionic Liquids for Separation Problems.	https://www.doi.org/10.1016/j.jct.2004.03.014
Excess molar enthalpies of ternary mixtures of (methanol, ethanol + 2-propanol + 1,4-dioxane) at T = 298.15 K.	https://www.doi.org/10.1021/acs.jced.7b00840
Dissolution Equilibria of o-Iodoaniline and p-Iodoaniline in Pure Solvents.	https://www.doi.org/10.1016/j.tca.2013.02.022
Binding molecular interactions of ionic liquid in industrially important solvents by means of conductometric and viscometric techniques.	https://www.doi.org/10.1016/j.fluid.2014.10.013
Thermodynamic properties of cyclohexane + methanol liquid mixture from shear viscosity measurements.	https://www.doi.org/10.1016/j.fluid.2013.05.008
Correlation of solubility of pioglitazone hydrochloride in different binary solvents.	https://www.doi.org/10.1021/acs.jced.9b00306
Isobaric Vapor-Liquid Equilibrium for the Binary System of Dimethyl Adipate and 1-Hexanol at 10, 20, and 99 kPa.	https://www.doi.org/10.1016/j.fluid.2011.01.013
The viscosity of the binary vapor mixture methanol triethylamine at low densities and in the saturated vapor and liquid states.	https://www.doi.org/10.1016/j.fluid.2012.12.006
Influence of sulfate-based anion ionic liquids on the separation factor of the binary azeotropic system acetone + methanol.	https://www.doi.org/10.1021/acs.jced.8b01126
Solubility Modeling and Solvent Effect for Flubendazole in 12 Neat Solvents: Solubility of Diamantane, Trimantane, Tetramantane, and Their Derivatives in Organic Solvents:	https://www.doi.org/10.1021/je800277a

Legend

af:	Acentric Factor
affp:	Proton affinity
aigt:	Autoignition Temperature
basg:	Gas basicity
chg:	Standard gas enthalpy of combustion
chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
cps:	Solid phase heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
fll:	Lower Flammability Limit
flu:	Upper Flammability Limit
fpc:	Flash Point (Closed Cup Method)
fpo:	Flash Point (Open Cup Method)
gf:	Standard Gibbs free energy of formation
gyrad:	Radius of Gyration
hf:	Enthalpy of formation at standard conditions

hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
nfpah:	NFPA Health Rating
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rhol:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
sfust:	Entropy of fusion at a given temperature
sl:	Liquid phase molar entropy at standard conditions
speedsl:	Speed of sound in fluid
srf:	Surface Tension
ss:	Solid phase molar entropy at standard conditions
tb:	Normal Boiling Point Temperature
tbp:	Boiling point at given pressure
tc:	Critical Temperature
tcondl:	Liquid thermal conductivity
tdiff:	Thermal diffusivity
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
volm:	Molar Volume
zc:	Critical Compressibility
zra:	Rackett Parameter